

National Physician Survey, 2007. Results for Family Physicians/General Practitioners.

Q25a. Please rate the accessibility to the following for your patients.

Question asked of FP/GPs only		Family Physicians			All FPs
		CCFP n=2054 N=16227	non-CCFP n=1787 N=13113	CCFP(EM)* n=176 N=1468	Total n=3841 N=29339
		%	%	%	%
Other specialist physicians in general	Excellent	6.2%	7.8%	13.6%	6.9%
	Very good	18.4%	15.7%	31.1%	17.2%
	Good	32.8%	32.5%	25.7%	32.7%
	Fair	27.3%	24.6%	14.7%	26.1%
	Poor	8.7%	12.0%	5.8%	10.2%
	Don't know	1.3%	1.6%	1.2%	1.4%
	NR	5.3%	5.8%	7.9%	5.5%
	Total	100.0%	100.0%	100.0%	100.0%
Obstetricians/ Gynecologists	Excellent	11.5%	9.4%	21.8%	10.6%
	Very good	25.9%	22.2%	31.8%	24.3%
	Good	30.6%	29.5%	23.4%	30.1%
	Fair	16.5%	17.3%	9.2%	16.8%
	Poor	6.1%	6.5%	6.0%	6.3%
	Don't know	4.7%	8.0%	1.8%	6.2%
	NR	4.8%	7.0%	6.1%	5.8%
	Total	100.0%	100.0%	100.0%	100.0%
Pediatricians/Pediatric specialists	Excellent	12.2%	9.9%	26.4%	11.1%
	Very good	25.2%	22.2%	28.7%	23.9%
	Good	31.2%	28.8%	21.8%	30.1%
	Fair	14.3%	14.2%	10.2%	14.2%
	Poor	5.7%	6.7%	4.1%	6.1%
	Don't know	8.1%	12.3%	5.5%	10.0%
	NR	3.3%	6.0%	3.2%	4.5%
	Total	100.0%	100.0%	100.0%	100.0%
Orthopedic surgeons	Excellent	6.7%	5.3%	18.1%	6.1%
	Very good	11.9%	11.4%	25.9%	11.7%
	Good	21.8%	18.7%	23.6%	20.4%
	Fair	26.6%	23.5%	14.3%	25.2%
	Poor	27.8%	32.5%	12.7%	29.9%
	Don't know	2.1%	4.6%	1.2%	3.2%
	NR	3.1%	4.1%	4.2%	3.5%
	Total	100.0%	100.0%	100.0%	100.0%
Ophthalmologists	Excellent	6.6%	6.0%	12.5%	6.3%
	Very good	15.7%	14.7%	21.7%	15.3%
	Good	29.8%	27.8%	32.3%	28.9%
	Fair	25.9%	23.6%	14.4%	24.9%
	Poor	16.6%	17.3%	13.7%	16.9%
	Don't know	2.6%	5.6%	1.2%	3.9%
	NR	2.9%	5.0%	4.2%	3.9%
	Total	100.0%	100.0%	100.0%	100.0%

Notes:

Includes only respondents who provide patient care.

NR=No Response.

This question was asked only of family physician/ general practitioner respondents who completed the long questionnaire.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

(continued).

Physicians who attain Certification in the College of Family Physicians of Canada (CCFP) must meet the requirements of the Maintenance of Certification program in order to remain Certificants and have the right to continue to use the CCFP designation. At the time of the 2007 survey, 1242 respondents who are included in the CCFP column did not hold a currently valid CCFP, although they had attained it at some point over the past 40 years.

Source: 2007 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2007. Results for Family Physicians/General Practitioners.

Q25a. Please rate the accessibility to the following for your patients. (continued).

Question asked of FP/GPs only		Family Physicians			All FPs
		CCFP n=2054 N=16227	non-CCFP n=1787 N=13113	CCFP(EM)* n=176 N=1468	Total n=3841 N=29339
		%	%	%	%
Psychiatrists	Excellent	4.7%	5.4%	12.2%	5.0%
	Very good	9.1%	10.1%	17.0%	9.5%
	Good	16.4%	16.8%	22.0%	16.6%
	Fair	22.3%	20.7%	18.3%	21.6%
	Poor	43.2%	40.3%	24.5%	41.9%
	Don't know	1.5%	3.3%	.5%	2.3%
	NR	2.9%	3.6%	5.4%	3.2%
	Total	100.0%	100.0%	100.0%	100.0%

Notes:

Includes only respondents who provide patient care.

NR=No Response.

This question was asked only of family physician/ general practitioner respondents who completed the long questionnaire. The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2007. Results for Family Physicians/General Practitioners.

Q25a. Please rate the accessibility of the following for your patients.

Question asked of FP/GPs and other specialists		Family Physicians			All FPs
		CCFP n=2054 N=16227	non-CCFP n=1787 N=13113	CCFP(EM)* n=176 N=1468	Total n=3841 N=29339
		%	%	%	%
Psychosocial support services	Excellent	6.1%	5.3%	11.3%	5.7%
	Very good	12.8%	11.6%	16.6%	12.3%
	Good	23.9%	23.9%	26.5%	23.9%
	Fair	26.4%	24.7%	22.0%	25.6%
	Poor	25.5%	23.5%	16.2%	24.6%
	Don't know	2.6%	6.0%	2.6%	4.1%
	NR	2.6%	5.0%	4.8%	3.7%
Total	100.0%	100.0%	100.0%	100.0%	
Mental health counselor services	Excellent	5.1%	3.2%	8.1%	4.2%
	Very good	10.3%	8.7%	15.4%	9.6%
	Good	19.7%	18.7%	22.9%	19.3%
	Fair	25.2%	26.5%	26.1%	25.8%
	Poor	23.8%	23.5%	9.9%	23.7%
	Don't know	12.0%	13.4%	12.9%	12.6%
	NR	3.8%	6.1%	4.7%	4.8%
Total	100.0%	100.0%	100.0%	100.0%	
Addiction counselor services	Excellent	3.6%	2.2%	2.5%	3.0%
	Very good	8.2%	8.3%	8.6%	8.3%
	Good	21.8%	20.8%	20.2%	21.4%
	Fair	26.6%	22.7%	24.2%	24.9%
	Poor	20.7%	21.6%	20.2%	21.1%
	Don't know	15.7%	17.9%	19.4%	16.7%
	NR	3.3%	6.5%	4.8%	4.7%
Total	100.0%	100.0%	100.0%	100.0%	
Cancer care services	Excellent	10.3%	9.8%	10.2%	10.1%
	Very good	27.5%	25.7%	24.8%	26.7%
	Good	34.9%	30.8%	33.7%	33.1%
	Fair	14.1%	15.9%	10.9%	14.9%
	Poor	3.7%	4.2%	7.2%	3.9%
	Don't know	6.2%	7.8%	8.4%	6.9%
	NR	3.3%	5.7%	4.8%	4.4%
Total	100.0%	100.0%	100.0%	100.0%	
Cardiac care services	Excellent	10.1%	9.2%	20.9%	9.7%
	Very good	27.4%	26.0%	28.0%	26.8%
	Good	35.8%	34.4%	26.5%	35.2%
	Fair	15.3%	14.5%	11.3%	15.0%
	Poor	3.6%	5.2%	4.8%	4.3%
	Don't know	4.6%	5.3%	3.5%	4.9%
	NR	3.1%	5.5%	5.0%	4.2%
Total	100.0%	100.0%	100.0%	100.0%	

Notes:

Includes only respondents who provide patient care. NR=No Response.
 This question was asked only of those respondents who completed the long questionnaire.
 The responding sample (size: n) has been weighted to represent the population (size: N).
 Further detail available at www.nationalphysiciansurvey.ca.
 (continued).

Physicians who attain Certification in the College of Family Physicians of Canada (CCFP) must meet the requirements of the Maintenance of Certification program in order to remain Certified and have the right to continue to use the CCFP designation. At the time of the 2007 survey, 1242 respondents who are included in the CCFP column did not hold a currently valid CCFP, although they had attained it at some point over the past 40 years.

Source: 2007 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2007. Results for Family Physicians/General Practitioners.

Q25a. Please rate the accessibility of the following for your patients. (continued).

Question asked of FP/GPs and other specialists		Family Physicians			All FPs
		CCFP n=2054 N=16227	non-CCFP n=1787 N=13113	CCFP(EM)* n=176 N=1468	Total n=3841 N=29339
		%	%	%	%
Palliative care services	Excellent	13.0%	11.3%	10.9%	12.2%
	Very good	26.4%	24.2%	22.2%	25.4%
	Good	31.5%	27.4%	39.1%	29.7%
	Fair	13.1%	14.1%	11.2%	13.5%
	Poor	4.7%	6.4%	4.3%	5.5%
	Don't know	7.8%	10.1%	6.2%	8.8%
	NR	3.6%	6.5%	6.1%	4.9%
	Total	100.0%	100.0%	100.0%	100.0%
Operating room time	Excellent	2.2%	2.2%	3.3%	2.2%
	Very good	6.2%	5.7%	11.8%	6.0%
	Good	16.7%	15.3%	23.6%	16.1%
	Fair	22.0%	19.6%	22.0%	20.9%
	Poor	18.4%	19.6%	13.9%	19.0%
	Don't know	30.1%	29.9%	19.7%	30.0%
	NR	4.3%	7.7%	5.7%	5.8%
	Total	100.0%	100.0%	100.0%	100.0%
Anesthesia services	Excellent	5.5%	4.0%	9.8%	4.8%
	Very good	12.2%	13.1%	19.7%	12.6%
	Good	22.7%	20.2%	36.5%	21.6%
	Fair	16.1%	14.8%	9.4%	15.5%
	Poor	7.6%	9.2%	4.9%	8.3%
	Don't know	30.5%	30.8%	11.5%	30.6%
	NR	5.5%	7.9%	8.2%	6.6%
	Total	100.0%	100.0%	100.0%	100.0%
Emergency room/department services	Excellent	12.5%	9.3%	28.3%	11.1%
	Very good	21.8%	23.7%	20.9%	22.6%
	Good	28.1%	26.7%	25.3%	27.5%
	Fair	19.6%	17.2%	8.4%	18.5%
	Poor	12.6%	12.6%	11.2%	12.6%
	Don't know	2.2%	5.3%	.5%	3.6%
	NR	3.2%	5.2%	5.5%	4.1%
	Total	100.0%	100.0%	100.0%	100.0%
In-home nursing services	Excellent	3.7%	3.8%	4.3%	3.8%
	Very good	14.0%	15.6%	10.7%	14.7%
	Good	29.5%	28.1%	26.1%	28.8%
	Fair	24.9%	22.0%	27.3%	23.6%
	Poor	12.6%	10.4%	14.1%	11.6%
	Don't know	12.1%	13.0%	12.0%	12.5%
	NR	3.3%	7.1%	5.5%	5.0%
	Total	100.0%	100.0%	100.0%	100.0%

Notes:

Includes only respondents who provide patient care. NR=No Response.
 This question was asked only of those respondents who completed the long questionnaire.
 The responding sample (size: n) has been weighted to represent the population (size: N).
 Further detail available at www.nationalphysiciansurvey.ca.
 (continued).

Physicians who attain Certification in the College of Family Physicians of Canada (CCFP) must meet the requirements of the Maintenance of Certification program in order to remain Certificants and have the right to continue to use the CCFP designation. At the time of the 2007 survey, 1242 respondents who are included in the CCFP column did not hold a currently valid CCFP, although they had attained it at some point over the past 40 years.

Source: 2007 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2007. Results for Family Physicians/General Practitioners.

Q25a. Please rate the accessibility of the following for your patients. (continued).

Question asked of FP/GPs and other specialists		Family Physicians			All FPs
		CCFP n=2054 N=16227	non-CCFP n=1787 N=13113	CCFP(EM)* n=176 N=1468	Total n=3841 N=29339
		%	%	%	%
Critical care beds	Excellent	3.6%	3.1%	7.0%	3.4%
	Very good	11.4%	11.0%	13.7%	11.3%
	Good	22.9%	21.5%	31.2%	22.3%
	Fair	20.8%	18.8%	22.6%	19.9%
	Poor	12.1%	13.6%	17.1%	12.8%
	Don't know	25.0%	24.9%	3.5%	24.9%
	NR	4.2%	7.1%	4.9%	5.5%
Total	100.0%	100.0%	100.0%	100.0%	
Long-term care beds	Excellent	.5%	1.1%	.3%	.7%
	Very good	3.2%	4.0%	5.1%	3.6%
	Good	10.5%	10.6%	6.3%	10.6%
	Fair	26.4%	24.9%	26.7%	25.7%
	Poor	42.4%	37.9%	50.8%	40.4%
	Don't know	12.9%	14.8%	5.8%	13.7%
	NR	4.1%	6.7%	5.1%	5.2%
Total	100.0%	100.0%	100.0%	100.0%	
Hospital in-patient care on an urgent basis	Excellent	8.7%	7.2%	4.0%	8.1%
	Very good	18.1%	18.0%	19.3%	18.0%
	Good	24.0%	23.8%	19.0%	23.9%
	Fair	20.9%	18.3%	21.7%	19.7%
	Poor	13.7%	13.1%	25.1%	13.4%
	Don't know	11.2%	14.2%	6.1%	12.5%
	NR	3.4%	5.5%	4.8%	4.4%
Total	100.0%	100.0%	100.0%	100.0%	
Hospital care for elective procedures	Excellent	1.8%	2.3%	2.1%	2.0%
	Very good	7.2%	8.6%	10.5%	7.8%
	Good	21.8%	21.6%	18.6%	21.7%
	Fair	29.1%	26.5%	20.2%	27.9%
	Poor	20.3%	20.3%	22.2%	20.3%
	Don't know	15.1%	12.8%	20.2%	14.0%
	NR	4.7%	8.0%	6.1%	6.2%
Total	100.0%	100.0%	100.0%	100.0%	
Routine diagnostic services	Excellent	16.1%	14.5%	18.3%	15.4%
	Very good	34.2%	29.8%	37.7%	32.2%
	Good	31.2%	31.0%	27.4%	31.1%
	Fair	11.7%	12.9%	7.9%	12.2%
	Poor	2.7%	5.1%	2.2%	3.7%
	Don't know	1.0%	2.0%	1.7%	1.5%
	NR	3.2%	4.8%	4.7%	3.9%
Total	100.0%	100.0%	100.0%	100.0%	

Notes:

Includes only respondents who provide patient care. NR=No Response.
 This question was asked only of those respondents who completed the long questionnaire.
 The responding sample (size: n) has been weighted to represent the population (size: N).
 Further detail available at www.nationalphysiciansurvey.ca.
 (continued).

Physicians who attain Certification in the College of Family Physicians of Canada (CCFP) must meet the requirements of the Maintenance of Certification program in order to remain Certificants and have the right to continue to use the CCFP designation. At the time of the 2007 survey, 1242 respondents who are included in the CCFP column did not hold a currently valid CCFP, although they had attained it at some point over the past 40 years.

Source: 2007 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2007. Results for Family Physicians/General Practitioners.

Q25a. Please rate the accessibility of the following for your patients. (continued).

Question asked of FP/GPs and other specialists		Family Physicians			All FPs
		CCFP n=2054 N=16227	non-CCFP n=1787 N=13113	CCFP(EM)* n=176 N=1468	Total n=3841 N=29339
		%	%	%	%
Advanced diagnostic services	Excellent	4.5%	3.7%	10.4%	4.1%
	Very good	11.8%	10.3%	18.8%	11.2%
	Good	23.0%	21.7%	31.7%	22.4%
	Fair	31.7%	26.9%	22.0%	29.5%
	Poor	24.1%	30.1%	9.9%	26.8%
	Don't know	1.5%	2.2%	1.7%	1.8%
	NR	3.4%	5.1%	5.6%	4.1%
	Total	100.0%	100.0%	100.0%	100.0%
Drugs and appliances	Excellent	6.6%	6.9%	6.8%	6.7%
	Very good	22.5%	23.4%	25.2%	22.9%
	Good	40.1%	37.1%	40.5%	38.7%
	Fair	19.1%	18.3%	11.5%	18.8%
	Poor	3.6%	3.2%	1.6%	3.4%
	Don't know	4.4%	4.6%	9.3%	4.5%
	NR	3.7%	6.4%	5.0%	4.9%
	Total	100.0%	100.0%	100.0%	100.0%
Home care	Excellent	3.7%	3.5%	5.4%	3.6%
	Very good	15.6%	15.5%	16.9%	15.6%
	Good	33.8%	32.9%	30.3%	33.4%
	Fair	25.2%	24.3%	24.0%	24.8%
	Poor	11.1%	9.8%	14.1%	10.5%
	Don't know	6.8%	8.1%	4.4%	7.4%
	NR	3.9%	5.8%	4.8%	4.7%
	Total	100.0%	100.0%	100.0%	100.0%
Occupational therapy services	Excellent	2.6%	3.3%	1.6%	2.9%
	Very good	11.0%	12.4%	12.0%	11.6%
	Good	25.6%	27.2%	23.6%	26.3%
	Fair	27.3%	26.0%	24.6%	26.7%
	Poor	18.2%	14.4%	12.4%	16.5%
	Don't know	11.9%	11.4%	21.6%	11.7%
	NR	3.3%	5.4%	4.2%	4.2%
	Total	100.0%	100.0%	100.0%	100.0%
Physiotherapy services	Excellent	5.5%	6.9%	3.1%	6.1%
	Very good	18.5%	18.9%	15.3%	18.7%
	Good	28.9%	29.8%	25.1%	29.3%
	Fair	23.6%	20.6%	25.7%	22.3%
	Poor	16.0%	13.9%	13.2%	15.0%
	Don't know	4.1%	5.2%	13.0%	4.6%
	NR	3.4%	4.8%	4.6%	4.0%
	Total	100.0%	100.0%	100.0%	100.0%

Notes:

Includes only respondents who provide patient care. NR=No Response.
 This question was asked only of those respondents who completed the long questionnaire.
 The responding sample (size: n) has been weighted to represent the population (size: N).
 Further detail available at www.nationalphysiciansurvey.ca.

Physicians who attain Certification in the College of Family Physicians of Canada (CCFP) must meet the requirements of the Maintenance of Certification program in order to remain Certificants and have the right to continue to use the CCFP designation. At the time of the 2007 survey, 1242 respondents who are included in the CCFP column did not hold a currently valid CCFP, although they had attained it at some point over the past 40 years.

Source: 2007 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.