

## National Physician Survey, 2007. Results for Family Physicians/General Practitioners

### Q32aiii. In the last year, have you been absent from work due to illness or disability?

		Sex			Age Groups						All FP/GPs
		Male n=5800 N=18324	Female n=4279 N=11504	NR n=191 N=564	<35 n=887 N=2700	35-44 n=2421 N=7644	45-54 n=3435 N=10247	55-64 n=2519 N=7091	65+ n=904 N=2406	NR n=104 N=305	Total n=10270 N=30393
		%	%	%	%	%	%	%	%	%	%
Illness or disability	Yes	14.0%	15.5%	10.4%	12.3%	12.8%	15.5%	14.9%	17.1%	8.9%	14.5%
	No	80.1%	77.1%	77.3%	79.3%	80.2%	78.7%	79.2%	74.2%	77.9%	78.9%
	NR	6.0%	7.4%	12.2%	8.3%	7.0%	5.8%	5.8%	8.7%	13.1%	6.6%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at [www.nationalphysiciansurvey.ca](http://www.nationalphysiciansurvey.ca).

## National Physician Survey, 2007. Results for Family Physicians/General Practitioners

### Q32aiii. Number of days absent from work in the last year due to work related stress.

		Sex			Age Groups						All FP/GPs
		Male n=159 N=495	Female n=161 N=425	NR n=2 N=5	<35 n=23 N=68	35-44 n=68 N=210	45-54 n=124 N=357	55-64 n=79 N=215	65+ n=27 N=71	NR n=1 N=4	Total n=322 N=925
		%	%	%	%	%	%	%	%	%	%
Days absent due to work-related stress	Up to 3 days	35.2%	32.8%	**	**	37.9%	31.8%	31.2%	**	**	34.2%
	More than 3, up to 7	22.2%	19.1%	**	**	14.3%	25.8%	21.1%	**	**	20.6%
	More than 7, up to 14 days	10.5%	9.2%	**	**	14.3%	7.9%	10.5%	**	**	9.9%
	More than 14	23.1%	24.7%	**	**	23.6%	25.9%	21.6%	**	**	24.0%
	NR	9.0%	14.2%	**	**	9.9%	8.6%	15.5%	**	**	11.3%
	Total	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	**	**	100.0%

Notes:

Includes only respondents who indicated a work related stress illness.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at [www.nationalphysiciansurvey.ca](http://www.nationalphysiciansurvey.ca).

## National Physician Survey, 2007. Results for Family Physicians/General Practitioners

### Q32aiii. Mean number of days absent from work in the last year, due to work related stress.

		Sex			Age Groups						All FP/GPs
		Male n=144 N=450	Female n=137 N=365	NR n=2 N=5	<35 n=21 N=62	35-44 n=61 N=189	45-54 n=113 N=326	55-64 n=66 N=182	65+ n=21 N=57	NR n=1 N=4	Total n=283 N=820
No.of days absent due to work related stress	Mean	25.18	24.94	**	**	23.27	26.48	23.55	**	**	25.04
	Median	5.00	5.00	**	**	5.00	5.00	5.00	**	**	5.00
	Mode	2.00	2.00	**	**	2.00	2.00	2.00	**	**	2.00
	Standard Deviation	62.14	55.21	**	**	53.39	63.17	48.46	**	**	58.94
	Minimum	.50	.50	**	**	.50	1.00	1.00	**	**	.50
	Maximum	365.00	365.00	**	**	365.00	365.00	240.00	**	**	365.00

Notes:

Includes only respondents who indicated greater than zero days absent.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at [www.nationalphysiciansurvey.ca](http://www.nationalphysiciansurvey.ca).

\*\* Results are suppressed when there are fewer than 30 respondents.

## National Physician Survey, 2007. Results for Family Physicians/General Practitioners

### Q32aiii. Number of days absent from work in the last year, due to other illness/disability.

		Sex			Age Groups						All FP/GPs
		Male n=733 N=2309	Female n=621 N=1646	NR n=19 N=56	<35 n=101 N=304	35-44 n=285 N=887	45-54 n=501 N=1469	55-64 n=338 N=951	65+ n=140 N=375	NR n=8 N=24	Total n=1373 N=4010
		%	%	%	%	%	%	%	%	%	%
Days absent due to other illness/ disability	Up to 3 days	45.1%	36.5%	**	55.1%	44.7%	43.9%	34.5%	32.0%	**	41.6%
	More than 3, up to 7	20.6%	23.2%	**	21.6%	25.5%	21.9%	21.0%	13.9%	**	21.7%
	More than 7, up to 14 days	11.1%	13.0%	**	7.4%	10.6%	10.6%	13.9%	17.2%	**	11.8%
	More than 14	21.3%	23.7%	**	14.1%	16.8%	21.4%	27.1%	33.2%	**	22.3%
	NR	1.9%	3.7%	**	1.8%	2.3%	2.1%	3.5%	3.8%	**	2.6%
	Total	100.0%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**

Notes:

Includes only respondents who indicated another illness/disability.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at [www.nationalphysiciansurvey.ca](http://www.nationalphysiciansurvey.ca).

\*\* Results are suppressed when there are fewer than 30 respondents.

## National Physician Survey, 2007. Results for Family Physicians/General Practitioners

### Q32aiii. Mean number of days absent from work in the last year, due to other illness/disability.

		Sex			Age Groups						All FP/GPs
		Male n=718 N=2265	Female n=597 N=1585	NR n=19 N=56	<35 n=99 N=299	35-44 n=278 N=867	45-54 n=490 N=1438	55-64 n=325 N=917	65+ n=134 N=361	NR n=8 N=24	Total n=1334 N=3906
No. of days absent due to any other illness/disability	Mean	17.14	24.83	**	9.61	16.30	21.68	23.00	22.79	**	20.14
	Median	4.00	5.00	**	3.00	4.00	4.00	5.00	10.00	**	5.00
	Mode	2.00	2.00	**	2.00	2.00	1.00	2.00	2.00	**	2.00
	Standard Deviation	40.38	56.35	**	23.82	42.27	53.26	48.73	34.49	**	47.44
	Minimum	.50	.50	**	1.00	.50	.50	.50	1.00	**	.50
	Maximum	365.00	365.00	**	224.00	365.00	365.00	365.00	200.00	**	365.00

Notes:

Includes only respondents who indicated greater than zero days absent.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at [www.nationalphysiciansurvey.ca](http://www.nationalphysiciansurvey.ca).

\*\* Results are suppressed when there are fewer than 30 respondents.