

National Physician Survey, 2007. National Results by Province and Canada

Q20. Please indicate with whom you do not collaborate. Check all that apply.

Question asked of FP/GPs and other specialists		Province											Canada
		NL n=186 N=936	PE n=58 N=204	NS n=498 N=1885	NB n=299 N=1261	QC n=1457 N=13414	ON n=2286 N=20267	MB n=432 N=1976	SK n=318 N=1458	AB n=630 N=5691	BC n=845 N=8206	NT/YT/ NU n=29 N=101	Total n=7038 N=55398
		%	%	%	%	%	%	%	%	%	%	%	%
ALL - I do not collaborate with the following	No collaboration with Family physicians	8.0%	5.2%	7.6%	4.6%	4.7%	8.9%	6.7%	6.9%	7.1%	5.2%	**	6.8%
	No collaboration with Nurse practitioners	27.9%	44.2%	45.6%	46.9%	39.4%	39.9%	39.4%	34.2%	37.7%	45.6%	**	40.4%
	No collaboration with Psychiatric nurses	33.8%	30.5%	43.5%	38.7%	45.1%	46.7%	41.2%	34.1%	42.0%	37.3%	**	43.3%
	No collaboration with Other nurses (RN, LPN, RPN)	11.1%	14.1%	11.2%	8.7%	17.1%	18.0%	14.1%	8.6%	12.0%	11.2%	**	15.2%
	No collaboration with Physician assistants	39.0%	61.5%	54.9%	55.8%	54.7%	53.8%	50.0%	45.0%	49.0%	52.3%	**	52.8%
	No collaboration with Dietitians/ nutritionists	8.2%	6.5%	8.9%	9.4%	9.3%	10.5%	10.7%	8.7%	9.2%	9.7%	**	9.8%
	No collaboration with Occupational therapists	15.6%	22.9%	20.8%	16.2%	23.0%	29.0%	18.5%	16.5%	25.0%	22.7%	**	24.6%
	No collaboration with Physiotherapists	12.3%	16.8%	15.7%	13.4%	18.0%	22.0%	14.5%	13.2%	19.8%	15.3%	**	18.7%
	No collaboration with Chiropractors	38.5%	41.8%	44.3%	49.8%	59.0%	46.5%	47.0%	32.0%	50.0%	46.5%	**	49.4%
	No collaboration with Psychologists	26.1%	31.3%	20.3%	23.7%	23.0%	35.0%	27.7%	25.4%	28.7%	33.6%	**	29.8%
	No collaboration with Mental health counselors	28.8%	25.3%	27.9%	25.8%	50.4%	36.0%	27.8%	25.6%	32.5%	27.5%	**	36.6%
	No collaboration with Addiction counselors	29.5%	23.7%	36.3%	31.9%	50.0%	43.2%	38.6%	27.4%	42.1%	34.0%	**	42.0%
	No collaboration with Social workers	12.4%	14.0%	15.3%	15.4%	17.0%	23.7%	19.3%	15.0%	22.8%	18.6%	**	20.1%
	No collaboration with Pharmacists	6.2%	5.2%	10.4%	6.1%	8.3%	13.4%	7.5%	6.8%	12.0%	10.6%	**	10.8%
	No collaboration with Midwives	43.9%	63.5%	60.1%	64.6%	63.1%	48.9%	47.6%	50.3%	56.6%	47.3%	**	53.6%
	No collaboration with Speech-language pathologists	29.9%	26.1%	34.8%	27.0%	43.1%	37.2%	32.4%	28.7%	38.7%	35.4%	**	37.6%
No collaboration with Chiropractors	46.4%	56.3%	52.2%	53.9%	57.0%	44.4%	48.5%	36.1%	53.6%	50.2%	**	49.7%	
No collaboration with complementary/ alternative medicine providers	46.2%	51.4%	58.9%	57.8%	58.9%	54.3%	58.1%	45.2%	55.0%	52.9%	**	55.2%	
NR to questions above	3.5%	5.2%	1.8%	2.2%	1.4%	1.8%	1.7%	3.5%	2.1%	2.0%	**	1.8%	
No collaboration at all among all respondents	40.7%	27.7%	28.3%	24.5%	25.3%	30.7%	29.0%	38.9%	30.7%	32.4%	**	29.7%	

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

This question was asked only of those respondents who completed the long questionnaire.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca . **Responses suppressed when column n is less than 30.