

National Physician Survey, 2007. National Results by Province and Canada

Q32aiii. In the last year, have you been absent from work due to illness or disability?

		Province											Canada
		NL n=287 N= 974	PE n=88 N=206	NS n=767 N=1967	NB n=461 N=1300	QC n=4822 N=14235	ON n=7003 N=21031	MB n=666 N=2059	SK n=496 N=1505	AB n=1952 N=5943	BC n=2645 N=8420	NT/YT/ NU n=52 N=114	Total n=19239 N=57757
		%	%	%	%	%	%	%	%	%	%	%	%
Illness or disability	Yes	19.4%	18.9%	14.6%	13.0%	10.5%	14.3%	15.1%	15.4%	11.4%	13.9%	12.0%	13.1%
	No	67.5%	76.1%	76.6%	79.6%	81.7%	79.3%	77.5%	76.9%	82.1%	79.4%	76.8%	79.8%
	NR	13.2%	5.0%	8.8%	7.5%	7.8%	6.4%	7.4%	7.7%	6.5%	6.7%	11.2%	7.1%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca .

National Physician Survey, 2007. National Results by Province and Canada

Q32a.iii. Number of days absent from work in the last year due to work related stress.

		Province											Canada
		NL n=17 N=57	PE n=3 N=7	NS n=17 N=42	NB n=12 N=32	QC n=120 N=335	ON n=202 N=583	MB n=20 N=63	SK n=8 N=26	AB n=36 N=110	BC n=59 N=186	NT/ YT/NU n=2 N=4	Total n=496 N=1446
		%	%	%	%	%	%	%	%	%	%	%	
Days absent due to work-related stress	Up to 3 days	**	**	**	**	21.1%	34.4%	**	**	27.5%	31.3%	**	32.2%
	More than 3, up to 7	**	**	**	**	18.1%	22.6%	**	**	19.4%	15.9%	**	20.4%
	More than 7, up to 14 days	**	**	**	**	7.5%	8.9%	**	**	8.5%	13.3%	**	9.9%
	More than 14	**	**	**	**	35.2%	21.0%	**	**	30.5%	27.7%	**	24.8%
	NR	**	**	**	**	18.1%	13.0%	**	**	14.0%	11.8%	**	12.8%
	Total	**	**	**	**	100.0%	100.0%	**	**	100.0%	100.0%	**	100.0%

Notes:

Includes only respondents who indicated a work related stress illness.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2007. National Results by Province and Canada

Q32aiii. Mean number of days absent from work in the last year, due to work related stress.

		Province											Canada
		NL n=16 N=54	PE n=3 N=7	NS n=17 N=42	NB n=10 N=28	QC n=98 N=274	ON n=174 N=507	MB n=19 N=60	SK n=8 N=26	AB n=31 N=95	BC n=51 N=164	NT/ YT/NU n=2 N=4	Total n=429 N=1261
No.of days absent due to work related stress	Mean	**	**	**	**	47.50	18.45	**	**	27.61	25.97	**	25.08
	Median	**	**	**	**	10.00	5.00	**	**	5.00	7.00	**	5.00
	Mode	**	**	**	**	2.00	2.00	**	**	2.00	2.00	**	2.00
	Standard Deviation	**	**	**	**	80.58	45.75	**	**	64.52	49.11	**	55.64
	Minimum	**	**	**	**	.50	.50	**	**	1.00	1.00	**	.50
	Maximum	**	**	**	**	365.00	365.00	**	**	365.00	300.00	**	365.00

Notes:

Includes only respondents who indicated greater than zero days absent.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2007. National Results by Province and Canada

Q32aiii. Number of days absent from work in the last year, due to other illness/disability.

		Province											Canada
		NL n=51 N=171	PE n=16 N=36	NS n=107 N=269	NB n=56 N=161	QC n=466 N=1337	ON n=929 N=2735	MB n=90 N=282	SK n=69 N=210	AB n=204 N=621	BC n=346 N=1090	NT/ YT/NU n=7 N=14	Total n=2341 N=6925
		%	%	%	%	%	%	%	%	%	%	%	%
Days absent due to other illness/ disability	Up to 3 days	45.9%	**	49.9%	44.1%	21.3%	45.2%	55.7%	48.9%	49.7%	39.7%	**	40.8%
	More than 3, up to 7	17.5%	**	22.7%	15.5%	20.0%	21.9%	17.0%	20.5%	17.0%	25.1%	**	21.2%
	More than 7, up to 14 days	9.4%	**	7.5%	7.2%	15.6%	11.8%	4.2%	11.9%	8.9%	12.3%	**	11.6%
	More than 14	25.1%	**	20.0%	30.8%	38.6%	18.4%	21.9%	18.8%	22.0%	21.0%	**	23.7%
	NR	2.1%	**	.0%	2.4%	4.5%	2.8%	1.1%	.0%	2.5%	2.0%	**	2.7%
	Total	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%

Notes:

Includes only respondents who indicated another illness/disability.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2007. National Results by Province and Canada

Q32aiii. Mean number of days absent from work in the last year, due to other illness/disability.

		Province											Canada
		NL n=50 N=168	PE n=16 N=36	NS n=107 N=269	NB n=54 N=157	QC n=444 N=1276	ON n=901 N=2659	MB n=89 N=279	SK n=69 N=210	AB n=199 N=606	BC n=338 N=1068	NT/ YT/NU n=7 N=14	Total n=2274 N=6741
No. of days absent due to any other illness/disability	Mean	21.15	**	15.90	21.74	38.58	14.48	15.44	14.30	23.33	19.45	**	21.02
	Median	4.00	**	4.00	5.00	10.00	4.00	3.00	3.50	3.00	5.00	**	5.00
	Mode	2.00	**	2.00	2.00	5.00	2.00	1.00	2.00	2.00	2.00	**	2.00
	Standard Deviation	44.07	**	38.84	37.58	68.55	34.74	31.23	28.89	59.50	44.30	**	47.79
	Minimum	.50	**	1.00	1.00	.50	.50	1.00	1.00	1.00	.50	**	.50
	Maximum	210.00	**	260.00	180.00	365.00	365.00	182.00	155.00	365.00	365.00	**	365.00

Notes:

Includes only respondents who indicated greater than zero days absent.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.