

National Physician Survey, 2007. Results for Clinical Specialists - Internal Medicine.

Q25a. Please rate the accessibility of the following for your patients.

Question asked of other specialists only		Internal Medicine Specialists											Total n=627 N=5096
		Cardio n=80 N=738	EndoMet n=32 N=240	Gastro n=41 N=388	Geriat n=30 N=242	Hema n=29 N=210	Immun n=14 N=95	IntMed n=213 N=1607	MedOnc n=33 N=271	Nephro n=53 N=435	Respir n=67 N=584	Rheuma n=35 N=287	
		%	%	%	%	%	%	%	%	%	%	%	
Family physicians	Excellent	5.1%	3.5%	5.7%	.0%	**	**	5.7%	.0%	1.3%	3.2%	.0%	3.6%
	Very good	7.5%	1.5%	4.0%	15.0%	**	**	11.1%	8.0%	8.6%	8.4%	5.4%	8.5%
	Good	15.9%	21.5%	16.1%	31.4%	**	**	23.3%	23.4%	24.3%	24.7%	18.5%	21.9%
	Fair	32.0%	13.4%	29.2%	30.9%	**	**	26.7%	53.3%	34.4%	27.3%	38.5%	30.3%
	Poor	36.0%	49.6%	34.1%	22.7%	**	**	25.9%	15.3%	26.4%	29.4%	37.6%	30.2%
	Don't know	1.7%	4.2%	2.2%	.0%	**	**	2.5%	.0%	.8%	1.9%	.0%	1.7%
	NR	1.8%	6.4%	8.7%	.0%	**	**	4.8%	.0%	4.2%	5.1%	.0%	3.8%
Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
Other specialists	Excellent	3.8%	2.2%	.0%	8.0%	**	**	6.6%	3.1%	4.1%	5.3%	.0%	4.4%
	Very good	21.6%	27.7%	14.2%	17.5%	**	**	27.7%	17.8%	35.7%	20.2%	12.6%	23.1%
	Good	33.5%	30.9%	26.1%	44.7%	**	**	28.7%	53.5%	38.0%	49.0%	33.3%	35.3%
	Fair	30.6%	21.6%	43.3%	25.5%	**	**	23.9%	21.4%	16.4%	15.7%	43.3%	26.4%
	Poor	7.4%	5.2%	12.1%	4.3%	**	**	6.0%	2.0%	3.4%	6.5%	10.8%	6.3%
	Don't know	1.4%	1.8%	.0%	.0%	**	**	1.7%	.0%	.0%	.0%	.0%	.9%
	NR	1.8%	10.7%	4.3%	.0%	**	**	5.5%	2.2%	2.4%	3.3%	.0%	3.6%
Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

This question was asked only of other specialist respondents who completed the long questionnaire.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Results are suppressed when there are fewer than 30 respondents.

National Physician Survey, 2007. Results for Clinical Specialists - Internal Medicine.

Q25a. Please rate the accessibility of the following for your patients.

Question asked of FP/GPs and other specialists		Internal Medicine Specialists											Total n=627 N=5096
		Cardio n=80 N=738	EndoMet n=32 N=240	Gastro n=41 N=388	Geriat n=30 N=242	Hema n=29 N=210	Immun n=14 N=95	IntMed n=213 N=1607	MedOnc n=33 N=271	Nephro n=53 N=435	Respir n=67 N=584	Rheuma n=35 N=287	
		%	%	%	%	%	%	%	%	%	%	%	
Psychosocial support services	Excellent	1.4%	.0%	.0%	3.4%	**	**	4.2%	4.2%	1.8%	4.9%	.0%	3.0%
	Very good	8.5%	13.5%	5.0%	19.1%	**	**	11.2%	27.5%	28.7%	14.8%	.0%	13.1%
	Good	26.4%	27.1%	29.3%	24.0%	**	**	22.8%	40.1%	35.1%	21.4%	8.4%	25.3%
	Fair	22.9%	25.5%	21.9%	27.2%	**	**	20.9%	18.1%	10.2%	18.4%	29.6%	20.7%
	Poor	16.8%	17.1%	12.9%	26.3%	**	**	21.0%	10.1%	13.5%	19.1%	47.7%	20.4%
	Don't know	21.4%	10.4%	26.5%	.0%	**	**	16.2%	.0%	6.2%	18.0%	11.1%	14.3%
	NR	2.6%	6.4%	4.3%	.0%	**	**	3.6%	.0%	4.6%	3.3%	3.2%	3.2%
Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Mental health counselor services	Excellent	.0%	.0%	.0%	.0%	**	**	1.1%	.0%	.0%	1.0%	.0%	.5%
	Very good	4.0%	7.7%	2.5%	5.7%	**	**	3.9%	3.1%	7.4%	.0%	.0%	3.6%
	Good	13.2%	1.6%	5.9%	19.6%	**	**	13.9%	15.1%	23.6%	8.9%	6.1%	12.8%
	Fair	10.2%	24.8%	27.7%	25.0%	**	**	17.2%	19.4%	5.2%	19.6%	24.8%	17.4%
	Poor	16.8%	15.6%	6.9%	22.7%	**	**	18.1%	20.2%	14.5%	13.7%	30.6%	17.1%
	Don't know	52.6%	41.8%	52.7%	27.1%	**	**	40.2%	42.2%	43.3%	51.8%	38.5%	44.6%
	NR	3.2%	8.6%	4.3%	.0%	**	**	5.5%	.0%	5.9%	5.0%	.0%	4.1%
Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Addiction counselor services	Excellent	.0%	.0%	.0%	.0%	**	**	.8%	.0%	.0%	1.6%	.0%	.4%
	Very good	1.3%	2.8%	8.4%	.0%	**	**	2.6%	.0%	.0%	1.0%	.0%	1.9%
	Good	8.3%	9.5%	7.1%	3.4%	**	**	9.0%	9.2%	7.5%	8.2%	8.2%	8.2%
	Fair	8.4%	18.2%	17.8%	36.5%	**	**	16.2%	2.7%	8.5%	12.5%	10.2%	13.4%
	Poor	9.4%	.0%	11.6%	20.0%	**	**	15.4%	7.4%	12.5%	14.4%	21.1%	12.8%
	Don't know	68.3%	61.0%	48.1%	35.9%	**	**	49.7%	80.7%	65.3%	57.3%	60.6%	58.2%
	NR	4.3%	8.6%	7.0%	4.1%	**	**	6.3%	.0%	6.1%	5.0%	.0%	5.0%
Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

(continued).

National Physician Survey, 2007. Results for Clinical Specialists - Internal Medicine.

Q25a. Please rate the accessibility of the following for your patients. (continued).

Question asked of FP/GPs and other specialists		Internal Medicine Specialists											Total n=627 N=5096
		Cardio n=80 N=738	EndoMet n=32 N=240	Gastro n=41 N=388	Geriat n=30 N=242	Hema n=29 N=210	Immun n=14 N=95	IntMed n=213 N=1607	MedOnc n=33 N=271	Nephro n=53 N=435	Respir n=67 N=584	Rheuma n=35 N=287	
		%	%	%	%	%	%	%	%	%	%	%	
Cancer care services	Excellent	1.7%	4.0%	14.3%	11.7%	**	**	9.4%	27.0%	8.5%	16.4%	1.3%	10.4%
	Very good	21.5%	23.5%	12.6%	22.9%	**	**	27.0%	38.8%	29.7%	37.2%	18.2%	26.6%
	Good	29.2%	31.9%	37.7%	28.4%	**	**	31.9%	19.9%	36.9%	29.6%	41.5%	30.8%
	Fair	16.1%	10.4%	15.1%	30.9%	**	**	14.6%	10.8%	9.6%	6.8%	6.4%	13.2%
	Poor	3.2%	.0%	1.2%	1.9%	**	**	2.9%	3.6%	.9%	2.3%	4.6%	2.4%
	Don't know	23.8%	21.6%	12.2%	.0%	**	**	9.3%	.0%	8.3%	3.1%	28.0%	12.1%
	NR	4.5%	8.6%	6.9%	4.1%	**	**	4.9%	.0%	6.1%	4.5%	.0%	4.5%
	Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Cardiac care services	Excellent	21.5%	7.6%	23.0%	22.0%	**	**	25.7%	4.9%	12.1%	22.2%	6.0%	18.6%
	Very good	37.2%	42.5%	9.4%	42.1%	**	**	26.5%	40.2%	38.7%	31.4%	24.5%	30.7%
	Good	25.3%	32.7%	35.1%	21.9%	**	**	29.5%	26.6%	26.5%	31.1%	46.2%	30.1%
	Fair	7.1%	8.6%	13.8%	5.8%	**	**	8.3%	15.1%	10.1%	10.3%	6.0%	9.4%
	Poor	3.6%	.0%	2.2%	4.1%	**	**	3.0%	1.7%	.0%	1.7%	.0%	2.1%
	Don't know	.0%	.0%	12.2%	.0%	**	**	2.0%	11.5%	6.5%	.0%	17.3%	4.9%
	NR	5.3%	8.6%	4.3%	4.1%	**	**	5.0%	.0%	6.1%	3.3%	.0%	4.3%
	Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Palliative care services	Excellent	1.7%	4.0%	16.8%	22.8%	**	**	13.5%	17.4%	15.3%	17.4%	1.3%	12.1%
	Very good	22.1%	26.0%	23.0%	21.9%	**	**	25.3%	30.7%	29.0%	41.7%	30.9%	27.6%
	Good	30.7%	10.6%	32.0%	26.1%	**	**	24.1%	32.6%	30.4%	24.1%	22.8%	25.1%
	Fair	16.9%	18.2%	14.8%	23.1%	**	**	13.1%	15.7%	11.2%	11.0%	6.9%	14.1%
	Poor	4.2%	.0%	4.7%	1.9%	**	**	6.7%	3.5%	.9%	.8%	6.0%	4.2%
	Don't know	21.8%	32.6%	4.4%	.0%	**	**	12.9%	.0%	7.1%	1.8%	32.2%	13.1%
	NR	2.6%	8.6%	4.3%	4.1%	**	**	4.4%	.0%	6.1%	3.3%	.0%	3.7%
	Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

(continued).

National Physician Survey, 2007. Results for Clinical Specialists - Internal Medicine.

Q25a. Please rate the accessibility of the following for your patients. (continued).

Question asked of FP/GPs and other specialists		Internal Medicine Specialists											Total n=627 N=5096
		Cardio n=80 N=738	EndoMet n=32 N=240	Gastro n=41 N=388	Geriat n=30 N=242	Hema n=29 N=210	Immun n=14 N=95	IntMed n=213 N=1607	MedOnc n=33 N=271	Nephro n=53 N=435	Respir n=67 N=584	Rheuma n=35 N=287	
		%	%	%	%	%	%	%	%	%	%	%	
Operating room time	Excellent	.0%	.0%	.0%	4.1%	**	**	2.1%	.0%	.0%	4.6%	.0%	1.4%
	Very good	10.0%	2.9%	9.5%	9.0%	**	**	6.2%	5.7%	4.5%	6.5%	.0%	6.1%
	Good	10.1%	18.5%	28.6%	15.5%	**	**	18.8%	30.9%	19.9%	25.2%	14.8%	19.0%
	Fair	26.4%	8.6%	28.3%	13.9%	**	**	24.6%	18.5%	29.3%	38.5%	32.0%	25.7%
	Poor	20.9%	14.4%	23.7%	16.9%	**	**	13.8%	12.2%	21.2%	10.4%	15.6%	16.4%
	Don't know	30.0%	47.1%	3.2%	36.4%	**	**	27.0%	32.7%	18.9%	11.1%	37.7%	26.4%
	NR	2.6%	8.6%	6.8%	4.1%	**	**	7.6%	.0%	6.1%	3.8%	.0%	5.0%
	Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Anesthesia services	Excellent	3.8%	.0%	4.0%	4.1%	**	**	2.9%	.0%	4.4%	7.3%	1.3%	3.3%
	Very good	11.5%	10.7%	11.5%	13.2%	**	**	15.7%	14.4%	9.9%	19.2%	8.6%	13.4%
	Good	33.7%	6.7%	21.1%	16.9%	**	**	23.9%	30.0%	31.1%	34.2%	12.9%	24.9%
	Fair	13.1%	10.0%	18.7%	11.6%	**	**	19.3%	12.3%	23.2%	20.0%	25.1%	17.7%
	Poor	10.8%	12.9%	20.1%	10.7%	**	**	6.7%	4.9%	9.9%	.0%	4.8%	8.3%
	Don't know	23.2%	48.9%	17.7%	39.3%	**	**	23.9%	38.4%	11.0%	14.2%	47.3%	26.6%
	NR	4.0%	10.8%	6.8%	4.1%	**	**	7.6%	.0%	10.4%	5.0%	.0%	5.8%
	Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Emergency room/department services	Excellent	15.1%	8.6%	6.1%	7.6%	**	**	10.1%	4.3%	6.6%	15.1%	3.8%	9.7%
	Very good	27.2%	12.0%	31.5%	29.8%	**	**	22.1%	25.3%	19.9%	28.9%	9.5%	23.4%
	Good	27.9%	24.7%	18.6%	19.4%	**	**	35.9%	26.5%	42.1%	28.2%	29.9%	30.3%
	Fair	12.5%	15.9%	20.3%	19.3%	**	**	17.3%	23.8%	20.6%	16.8%	35.3%	19.1%
	Poor	12.6%	20.5%	16.8%	19.8%	**	**	7.5%	17.2%	4.7%	5.3%	8.2%	10.7%
	Don't know	2.1%	9.8%	2.5%	.0%	**	**	2.1%	2.9%	.0%	1.8%	13.3%	2.9%
	NR	2.6%	8.6%	4.3%	4.1%	**	**	5.0%	.0%	6.1%	3.8%	.0%	3.9%
	Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

(continued).

National Physician Survey, 2007. Results for Clinical Specialists - Internal Medicine.

Q25a. Please rate the accessibility of the following for your patients. (continued).

Question asked of FP/GPs and other specialists		Internal Medicine Specialists											Total n=627 N=5096
		Cardio n=80 N=738	EndoMet n=32 N=240	Gastro n=41 N=388	Geriat n=30 N=242	Hema n=29 N=210	Immun n=14 N=95	IntMed n=213 N=1607	MedOnc n=33 N=271	Nephro n=53 N=435	Respir n=67 N=584	Rheuma n=35 N=287	
		%	%	%	%	%	%	%	%	%	%	%	
In-home nursing services	Excellent	2.3%	.0%	.0%	5.7%	**	**	.9%	.0%	.6%	3.4%	.0%	1.3%
	Very good	14.3%	1.9%	13.4%	14.1%	**	**	6.7%	8.8%	18.1%	14.8%	2.9%	10.3%
	Good	19.9%	5.3%	26.3%	22.2%	**	**	28.9%	41.5%	23.6%	22.1%	12.9%	23.5%
	Fair	19.8%	13.9%	5.5%	26.2%	**	**	21.8%	31.1%	30.3%	29.5%	18.9%	22.6%
	Poor	14.1%	16.6%	17.0%	27.6%	**	**	11.8%	7.3%	12.2%	8.3%	22.8%	14.3%
	Don't know	22.8%	53.6%	27.3%	.0%	**	**	22.6%	11.4%	10.7%	15.9%	39.1%	21.8%
	NR	6.8%	8.6%	10.6%	4.1%	**	**	7.3%	.0%	4.6%	6.1%	3.3%	6.1%
Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Critical care beds	Excellent	5.1%	2.8%	3.9%	4.1%	**	**	7.8%	.0%	3.1%	12.6%	1.3%	5.6%
	Very good	10.8%	17.4%	23.7%	.0%	**	**	23.5%	18.7%	19.2%	21.0%	18.2%	18.5%
	Good	33.1%	11.9%	18.1%	29.7%	**	**	26.0%	31.9%	31.5%	35.2%	14.2%	27.9%
	Fair	25.8%	17.7%	24.2%	35.2%	**	**	18.1%	20.9%	28.1%	23.1%	18.3%	22.0%
	Poor	17.7%	2.3%	11.3%	7.4%	**	**	14.3%	12.9%	6.0%	3.1%	18.3%	11.5%
	Don't know	4.9%	34.9%	11.9%	19.4%	**	**	5.1%	15.7%	3.1%	.0%	29.7%	9.5%
	NR	2.6%	12.9%	6.8%	4.1%	**	**	5.2%	.0%	9.1%	5.0%	.0%	4.9%
Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Long-term care beds	Excellent	.0%	.0%	.0%	4.1%	**	**	.0%	.0%	.0%	.0%	.0%	.2%
	Very good	2.0%	.0%	2.5%	11.8%	**	**	4.0%	.0%	.0%	1.6%	.0%	2.5%
	Good	4.0%	.0%	2.5%	9.7%	**	**	7.1%	10.1%	11.5%	8.0%	6.5%	6.4%
	Fair	19.2%	11.0%	18.0%	16.1%	**	**	21.8%	28.8%	26.5%	29.1%	20.2%	22.3%
	Poor	51.3%	33.4%	44.3%	54.1%	**	**	46.9%	48.6%	49.2%	39.4%	35.5%	45.4%
	Don't know	15.7%	47.1%	25.0%	.0%	**	**	13.5%	12.5%	6.7%	16.9%	34.4%	17.2%
	NR	7.9%	8.6%	7.7%	4.1%	**	**	6.8%	.0%	6.1%	5.0%	3.3%	6.0%
Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

(continued).

National Physician Survey, 2007. Results for Clinical Specialists - Internal Medicine.

Q25a. Please rate the accessibility of the following for your patients. (continued).

Question asked of FP/GPs and other specialists		Internal Medicine Specialists											Total n=627 N=5096
		Cardio n=80 N=738	EndoMet n=32 N=240	Gastro n=41 N=388	Geriat n=30 N=242	Hema n=29 N=210	Immun n=14 N=95	IntMed n=213 N=1607	MedOnc n=33 N=271	Nephro n=53 N=435	Respir n=67 N=584	Rheuma n=35 N=287	
		%	%	%	%	%	%	%	%	%	%	%	
Hospital in-patient care on an urgent basis	Excellent	12.6%	5.8%	7.4%	19.0%	**	**	13.3%	7.8%	10.2%	22.8%	3.8%	12.4%
	Very good	30.0%	15.5%	23.0%	29.6%	**	**	20.2%	28.6%	29.5%	32.2%	7.5%	24.4%
	Good	21.7%	38.3%	36.2%	27.7%	**	**	24.0%	27.2%	35.5%	21.5%	32.6%	26.3%
	Fair	12.6%	9.8%	20.4%	13.9%	**	**	20.4%	12.3%	12.2%	13.8%	26.1%	17.2%
	Poor	14.3%	5.8%	5.7%	5.7%	**	**	14.4%	24.2%	6.6%	4.8%	21.2%	11.8%
	Don't know	3.5%	16.2%	3.2%	.0%	**	**	2.3%	.0%	.0%	1.6%	8.8%	3.6%
	NR	5.3%	8.6%	4.3%	4.1%	**	**	5.4%	.0%	6.1%	3.3%	.0%	4.4%
Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Hospital care for elective procedures	Excellent	3.8%	3.5%	.0%	4.1%	**	**	1.9%	.0%	.0%	6.5%	.0%	2.2%
	Very good	19.8%	.0%	8.4%	7.4%	**	**	7.4%	.0%	8.6%	11.9%	2.5%	8.9%
	Good	21.3%	22.3%	7.6%	36.3%	**	**	27.4%	28.2%	19.6%	25.2%	13.4%	22.6%
	Fair	22.5%	25.4%	47.4%	27.0%	**	**	23.7%	21.6%	29.0%	26.6%	29.1%	26.6%
	Poor	22.7%	20.7%	23.8%	18.8%	**	**	23.2%	41.7%	29.7%	23.3%	33.9%	26.0%
	Don't know	4.7%	16.3%	8.5%	2.2%	**	**	8.8%	8.6%	5.1%	3.1%	17.6%	8.0%
	NR	5.3%	11.9%	4.3%	4.1%	**	**	7.5%	.0%	8.0%	3.3%	3.5%	5.7%
Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Routine diagnostic services	Excellent	14.2%	5.8%	20.9%	11.1%	**	**	17.3%	3.5%	7.3%	18.8%	7.3%	14.1%
	Very good	31.0%	33.4%	21.4%	45.2%	**	**	26.7%	40.2%	27.4%	34.0%	27.5%	29.7%
	Good	29.3%	31.9%	26.3%	23.5%	**	**	33.2%	36.1%	44.1%	33.8%	35.4%	32.5%
	Fair	15.5%	9.5%	22.6%	15.8%	**	**	13.9%	20.2%	12.1%	9.3%	20.3%	15.3%
	Poor	6.4%	10.9%	4.5%	4.3%	**	**	3.6%	.0%	2.7%	.8%	8.2%	4.2%
	Don't know	.9%	.0%	.0%	.0%	**	**	.8%	.0%	.0%	.0%	.0%	.5%
	NR	2.6%	8.6%	4.3%	.0%	**	**	4.5%	.0%	6.4%	3.3%	1.3%	3.7%
Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

(continued).

National Physician Survey, 2007. Results for Clinical Specialists - Internal Medicine.

Q25a. Please rate the accessibility of the following for your patients. (continued).

Question asked of FP/GPs and other specialists		Internal Medicine Specialists											Total n=627 N=5096
		Cardio n=80 N=738	EndoMet n=32 N=240	Gastro n=41 N=388	Geriat n=30 N=242	Hema n=29 N=210	Immun n=14 N=95	IntMed n=213 N=1607	MedOnc n=33 N=271	Nephro n=53 N=435	Respir n=67 N=584	Rheuma n=35 N=287	
		%	%	%	%	%	%	%	%	%	%	%	
Advanced diagnostic services	Excellent	4.7%	5.0%	3.6%	.0%	**	**	8.9%	1.7%	.0%	12.9%	1.6%	5.7%
	Very good	17.0%	5.4%	18.2%	46.3%	**	**	18.3%	19.6%	25.5%	26.7%	16.6%	20.0%
	Good	33.3%	33.2%	23.2%	24.0%	**	**	24.9%	19.5%	33.0%	29.6%	23.4%	27.7%
	Fair	25.2%	25.7%	24.6%	25.3%	**	**	24.7%	49.3%	26.6%	22.8%	33.3%	26.8%
	Poor	16.2%	22.1%	25.1%	4.3%	**	**	18.3%	9.9%	10.4%	4.7%	22.3%	15.7%
	Don't know	.9%	.0%	1.0%	.0%	**	**	.8%	.0%	.0%	.0%	.0%	.8%
	NR	2.6%	8.6%	4.3%	.0%	**	**	4.0%	.0%	4.6%	3.3%	2.7%	3.4%
	Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Drugs and appliances	Excellent	5.3%	6.3%	5.5%	3.5%	**	**	5.6%	.0%	5.6%	5.2%	.0%	4.7%
	Very good	30.7%	21.7%	18.5%	39.3%	**	**	21.7%	15.8%	32.5%	20.8%	15.7%	23.6%
	Good	36.6%	32.0%	37.2%	38.4%	**	**	34.7%	49.5%	37.0%	37.4%	26.0%	36.6%
	Fair	19.3%	18.5%	27.6%	17.7%	**	**	19.8%	25.6%	11.1%	26.0%	53.9%	22.5%
	Poor	2.7%	8.1%	2.2%	.0%	**	**	5.6%	5.7%	5.4%	2.1%	4.4%	4.1%
	Don't know	.9%	.0%	4.7%	1.1%	**	**	5.9%	3.5%	2.3%	5.2%	.0%	3.6%
	NR	4.5%	13.5%	4.3%	.0%	**	**	6.7%	.0%	6.1%	3.3%	.0%	4.8%
	Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Home care	Excellent	2.7%	.0%	.0%	14.2%	**	**	2.7%	3.7%	.0%	4.3%	.0%	2.6%
	Very good	7.9%	5.4%	7.6%	17.5%	**	**	13.8%	17.6%	20.5%	14.2%	8.9%	12.3%
	Good	27.2%	23.9%	15.5%	11.1%	**	**	24.5%	49.0%	28.4%	30.5%	17.6%	25.5%
	Fair	27.3%	31.6%	26.5%	35.6%	**	**	26.7%	22.7%	27.3%	30.9%	17.5%	28.1%
	Poor	13.2%	10.8%	11.7%	21.7%	**	**	10.6%	3.5%	13.0%	5.6%	35.1%	12.2%
	Don't know	16.3%	15.4%	34.5%	.0%	**	**	15.0%	3.5%	4.2%	10.4%	20.9%	14.3%
	NR	5.5%	12.9%	4.3%	.0%	**	**	6.6%	.0%	6.6%	4.1%	.0%	5.0%
	Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

(continued).

National Physician Survey, 2007. Results for Clinical Specialists - Internal Medicine.

Q25a. Please rate the accessibility of the following for your patients. (continued).

Question asked of FP/GPs and other specialists		Internal Medicine Specialists											Total n=627 N=5096
		Cardio n=80 N=738	EndoMet n=32 N=240	Gastro n=41 N=388	Geriat n=30 N=242	Hema n=29 N=210	Immun n=14 N=95	IntMed n=213 N=1607	MedOnc n=33 N=271	Nephro n=53 N=435	Respir n=67 N=584	Rheuma n=35 N=287	
		%	%	%	%	%	%	%	%	%	%	%	
Occupational therapy services	Excellent	2.8%	.0%	.0%	7.8%	**	**	3.0%	.0%	2.1%	6.3%	6.2%	3.0%
	Very good	7.7%	.0%	11.8%	21.7%	**	**	10.7%	11.0%	16.9%	11.4%	11.9%	10.8%
	Good	24.4%	17.0%	17.6%	23.8%	**	**	24.7%	31.2%	33.5%	31.2%	15.7%	24.9%
	Fair	21.8%	13.1%	15.9%	33.9%	**	**	27.5%	29.6%	19.6%	18.0%	21.9%	22.7%
	Poor	9.8%	9.9%	5.5%	12.8%	**	**	10.7%	3.1%	5.3%	5.6%	40.9%	10.5%
	Don't know	27.8%	51.5%	44.9%	.0%	**	**	17.8%	25.2%	18.1%	20.4%	.0%	23.2%
	NR	5.8%	8.6%	4.3%	.0%	**	**	5.6%	.0%	4.6%	7.2%	3.5%	4.9%
	Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Physiotherapy services	Excellent	2.8%	.0%	.0%	9.5%	**	**	4.3%	.0%	2.1%	6.3%	6.2%	3.5%
	Very good	12.4%	.0%	14.9%	19.9%	**	**	11.1%	7.3%	18.3%	13.0%	11.0%	11.7%
	Good	28.6%	19.3%	22.1%	34.1%	**	**	27.1%	31.3%	36.6%	36.9%	21.1%	28.6%
	Fair	17.2%	14.5%	19.3%	20.4%	**	**	27.6%	28.6%	20.9%	20.2%	21.4%	22.5%
	Poor	9.9%	20.2%	3.5%	16.1%	**	**	10.1%	10.3%	5.3%	8.2%	36.7%	11.3%
	Don't know	23.9%	35.7%	35.9%	.0%	**	**	13.9%	22.5%	10.7%	8.7%	.0%	17.0%
	NR	5.2%	10.4%	4.3%	.0%	**	**	5.8%	.0%	6.1%	6.6%	3.6%	5.4%
	Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Notes:

Includes only respondents who provide patient care.

NR=No Response.

This question was asked only of those respondents who completed the long questionnaire.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Results are suppressed when there are fewer than 30 respondents.