

National Physician Survey, 2007. Results for Clinical Specialists - Internal Medicine.

Q32aiii. In the last year, have you been absent from work due to illness or disability?

		Internal Medicine Specialists											Total n=1748 N=5343
		Cardio n=221 N=714	EndoMet n=102 N=310	Gastro n=137 N=438	Geriat n=74 N=222	Hema n=84 N=254	Immun n=37 N=109	IntMed n=589 N=1721	MedOnc n=92 N=287	Nephro n=127 N=390	Respir n=184 N=585	Rheuma n=101 N=311	
		%	%	%	%	%	%	%	%	%	%	%	
Illness or disability	Yes	8.3%	17.6%	5.2%	8.9%	13.6%	7.5%	13.4%	14.1%	4.4%	11.5%	7.4%	10.8%
	No	82.3%	74.6%	89.5%	83.3%	80.0%	90.4%	79.5%	79.7%	88.3%	82.3%	81.9%	81.9%
	NR	9.4%	7.7%	5.3%	7.8%	6.4%	2.1%	7.1%	6.2%	7.3%	6.2%	10.8%	7.3%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2007. Results for Clinical Specialists - Internal Medicine.

Q32aiii. Number of days absent from work in the last year due to work related stress.

		Internal Medicine Specialists											Total n=34 N=102
		Cardio n=3 N=10	Endo Met n=4 N=12	Gastro n=1 N=3	Geriat n=2 N=6	Hema n=0 N=0	Immun n=0 N=0	IntMed n=14 N=40	MedOnc n=5 N=17	Nephro n=0 N=0	Respir n=3 N=9	Rheuma n=2 N=6	
		%	%	%	%	%	%	%	%	%	%	%	
Days absent due to work-related stress	Up to 3 days	**	**	**	**	.0%	.0%	**	**	.0%	**	**	35.0%
	More than 3, up to 7	**	**	**	**	.0%	.0%	**	**	.0%	**	**	9.7%
	More than 7, up to 14 days	**	**	**	**	.0%	.0%	**	**	.0%	**	**	15.3%
	More than 14	**	**	**	**	.0%	.0%	**	**	.0%	**	**	27.0%
	NR	**	**	**	**	.0%	.0%	**	**	.0%	**	**	13.0%
	Total	**	**	**	**	.0%	.0%	**	**	.0%	**	**	100.0%

Notes:

Includes only respondents who indicated a work related stress illness.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Results are suppressed when there are fewer than 30 respondents.

National Physician Survey, 2007. Results for Clinical Specialists - Internal Medicine.

Q32aiii. Mean number of days absent from work in the last year, due to work related stress.

		Internal Medicine Specialists											Total n=29 N=89
		Cardio n=3 N=10	Endo Met n=4 N=12	Gastro n=1 N=3	Geriat n=2 N=6	Hema n=0 N=0	Immun n=0 N=0	IntMed n=12 N=35	Med Onc n=4 N=14	Nephro n=0 N=0	Respir n=1 N=3	Rheuma n=2 N=6	
No.of days absent due to work related stress	Mean	**	**	**	**	.	.	**	**	.	**	**	**
	Median	**	**	**	**	.	.	**	**	.	**	**	**
	Mode	**	**	**	**	.	.	**	**	.	**	**	**
	Standard Deviation	**	**	**	**	.	.	**	**	.	**	**	**
	Minimum	**	**	**	**	.	.	**	**	.	**	**	**
	Maximum	**	**	**	**	.	.	**	**	.	**	**	**

Notes:

Includes only respondents who indicated greater than zero days absent.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca .

** Results are suppressed when there are fewer than 30 respondents.

National Physician Survey, 2007. Results for Clinical Specialists - Internal Medicine.

Q32aiii. Number of days absent from work in the last year, due to other illness/disability.

		Internal Medicine Specialists											Total n=176 N=534
		Cardio n=17 N=56	Endo Met n=17 N=52	Gastro n=7 N=20	Geriat n=5 N=17	Hema n=11 N=34	Immun n=3 N=8	IntMed n=73 N=211	MedOnc n=10 N=30	Nephro n=6 N=17	Respir n=21 N=67	Rheuma n=6 N=20	
		%	%	%	%	%	%	%	%	%	%	%	
Days absent due to other illness/ disability	Up to 3 days	**	**	**	**	**	**	33.5%	**	**	**	**	44.8%
	More than 3, up to 7	**	**	**	**	**	**	18.5%	**	**	**	**	16.2%
	More than 7, up to 14 days	**	**	**	**	**	**	10.9%	**	**	**	**	10.4%
	More than 14	**	**	**	**	**	**	35.1%	**	**	**	**	26.2%
	NR	**	**	**	**	**	**	2.0%	**	**	**	**	2.5%
	Total	**	**	**	**	**	**	100.0%	**	**	**	**	100.0%

Notes:

Includes only respondents who indicated another illness/disability.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Results are suppressed when there are fewer than 30 respondents.

National Physician Survey, 2007. Results for Clinical Specialists - Internal Medicine.

Q32aiii. Mean number of days absent from work in the last year, due to other illness/disability.

		Internal Medicine Specialists											Total n=171 N=521
		Cardio n=17 N=56	EndoMet n=17 N=52	Gastro n=7 N=20	Geriat n=5 N=17	Hema n=11 N=34	Immun n=3 N=8	IntMed n=71 N=207	Med Onc n=9 N=27	Nephro n=6 N=17	Respir n=19 N=61	Rheuma n=6 N=20	
No. of days absent due to any other illness/disability	Mean	**	**	**	**	**	**	26.54	**	**	**	**	18.46
	Median	**	**	**	**	**	**	5.00	**	**	**	**	4.00
	Mode	**	**	**	**	**	**	2.00	**	**	**	**	2.00
	Standard Deviation	**	**	**	**	**	**	58.67	**	**	**	**	42.20
	Minimum	**	**	**	**	**	**	.50	**	**	**	**	.50
	Maximum	**	**	**	**	**	**	365.00	**	**	**	**	365.00

Notes:

Includes only respondents who indicated greater than zero days absent.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca .

** Results are suppressed when there are fewer than 30 respondents.