

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR OTOLARYNGOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Otolaryngologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	34.0%	199	100.0%	585	100.0%
Province					
NL	44.4%	4	2.01%	9	1.54%
PE	100.0%	1	0.50%	1	0.17%
NS	39.1%	9	4.52%	23	3.93%
NB	35.7%	5	2.51%	14	2.39%
PQ	25.4%	47	23.62%	185	31.62%
ON	39.7%	81	40.70%	204	34.87%
MB	75.0%	15	7.54%	20	3.42%
SK	45.5%	5	2.51%	11	1.88%
AB	18.9%	7	3.52%	37	6.32%
BC	30.4%	24	12.06%	79	13.50%
NT/YT/NU	50.0%	1	0.50%	2	0.34%
Age Group					
34 and under	21.9%	14	7.04%	64	10.94%
35 - 44	23.8%	36	18.09%	151	25.81%
45 - 54	33.1%	42	21.11%	127	21.71%
55 - 64	34.2%	51	25.63%	149	25.47%
65 and over	40.0%	34	17.09%	85	14.53%
Not known	na	na	na	9	1.54%
No response	na	22	11.06%	na	na
Sex					
Male	30.4%	156	78.39%	513	87.69%
Female	31.9%	23	11.6%	72	12.31%
No response	na	20	10.1%	na	na

2004 NPS study results for otolaryngologists are considered accurate within +/- 6.9%, 19 times out of 20.