

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR ANESTHESIOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Anesthesiologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	44.4%	1051	100.0%	2365	100.0%
Province					
NL	35.3%	12	1.14%	34	1.44%
PE	50.0%	3	0.29%	6	0.25%
NS	52.7%	48	4.57%	91	3.85%
NB	56.5%	26	2.47%	46	1.95%
PQ	32.9%	189	17.98%	575	24.31%
ON	49.3%	427	40.63%	867	36.66%
MB	37.6%	35	3.33%	93	3.93%
SK	50.8%	31	2.95%	61	2.58%
AB	48.9%	114	10.85%	233	9.85%
BC	45.9%	164	15.60%	357	15.10%
NT/YT/NU	100.0%	2	0.19%	2	0.08%
Age Group					
34 and under	32.5%	65	6.18%	200	8.46%
35 - 44	38.3%	263	25.02%	686	29.01%
45 - 54	45.4%	383	36.44%	844	35.69%
55 - 64	49.3%	208	19.79%	422	17.84%
65 and over	41.6%	79	7.52%	190	8.03%
Not known	na	na	na	23	0.97%
No response	na	53	5.04%	na	na
Sex					
Male	41.3%	733	69.74%	1774	75.01%
Female	45.3%	268	25.5%	591	24.99%
No response	na	50	4.8%	na	na

2004 NPS study results for anesthesiologists are considered accurate within +/- 3.0%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR COMMUNITY MEDICINE SPECIALISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Community Medicine Specialists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	40.3%	154	100.0%	382	100.0%
Province					
NL	50.0%	1	0.65%	2	0.52%
PE	na	0	0.00%	0	0.00%
NS	50.0%	3	1.95%	6	1.57%
NB	n/a	0	0.00%	0	0.00%
PQ	32.0%	57	37.01%	178	46.60%
ON	51.3%	58	37.66%	113	29.58%
MB	40.0%	6	3.90%	15	3.93%
SK	57.1%	4	2.60%	7	1.83%
AB	50.0%	12	7.79%	24	6.28%
BC	33.3%	12	7.79%	36	9.42%
NT/YT/NU	100.0%	1	0.65%	1	0.26%
Age Group					
34 and under	28.6%	4	2.60%	14	3.66%
35 - 44	48.1%	39	25.32%	81	21.20%
45 - 54	35.2%	58	37.66%	165	43.19%
55 - 64	40.9%	38	24.68%	93	24.35%
65 and over	12.0%	3	1.95%	25	6.54%
Not known	na	na	na	4	1.05%
No response	na	12	7.79%	na	na
Sex					
Male	32.2%	78	50.65%	242	63.35%
Female	47.9%	67	43.5%	140	36.65%
No response	na	9	5.8%	na	na

2004 NPS study results for community medicine specialists are considered accurate within +/- 7.9%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR DERMATOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Dermatologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	40.8%	203	100.0%	498	100.0%
Province					
NL	20.0%	1	0.49%	5	1.00%
PE	100.0%	1	0.49%	1	0.20%
NS	31.3%	5	2.46%	16	3.21%
NB	42.9%	3	1.48%	7	1.41%
PQ	34.1%	62	30.54%	182	36.55%
ON	52.1%	88	43.35%	169	33.94%
MB	50.0%	6	2.96%	12	2.41%
SK	50.0%	3	1.48%	6	1.20%
AB	36.1%	13	6.40%	36	7.23%
BC	32.8%	21	10.34%	64	12.85%
NT/YT/NU	n/a	0	0.00%	0	0.00%
Age Group					
34 and under	16.7%	5	2.46%	30	6.02%
35 - 44	33.6%	39	19.21%	116	23.29%
45 - 54	31.3%	51	25.12%	163	32.73%
55 - 64	49.2%	62	30.54%	126	25.30%
65 and over	57.4%	35	17.24%	61	12.25%
Not known	na	na	na	2	0.40%
No response	na	11	5.42%	na	na
Sex					
Male	37.5%	117	57.64%	312	62.65%
Female	40.3%	75	36.9%	186	37.35%
No response	na	11	5.4%	na	na

2004 NPS study results for dermatologists are considered accurate within +/- 6.9%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS DIAGNOSTIC RADIOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Diagnostic Radiologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	33.8%	646	100.0%	1910	100.0%
Province					
NL	31.3%	10	1.55%	32	1.68%
PE	40.0%	2	0.31%	5	0.26%
NS	35.5%	27	4.18%	76	3.98%
NB	38.6%	17	2.63%	44	2.30%
PQ	31.0%	156	24.15%	503	26.34%
ON	33.8%	239	37.00%	707	37.02%
MB	35.5%	22	3.41%	62	3.25%
SK	43.5%	20	3.10%	46	2.41%
AB	36.8%	77	11.92%	209	10.94%
BC	33.6%	76	11.76%	226	11.83%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	17.9%	26	4.02%	145	7.59%
35 - 44	27.6%	141	21.83%	511	26.75%
45 - 54	31.2%	173	26.78%	554	29.01%
55 - 64	36.3%	157	24.30%	432	22.62%
65 and over	45.5%	107	16.56%	235	12.30%
Not known	na	na	na	33	1.73%
No response	na	42	6.50%	na	na
Sex					
Male	31.9%	467	72.29%	1462	76.54%
Female	29.9%	134	20.7%	448	23.46%
No response	na	45	7.0%	na	na

2004 NPS study results for diagnostic radiologists are considered accurate within +/- 3.9%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR EMERGENTOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Emergentologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	45.2%	200	100.0%	442	100.0%
Province					
NL	100.0%	1	0.50%	1	0.23%
PE	100.0%	1	0.50%	1	0.23%
NS	50.0%	6	3.00%	12	2.71%
NB	0.0%	0	0.00%	2	0.45%
PQ	33.7%	35	17.50%	104	23.53%
ON	51.3%	80	40.00%	156	35.29%
MB	40.0%	6	3.00%	15	3.39%
SK	n/a	0	0.00%	0	0.00%
AB	53.0%	35	17.50%	66	14.93%
BC	42.4%	36	18.00%	85	19.23%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	31.1%	19	9.50%	61	13.80%
35 - 44	39.6%	61	30.50%	154	34.84%
45 - 54	41.6%	69	34.50%	166	37.56%
55 - 64	61.7%	37	18.50%	60	13.57%
65 and over	100.0%	1	0.50%	1	0.23%
Not known	na	na	na	0	0.00%
No response	na	13	6.50%	na	na
Sex					
Male	41.4%	154	77.00%	372	84.16%
Female	41.4%	29	14.5%	70	15.84%
No response	na	17	8.5%	na	na

2004 NPS study results for emergentologists are considered accurate within +/- 6.9%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR NEUROLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Neurologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	36.7%	251	100.0%	684	100.0%
Province					
NL	50.0%	4	1.59%	8	1.17%
PE	100.0%	1	0.40%	1	0.15%
NS	60.0%	12	4.78%	20	2.92%
NB	44.4%	4	1.59%	9	1.32%
PQ	29.3%	63	25.10%	215	31.43%
ON	42.4%	100	39.84%	236	34.50%
MB	35.3%	6	2.39%	17	2.49%
SK	50.0%	6	2.39%	12	1.75%
AB	32.9%	23	9.16%	70	10.23%
BC	33.3%	32	12.75%	96	14.04%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	27.7%	13	5.18%	47	6.87%
35 - 44	32.2%	56	22.31%	174	25.44%
45 - 54	29.3%	65	25.90%	222	32.46%
55 - 64	42.0%	66	26.29%	157	22.95%
65 and over	48.7%	38	15.14%	78	11.40%
Not known	na	na	na	6	0.88%
No response	na	13	5.18%	na	na
Sex					
Male	35.1%	190	75.70%	541	79.09%
Female	37.1%	53	21.1%	143	20.91%
No response	na	8	3.2%	na	na

2004 NPS study results for neurologists are considered accurate within +/- 6.2%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR NUCLEAR MEDICINE SPECIALISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Nuclear Medicine Specialists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	30.3%	66	100.0%	218	100.0%
Province					
NL	0.0%	0	0.00%	2	0.92%
PE	n/a	0	0.00%	0	0.00%
NS	60.0%	3	4.55%	5	2.29%
NB	0.0%	0	0.00%	2	0.92%
PQ	17.6%	16	24.24%	91	41.74%
ON	29.6%	21	31.82%	71	32.57%
MB	87.5%	7	10.61%	8	3.67%
SK	66.7%	2	3.03%	3	1.38%
AB	40.0%	6	9.09%	15	6.88%
BC	52.4%	11	16.67%	21	9.63%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	8.3%	1	1.52%	12	5.50%
35 - 44	23.9%	17	25.76%	71	32.57%
45 - 54	32.5%	25	37.88%	77	35.32%
55 - 64	17.9%	7	10.61%	39	17.89%
65 and over	61.1%	11	16.67%	18	8.26%
Not known	na	na	na	1	0.46%
No response	na	5	7.58%	na	na
Sex					
Male	27.1%	49	74.24%	181	83.03%
Female	37.8%	14	21.2%	37	16.97%
No response	na	3	4.5%	na	na

2004 NPS study results for nuclear medicine specialists are considered accurate within +/- 12.1%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR PEDIATRICIANS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Pediatricians					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	40.5%	837	100.0%	2065	100.0%
Province					
NL	24.2%	8	0.96%	33	1.60%
PE	44.4%	4	0.48%	9	0.44%
NS	40.9%	27	3.23%	66	3.20%
NB	46.9%	15	1.79%	32	1.55%
PQ	35.7%	190	22.70%	532	25.76%
ON	45.7%	367	43.85%	803	38.89%
MB	40.0%	40	4.78%	100	4.84%
SK	31.0%	13	1.55%	42	2.03%
AB	42.8%	92	10.99%	215	10.41%
BC	34.2%	78	9.32%	228	11.04%
NT/YT/NU	60.0%	3	0.36%	5	0.24%
Age Group					
34 and under	26.0%	51	6.09%	196	9.49%
35 - 44	36.8%	203	24.25%	552	26.73%
45 - 54	41.6%	257	30.70%	618	29.93%
55 - 64	43.2%	189	22.58%	438	21.21%
65 and over	41.2%	94	11.23%	228	11.04%
Not known	na	na	na	33	1.60%
No response	na	43	5.14%	na	na
Sex					
Male	37.1%	421	50.30%	1135	54.96%
Female	40.1%	373	44.6%	930	45.04%
No response	na	43	5.1%	na	na

2004 NPS study results for pediatricians are considered accurate within +/- 3.4%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR PHYSIATRISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Physiatrists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	45.6%	156	100.0%	342	100.0%
Province					
NL	0.0%	0	0.00%	2	0.58%
PE	0.0%	0	0.00%	1	0.29%
NS	72.7%	8	5.13%	11	3.22%
NB	60.0%	6	3.85%	10	2.92%
PQ	40.0%	28	17.95%	70	20.47%
ON	50.0%	73	46.79%	146	42.69%
MB	33.3%	4	2.56%	12	3.51%
SK	77.8%	7	4.49%	9	2.63%
AB	53.1%	17	10.90%	32	9.36%
BC	26.5%	13	8.33%	49	14.33%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	42.3%	11	7.05%	26	7.60%
35 - 44	39.0%	39	25.00%	100	29.24%
45 - 54	41.7%	45	28.85%	108	31.58%
55 - 64	43.8%	32	20.51%	73	21.35%
65 and over	50.0%	16	10.26%	32	9.36%
Not known	na	na	na	3	0.88%
No response	na	13	8.33%	na	na
Sex					
Male	39.4%	95	60.90%	241	70.47%
Female	49.5%	50	32.1%	101	29.53%
No response	na	11	7.1%	na	na

2004 NPS study results for physiatrists are considered accurate within +/- 7.8%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR PSYCHIATRISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Psychiatrists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	37.0%	1467	100.0%	3962	100.0%
Province					
NL	34.1%	14	0.95%	41	1.03%
PE	28.6%	2	0.14%	7	0.18%
NS	35.5%	43	2.93%	121	3.05%
NB	44.4%	16	1.09%	36	0.91%
PQ	27.5%	275	18.75%	1001	25.27%
ON	41.0%	707	48.19%	1723	43.49%
MB	36.4%	52	3.54%	143	3.61%
SK	44.4%	20	1.36%	45	1.14%
AB	44.7%	126	8.59%	282	7.12%
BC	37.6%	211	14.38%	561	14.16%
NT/YT/NU	50.0%	1	0.07%	2	0.05%
Age Group					
34 and under	28.6%	65	4.43%	227	5.73%
35 - 44	28.6%	258	17.59%	901	22.74%
45 - 54	35.3%	462	31.49%	1307	32.99%
55 - 64	40.2%	378	25.77%	941	23.75%
65 and over	44.6%	243	16.56%	545	13.76%
Not known	na	na	na	41	1.03%
No response	na	61	4.16%	na	na
Sex					
Male	35.7%	917	62.51%	2566	64.77%
Female	34.7%	484	33.0%	1396	35.23%
No response	na	66	4.5%	na	na

2004 NPS study results for psychiatrists are considered accurate within +/- 2.6%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR RADIATION ONCOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Radiation Oncologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	36.9%	114	100.0%	309	100.0%
Province					
NL	33.3%	1	0.88%	3	0.97%
PE	100.0%	1	0.88%	1	0.32%
NS	10.0%	1	0.88%	10	3.24%
NB	28.6%	2	1.75%	7	2.27%
PQ	27.8%	15	13.16%	54	17.48%
ON	39.6%	57	50.00%	144	46.60%
MB	14.3%	1	0.88%	7	2.27%
SK	0.0%	0	0.00%	5	1.62%
AB	51.6%	16	14.04%	31	10.03%
BC	42.6%	20	17.54%	47	15.21%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	26.7%	8	7.02%	30	9.71%
35 - 44	27.2%	28	24.56%	103	33.33%
45 - 54	39.1%	45	39.47%	115	37.22%
55 - 64	32.5%	13	11.40%	40	12.94%
65 and over	33.3%	6	5.26%	18	5.83%
Not known	na	na	na	3	0.97%
No response	na	14	12.28%	na	na
Sex					
Male	32.0%	71	62.28%	222	71.84%
Female	36.8%	32	28.1%	87	28.16%
No response	na	11	9.6%	na	na

2004 NPS study results for radiation oncologists are considered accurate within +/- 9.2%, 19 times out of 20.