

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR CARDIOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Cardiologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	28.4%	267	100.0%	941	100.0%
Province					
NL	0.0%	0	0.00%	11	1.17%
PE	100.0%	1	0.37%	1	0.11%
NS	22.9%	8	3.00%	35	3.72%
NB	23.1%	3	1.12%	13	1.38%
PQ	23.1%	84	31.46%	363	38.58%
ON	34.6%	116	43.45%	335	35.60%
MB	18.2%	2	0.75%	11	1.17%
SK	20.0%	3	1.12%	15	1.59%
AB	34.2%	25	9.36%	73	7.76%
BC	29.8%	25	9.36%	84	8.93%
NT/YT/NU	n/a	0	0.00%	0	0.00%
Age Group					
34 and under	6.7%	5	1.87%	75	7.97%
35 - 44	25.3%	76	28.46%	300	31.88%
45 - 54	28.1%	92	34.46%	327	34.75%
55 - 64	36.9%	69	25.84%	187	19.87%
65 and over	28.3%	13	4.87%	46	4.89%
Not known	na	na	na	6	0.64%
No response	na	12	4.49%	na	na
Sex					
Male	27.1%	219	82.02%	809	85.97%
Female	27.3%	36	13.5%	132	14.03%
No response	na	12	4.5%	na	na

2004 NPS study results for cardiologists are considered accurate within +/- 6.0%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR SPECIALISTS IN ENDOCRINOLOGY/METABOLISM

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Specialists in Endocrinology/Metabolism					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	32.7%	107	100.0%	327	100.0%
Province					
NL	80.0%	4	3.74%	5	1.53%
PE	na	0	0.00%	0	0.00%
NS	50.0%	4	3.74%	8	2.45%
NB	33.3%	1	0.93%	3	0.92%
PQ	25.6%	34	31.78%	133	40.67%
ON	39.2%	47	43.93%	120	36.70%
MB	42.9%	3	2.80%	7	2.14%
SK	50.0%	2	1.87%	4	1.22%
AB	15.0%	3	2.80%	20	6.12%
BC	33.3%	9	8.41%	27	8.26%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	16.2%	6	5.61%	37	11.31%
35 - 44	32.1%	34	31.78%	106	32.42%
45 - 54	33.3%	32	29.91%	96	29.36%
55 - 64	27.7%	13	12.15%	47	14.37%
65 and over	42.4%	14	13.08%	33	10.09%
Not known	na	na	na	8	2.45%
No response	na	8	7.48%	na	na
Sex					
Male	28.8%	55	51.40%	191	58.41%
Female	33.8%	46	43.0%	136	41.59%
No response	na	6	5.6%	na	na

2004 NPS study results for specialists in endocrinology/metabolism are considered accurate within +/- 9.5%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR GASTROENTEROLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Gastroenterologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	36.9%	165	100.0%	447	100.0%
Province					
NL	25.0%	2	1.21%	8	1.79%
PE	0.0%	0	0.00%	1	0.22%
NS	28.6%	4	2.42%	14	3.13%
NB	44.4%	4	2.42%	9	2.01%
PQ	33.3%	55	33.33%	165	36.91%
ON	41.4%	63	38.18%	152	34.00%
MB	50.0%	4	2.42%	8	1.79%
SK	0.0%	0	0.00%	4	0.89%
AB	27.3%	12	7.27%	44	9.84%
BC	50.0%	21	12.73%	42	9.40%
NT/YT/NU	n/a	0	0.00%	0	0.00%
Age Group					
34 and under	24.4%	11	6.67%	45	10.07%
35 - 44	31.3%	41	24.85%	131	29.31%
45 - 54	35.5%	50	30.30%	141	31.54%
55 - 64	48.9%	45	27.27%	92	20.58%
65 and over	33.3%	10	6.06%	30	6.71%
Not known	na	na	na	8	1.79%
No response	na	8	4.85%	na	na
Sex					
Male	34.2%	129	78.18%	377	84.34%
Female	40.0%	28	17.0%	70	15.66%
No response	na	8	4.8%	na	na

2004 NPS study results for gastroenterologists are considered accurate within +/- 7.6%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR GERIATRIC MEDICINE SPECIALISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Geriatric Medicine Specialists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	41.6%	82	100.0%	197	100.0%
Province					
NL	50.0%	1	1.22%	2	1.02%
PE	na	0	0.00%	0	0.00%
NS	62.5%	5	6.10%	8	4.06%
NB	75.0%	3	3.66%	4	2.03%
PQ	35.8%	19	23.17%	53	26.90%
ON	39.5%	30	36.59%	76	38.58%
MB	71.4%	5	6.10%	7	3.55%
SK	0.0%	0	0.00%	1	0.51%
AB	33.3%	5	6.10%	15	7.61%
BC	45.2%	14	17.07%	31	15.74%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	25.0%	6	7.32%	24	12.18%
35 - 44	42.5%	31	37.80%	73	37.06%
45 - 54	32.5%	26	31.71%	80	40.61%
55 - 64	62.5%	10	12.20%	16	8.12%
65 and over	66.7%	2	2.44%	3	1.52%
Not known	na	na	na	1	0.51%
No response	na	7	8.54%	na	na
Sex					
Male	35.4%	35	42.68%	99	50.25%
Female	40.8%	40	48.8%	98	49.75%
No response	na	7	8.5%	na	na

2004 NPS study results for geriatric medicine specialists are considered accurate within +/- 10.8%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR HEMATOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Hematologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	31.3%	81	100.0%	259	100.0%
Province					
NL	80.0%	4	4.94%	5	1.93%
PE	100.0%	1	1.23%	1	0.39%
NS	37.5%	3	3.70%	8	3.09%
NB	100.0%	1	1.23%	1	0.39%
PQ	23.2%	16	19.75%	69	26.64%
ON	30.0%	36	44.44%	120	46.33%
MB	28.6%	2	2.47%	7	2.70%
SK	40.0%	2	2.47%	5	1.93%
AB	35.7%	5	6.17%	14	5.41%
BC	37.9%	11	13.58%	29	11.20%
NT/YT/NU	n/a	0	0.00%	0	0.00%
Age Group					
34 and under	12.0%	3	3.70%	25	9.65%
35 - 44	33.7%	30	37.04%	89	34.36%
45 - 54	25.6%	20	24.69%	78	30.12%
55 - 64	35.4%	17	20.99%	48	18.53%
65 and over	40.0%	6	7.41%	15	5.79%
Not known	na	na	na	4	1.54%
No response	na	5	6.17%	na	na
Sex					
Male	29.4%	50	61.73%	170	65.64%
Female	29.2%	26	32.1%	89	34.36%
No response	na	5	6.2%	na	na

2004 NPS study results for hematologists are considered accurate within +/- 10.9%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR CLINICAL IMMUNOLOGISTS/ALLERGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Clinical Immunologists/Allergists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	35.9%	46	100.0%	128	100.0%
Province					
NL	n/a	0	0.00%	0	0.00%
PE	n/a	0	0.00%	0	0.00%
NS	100.0%	2	4.35%	2	1.56%
NB	na	0	0.00%	0	0.00%
PQ	32.1%	17	36.96%	53	41.41%
ON	43.2%	19	41.30%	44	34.38%
MB	33.3%	3	6.52%	9	7.03%
SK	100.0%	1	2.17%	1	0.78%
AB	42.9%	3	6.52%	7	5.47%
BC	8.3%	1	2.17%	12	9.38%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	30.8%	4	8.70%	13	10.16%
35 - 44	40.5%	15	32.61%	37	28.91%
45 - 54	36.4%	12	26.09%	33	25.78%
55 - 64	21.2%	7	15.22%	33	25.78%
65 and over	44.4%	4	8.70%	9	7.03%
Not known	na	na	na	3	2.34%
No response	na	4	8.70%	na	na
Sex					
Male	30.5%	29	63.04%	95	74.22%
Female	39.4%	13	28.3%	33	25.78%
No response	na	4	8.7%	na	na

2004 NPS study results for clinical immunologists/allergists are considered accurate within +/- 14.4%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR GENERAL INTERNISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
General Internists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	32.7%	730	100.0%	2234	100.0%
Province					
NL	28.1%	9	1.23%	32	1.43%
PE	40.0%	4	0.55%	10	0.45%
NS	39.7%	31	4.25%	78	3.49%
NB	31.4%	11	1.51%	35	1.57%
PQ	23.0%	108	14.79%	470	21.04%
ON	38.8%	375	51.37%	967	43.29%
MB	24.5%	25	3.42%	102	4.57%
SK	33.9%	21	2.88%	62	2.78%
AB	34.4%	73	10.00%	212	9.49%
BC	27.2%	72	9.86%	265	11.86%
NT/YT/NU	100.0%	1	0.14%	1	0.04%
Age Group					
34 and under	17.0%	36	4.93%	212	9.49%
35 - 44	26.7%	125	17.12%	468	20.95%
45 - 54	26.9%	141	19.32%	524	23.46%
55 - 64	36.8%	209	28.63%	568	25.43%
65 and over	43.5%	176	24.11%	405	18.13%
Not known	na	na	na	57	2.55%
No response	na	43	5.89%	na	na
Sex					
Male	30.8%	552	75.62%	1793	80.26%
Female	30.4%	134	18.4%	441	19.74%
No response	na	44	6.0%	na	na

2004 NPS study results for general internists are considered accurate within +/- 3.6%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR MEDICAL ONCOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Medical Oncologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	33.0%	107	100.0%	324	100.0%
Province					
NL	0.0%	0	0.00%	3	0.93%
PE	100.0%	1	0.93%	1	0.31%
NS	62.5%	5	4.67%	8	2.47%
NB	33.3%	1	0.93%	3	0.93%
PQ	26.8%	34	31.78%	127	39.20%
ON	34.3%	35	32.71%	102	31.48%
MB	60.0%	3	2.80%	5	1.54%
SK	0.0%	0	0.00%	1	0.31%
AB	37.9%	11	10.28%	29	8.95%
BC	37.8%	17	15.89%	45	13.89%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	14.7%	5	4.67%	34	10.49%
35 - 44	29.8%	34	31.78%	114	35.19%
45 - 54	33.7%	35	32.71%	104	32.10%
55 - 64	38.2%	21	19.63%	55	16.98%
65 and over	38.5%	5	4.67%	13	4.01%
Not known	na	na	na	4	1.23%
No response	na	7	6.54%	na	na
Sex					
Male	31.3%	66	61.68%	211	65.12%
Female	31.0%	35	32.7%	113	34.88%
No response	na	6	5.6%	na	na

2004 NPS study results for medical oncologists are considered accurate within +/- 9.5%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR NEPHROLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Nephrologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	29.5%	108	100.0%	366	100.0%
Province					
NL	33.3%	2	1.85%	6	1.64%
PE	na	0	0.00%	0	0.00%
NS	30.8%	4	3.70%	13	3.55%
NB	25.0%	2	1.85%	8	2.19%
PQ	25.4%	32	29.63%	126	34.43%
ON	32.2%	39	36.11%	121	33.06%
MB	21.4%	3	2.78%	14	3.83%
SK	50.0%	3	2.78%	6	1.64%
AB	28.6%	10	9.26%	35	9.56%
BC	35.1%	13	12.04%	37	10.11%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	29.0%	18	16.67%	62	16.94%
35 - 44	17.4%	23	21.30%	132	36.07%
45 - 54	34.0%	32	29.63%	94	25.68%
55 - 64	33.3%	13	12.04%	39	10.66%
65 and over	28.6%	8	7.41%	28	7.65%
Not known	na	na	na	11	3.01%
No response	na	14	12.96%	na	na
Sex					
Male	25.3%	68	62.96%	269	73.50%
Female	28.9%	28	25.9%	97	26.50%
No response	na	12	11.1%	na	na

2004 NPS study results for nephrologists are considered accurate within +/- 9.4%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR RESPIROLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Respirologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	36.8%	187	100.0%	508	100.0%
Province					
NL	25.0%	1	0.53%	4	0.79%
PE	100.0%	1	0.53%	1	0.20%
NS	66.7%	6	3.21%	9	1.77%
NB	25.0%	1	0.53%	4	0.79%
PQ	36.1%	66	35.29%	183	36.02%
ON	37.6%	62	33.16%	165	32.48%
MB	0.0%	0	0.00%	9	1.77%
SK	23.1%	3	1.60%	13	2.56%
AB	45.8%	27	14.44%	59	11.61%
BC	32.8%	20	10.70%	61	12.01%
NT/YT/NU	n/a	0	0.00%	0	0.00%
Age Group					
34 and under	22.9%	11	5.88%	48	9.45%
35 - 44	28.0%	44	23.53%	157	30.91%
45 - 54	37.3%	75	40.11%	201	39.57%
55 - 64	51.9%	40	21.39%	77	15.16%
65 and over	38.9%	7	3.74%	18	3.54%
Not known	na	na	na	7	1.38%
No response	na	10	5.35%	na	na
Sex					
Male	33.6%	136	72.73%	405	79.72%
Female	38.8%	40	21.4%	103	20.28%
No response	na	11	5.9%	na	na

2004 NPS study results for respirologists are considered accurate within +/- 7.2%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR RHEUMATOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Rheumatologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	34.3%	102	100.0%	297	100.0%
Province					
NL	25.0%	1	0.98%	4	1.35%
PE	n/a	0	0.00%	0	0.00%
NS	40.0%	4	3.92%	10	3.37%
NB	50.0%	3	2.94%	6	2.02%
PQ	26.7%	20	19.61%	75	25.25%
ON	34.5%	41	40.20%	119	40.07%
MB	71.4%	5	4.90%	7	2.36%
SK	28.6%	2	1.96%	7	2.36%
AB	32.1%	9	8.82%	28	9.43%
BC	41.5%	17	16.67%	41	13.80%
NT/YT/NU	n/a	0	0.00%	0	0.00%
Age Group					
34 and under	26.7%	8	7.84%	30	10.10%
35 - 44	32.5%	26	25.49%	80	26.94%
45 - 54	33.3%	42	41.18%	126	42.42%
55 - 64	33.3%	15	14.71%	45	15.15%
65 and over	41.7%	5	4.90%	12	4.04%
Not known	na	na	na	4	1.35%
No response	na	6	5.88%	na	na
Sex					
Male	34.1%	63	61.76%	185	62.29%
Female	30.4%	34	33.3%	112	37.71%
No response	na	5	4.9%	na	na

2004 NPS study results for rheumatologists are considered accurate within +/- 9.7%, 19 times out of 20.