

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR ANATOMICAL PATHOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Anatomical Pathologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	30.9%	215	100.0%	695	100.0%
Province					
NL	41.2%	7	3.26%	17	2.45%
PE	50.0%	1	0.47%	2	0.29%
NS	22.2%	6	2.79%	27	3.88%
NB	37.5%	6	2.79%	16	2.30%
PQ	23.5%	44	20.47%	187	26.91%
ON	34.2%	89	41.40%	260	37.41%
MB	19.2%	5	2.33%	26	3.74%
SK	53.3%	8	3.72%	15	2.16%
AB	34.8%	23	10.70%	66	9.50%
BC	32.9%	26	12.09%	79	11.37%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	15.2%	5	2.33%	33	4.75%
35 - 44	27.2%	49	22.79%	180	25.90%
45 - 54	27.0%	72	33.49%	267	38.42%
55 - 64	34.6%	55	25.58%	159	22.88%
65 and over	23.9%	11	5.12%	46	6.62%
Not known	na	na	na	10	1.44%
No response	na	23	10.70%	na	na
Sex					
Male	27.9%	122	56.74%	437	62.88%
Female	27.9%	72	33.5%	258	37.12%
No response	na	21	9.8%	na	na

2004 NPS study results for anatomic pathologists are considered accurate within +/- 6.7%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR MEDICAL BIOCHEMISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Medical Biochemists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	37.5%	30	100.0%	80	100.0%
Province					
NL	na	0	0.00%	0	0.00%
PE	na	0	0.00%	0	0.00%
NS	50.0%	1	3.33%	2	2.50%
NB	n/a	0	0.00%	0	0.00%
PQ	33.3%	15	50.00%	45	56.25%
ON	41.2%	7	23.33%	17	21.25%
MB	n/a	0	0.00%	0	0.00%
SK	33.3%	1	3.33%	3	3.75%
AB	0.0%	0	0.00%	1	1.25%
BC	50.0%	6	20.00%	12	15.00%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	0.0%	0	0.00%	1	1.25%
35 - 44	33.3%	4	13.33%	12	15.00%
45 - 54	46.9%	15	50.00%	32	40.00%
55 - 64	30.8%	8	26.67%	26	32.50%
65 and over	28.6%	2	6.67%	7	8.75%
Not known	na	na	na	2	2.50%
No response	na	1	3.33%	na	na
Sex					
Male	37.1%	23	76.67%	62	77.50%
Female	33.3%	6	20.0%	18	22.50%
No response	na	1	3.3%	na	na

2004 NPS study results for medical biochemists are considered accurate within +/- 18.0%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS GENERAL PATHOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
General Pathologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	37.5%	115	100.0%	307	100.0%
Province					
NL	28.6%	2	1.74%	7	2.28%
PE	50.0%	1	0.87%	2	0.65%
NS	33.3%	2	1.74%	6	1.95%
NB	16.7%	1	0.87%	6	1.95%
PQ	0.0%	0	0.00%	4	1.30%
ON	41.1%	53	46.09%	129	42.02%
MB	27.3%	3	2.61%	11	3.58%
SK	62.5%	5	4.35%	8	2.61%
AB	36.4%	16	13.91%	44	14.33%
BC	35.6%	32	27.83%	90	29.32%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	21.4%	3	2.61%	14	4.56%
35 - 44	28.1%	18	15.65%	64	20.85%
45 - 54	26.5%	22	19.13%	83	27.04%
55 - 64	34.2%	25	21.74%	73	23.78%
65 and over	46.6%	34	29.57%	73	23.78%
Not known	na	na	na	0	0.00%
No response	na	13	11.30%	na	na
Sex					
Male	33.3%	80	69.57%	240	78.18%
Female	31.3%	21	18.3%	67	21.82%
No response	na	14	12.2%	na	na

2004 NPS study results for general pathologists are considered accurate within +/- 9.1%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR MEDICAL MICROBIOLOGISTS & INFECTIOUS DISEASE SPECIALISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Medical Microbiologists & Infectious Disease Specialists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	30.7%	121	100.0%	394	100.0%
Province					
NL	0.0%	0	0.00%	3	0.76%
PE	0.0%	0	0.00%	1	0.25%
NS	62.5%	5	4.13%	8	2.03%
NB	50.0%	3	2.48%	6	1.52%
PQ	31.3%	50	41.32%	160	40.61%
ON	38.9%	42	34.71%	108	27.41%
MB	18.8%	3	2.48%	16	4.06%
SK	25.0%	2	1.65%	8	2.03%
AB	23.3%	10	8.26%	43	10.91%
BC	14.6%	6	4.96%	41	10.41%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	32.4%	12	9.92%	37	9.39%
35 - 44	24.2%	30	24.79%	124	31.47%
45 - 54	31.7%	45	37.19%	142	36.04%
55 - 64	26.8%	19	15.70%	71	18.02%
65 and over	33.3%	6	4.96%	18	4.57%
Not known	na	na	na	2	0.51%
No response	na	9	7.44%	na	na
Sex					
Male	29.6%	71	58.68%	240	60.91%
Female	29.2%	45	37.2%	154	39.09%
No response	na	5	4.1%	na	na

2004 NPS study results for medical microbiologists & infectious disease specialists are considered accurate within +/- 8.9%, 19 times out of 20.