

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR ANESTHESIOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Anesthesiologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	44.4%	1051	100.0%	2365	100.0%
Province					
NL	35.3%	12	1.14%	34	1.44%
PE	50.0%	3	0.29%	6	0.25%
NS	52.7%	48	4.57%	91	3.85%
NB	56.5%	26	2.47%	46	1.95%
PQ	32.9%	189	17.98%	575	24.31%
ON	49.3%	427	40.63%	867	36.66%
MB	37.6%	35	3.33%	93	3.93%
SK	50.8%	31	2.95%	61	2.58%
AB	48.9%	114	10.85%	233	9.85%
BC	45.9%	164	15.60%	357	15.10%
NT/YT/NU	100.0%	2	0.19%	2	0.08%
Age Group					
34 and under	32.5%	65	6.18%	200	8.46%
35 - 44	38.3%	263	25.02%	686	29.01%
45 - 54	45.4%	383	36.44%	844	35.69%
55 - 64	49.3%	208	19.79%	422	17.84%
65 and over	41.6%	79	7.52%	190	8.03%
Not known	na	na	na	23	0.97%
No response	na	53	5.04%	na	na
Sex					
Male	41.3%	733	69.74%	1774	75.01%
Female	45.3%	268	25.5%	591	24.99%
No response	na	50	4.8%	na	na

2004 NPS study results for anesthesiologists are considered accurate within +/- 3.0%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR COMMUNITY MEDICINE SPECIALISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Community Medicine Specialists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	40.3%	154	100.0%	382	100.0%
Province					
NL	50.0%	1	0.65%	2	0.52%
PE	na	0	0.00%	0	0.00%
NS	50.0%	3	1.95%	6	1.57%
NB	n/a	0	0.00%	0	0.00%
PQ	32.0%	57	37.01%	178	46.60%
ON	51.3%	58	37.66%	113	29.58%
MB	40.0%	6	3.90%	15	3.93%
SK	57.1%	4	2.60%	7	1.83%
AB	50.0%	12	7.79%	24	6.28%
BC	33.3%	12	7.79%	36	9.42%
NT/YT/NU	100.0%	1	0.65%	1	0.26%
Age Group					
34 and under	28.6%	4	2.60%	14	3.66%
35 - 44	48.1%	39	25.32%	81	21.20%
45 - 54	35.2%	58	37.66%	165	43.19%
55 - 64	40.9%	38	24.68%	93	24.35%
65 and over	12.0%	3	1.95%	25	6.54%
Not known	na	na	na	4	1.05%
No response	na	12	7.79%	na	na
Sex					
Male	32.2%	78	50.65%	242	63.35%
Female	47.9%	67	43.5%	140	36.65%
No response	na	9	5.8%	na	na

2004 NPS study results for community medicine specialists are considered accurate within +/- 7.9%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR DERMATOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Dermatologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	40.8%	203	100.0%	498	100.0%
Province					
NL	20.0%	1	0.49%	5	1.00%
PE	100.0%	1	0.49%	1	0.20%
NS	31.3%	5	2.46%	16	3.21%
NB	42.9%	3	1.48%	7	1.41%
PQ	34.1%	62	30.54%	182	36.55%
ON	52.1%	88	43.35%	169	33.94%
MB	50.0%	6	2.96%	12	2.41%
SK	50.0%	3	1.48%	6	1.20%
AB	36.1%	13	6.40%	36	7.23%
BC	32.8%	21	10.34%	64	12.85%
NT/YT/NU	n/a	0	0.00%	0	0.00%
Age Group					
34 and under	16.7%	5	2.46%	30	6.02%
35 - 44	33.6%	39	19.21%	116	23.29%
45 - 54	31.3%	51	25.12%	163	32.73%
55 - 64	49.2%	62	30.54%	126	25.30%
65 and over	57.4%	35	17.24%	61	12.25%
Not known	na	na	na	2	0.40%
No response	na	11	5.42%	na	na
Sex					
Male	37.5%	117	57.64%	312	62.65%
Female	40.3%	75	36.9%	186	37.35%
No response	na	11	5.4%	na	na

2004 NPS study results for dermatologists are considered accurate within +/- 6.9%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS DIAGNOSTIC RADIOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Diagnostic Radiologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	33.8%	646	100.0%	1910	100.0%
Province					
NL	31.3%	10	1.55%	32	1.68%
PE	40.0%	2	0.31%	5	0.26%
NS	35.5%	27	4.18%	76	3.98%
NB	38.6%	17	2.63%	44	2.30%
PQ	31.0%	156	24.15%	503	26.34%
ON	33.8%	239	37.00%	707	37.02%
MB	35.5%	22	3.41%	62	3.25%
SK	43.5%	20	3.10%	46	2.41%
AB	36.8%	77	11.92%	209	10.94%
BC	33.6%	76	11.76%	226	11.83%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	17.9%	26	4.02%	145	7.59%
35 - 44	27.6%	141	21.83%	511	26.75%
45 - 54	31.2%	173	26.78%	554	29.01%
55 - 64	36.3%	157	24.30%	432	22.62%
65 and over	45.5%	107	16.56%	235	12.30%
Not known	na	na	na	33	1.73%
No response	na	42	6.50%	na	na
Sex					
Male	31.9%	467	72.29%	1462	76.54%
Female	29.9%	134	20.7%	448	23.46%
No response	na	45	7.0%	na	na

2004 NPS study results for diagnostic radiologists are considered accurate within +/- 3.9%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR EMERGENTOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Emergentologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	45.2%	200	100.0%	442	100.0%
Province					
NL	100.0%	1	0.50%	1	0.23%
PE	100.0%	1	0.50%	1	0.23%
NS	50.0%	6	3.00%	12	2.71%
NB	0.0%	0	0.00%	2	0.45%
PQ	33.7%	35	17.50%	104	23.53%
ON	51.3%	80	40.00%	156	35.29%
MB	40.0%	6	3.00%	15	3.39%
SK	n/a	0	0.00%	0	0.00%
AB	53.0%	35	17.50%	66	14.93%
BC	42.4%	36	18.00%	85	19.23%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	31.1%	19	9.50%	61	13.80%
35 - 44	39.6%	61	30.50%	154	34.84%
45 - 54	41.6%	69	34.50%	166	37.56%
55 - 64	61.7%	37	18.50%	60	13.57%
65 and over	100.0%	1	0.50%	1	0.23%
Not known	na	na	na	0	0.00%
No response	na	13	6.50%	na	na
Sex					
Male	41.4%	154	77.00%	372	84.16%
Female	41.4%	29	14.5%	70	15.84%
No response	na	17	8.5%	na	na

2004 NPS study results for emergentologists are considered accurate within +/- 6.9%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR NEUROLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Neurologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	36.7%	251	100.0%	684	100.0%
Province					
NL	50.0%	4	1.59%	8	1.17%
PE	100.0%	1	0.40%	1	0.15%
NS	60.0%	12	4.78%	20	2.92%
NB	44.4%	4	1.59%	9	1.32%
PQ	29.3%	63	25.10%	215	31.43%
ON	42.4%	100	39.84%	236	34.50%
MB	35.3%	6	2.39%	17	2.49%
SK	50.0%	6	2.39%	12	1.75%
AB	32.9%	23	9.16%	70	10.23%
BC	33.3%	32	12.75%	96	14.04%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	27.7%	13	5.18%	47	6.87%
35 - 44	32.2%	56	22.31%	174	25.44%
45 - 54	29.3%	65	25.90%	222	32.46%
55 - 64	42.0%	66	26.29%	157	22.95%
65 and over	48.7%	38	15.14%	78	11.40%
Not known	na	na	na	6	0.88%
No response	na	13	5.18%	na	na
Sex					
Male	35.1%	190	75.70%	541	79.09%
Female	37.1%	53	21.1%	143	20.91%
No response	na	8	3.2%	na	na

2004 NPS study results for neurologists are considered accurate within +/- 6.2%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR NUCLEAR MEDICINE SPECIALISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Nuclear Medicine Specialists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	30.3%	66	100.0%	218	100.0%
Province					
NL	0.0%	0	0.00%	2	0.92%
PE	n/a	0	0.00%	0	0.00%
NS	60.0%	3	4.55%	5	2.29%
NB	0.0%	0	0.00%	2	0.92%
PQ	17.6%	16	24.24%	91	41.74%
ON	29.6%	21	31.82%	71	32.57%
MB	87.5%	7	10.61%	8	3.67%
SK	66.7%	2	3.03%	3	1.38%
AB	40.0%	6	9.09%	15	6.88%
BC	52.4%	11	16.67%	21	9.63%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	8.3%	1	1.52%	12	5.50%
35 - 44	23.9%	17	25.76%	71	32.57%
45 - 54	32.5%	25	37.88%	77	35.32%
55 - 64	17.9%	7	10.61%	39	17.89%
65 and over	61.1%	11	16.67%	18	8.26%
Not known	na	na	na	1	0.46%
No response	na	5	7.58%	na	na
Sex					
Male	27.1%	49	74.24%	181	83.03%
Female	37.8%	14	21.2%	37	16.97%
No response	na	3	4.5%	na	na

2004 NPS study results for nuclear medicine specialists are considered accurate within +/- 12.1%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR PEDIATRICIANS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Pediatricians					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	40.5%	837	100.0%	2065	100.0%
Province					
NL	24.2%	8	0.96%	33	1.60%
PE	44.4%	4	0.48%	9	0.44%
NS	40.9%	27	3.23%	66	3.20%
NB	46.9%	15	1.79%	32	1.55%
PQ	35.7%	190	22.70%	532	25.76%
ON	45.7%	367	43.85%	803	38.89%
MB	40.0%	40	4.78%	100	4.84%
SK	31.0%	13	1.55%	42	2.03%
AB	42.8%	92	10.99%	215	10.41%
BC	34.2%	78	9.32%	228	11.04%
NT/YT/NU	60.0%	3	0.36%	5	0.24%
Age Group					
34 and under	26.0%	51	6.09%	196	9.49%
35 - 44	36.8%	203	24.25%	552	26.73%
45 - 54	41.6%	257	30.70%	618	29.93%
55 - 64	43.2%	189	22.58%	438	21.21%
65 and over	41.2%	94	11.23%	228	11.04%
Not known	na	na	na	33	1.60%
No response	na	43	5.14%	na	na
Sex					
Male	37.1%	421	50.30%	1135	54.96%
Female	40.1%	373	44.6%	930	45.04%
No response	na	43	5.1%	na	na

2004 NPS study results for pediatricians are considered accurate within +/- 3.4%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR PHYSIATRISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Physiatrists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	45.6%	156	100.0%	342	100.0%
Province					
NL	0.0%	0	0.00%	2	0.58%
PE	0.0%	0	0.00%	1	0.29%
NS	72.7%	8	5.13%	11	3.22%
NB	60.0%	6	3.85%	10	2.92%
PQ	40.0%	28	17.95%	70	20.47%
ON	50.0%	73	46.79%	146	42.69%
MB	33.3%	4	2.56%	12	3.51%
SK	77.8%	7	4.49%	9	2.63%
AB	53.1%	17	10.90%	32	9.36%
BC	26.5%	13	8.33%	49	14.33%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	42.3%	11	7.05%	26	7.60%
35 - 44	39.0%	39	25.00%	100	29.24%
45 - 54	41.7%	45	28.85%	108	31.58%
55 - 64	43.8%	32	20.51%	73	21.35%
65 and over	50.0%	16	10.26%	32	9.36%
Not known	na	na	na	3	0.88%
No response	na	13	8.33%	na	na
Sex					
Male	39.4%	95	60.90%	241	70.47%
Female	49.5%	50	32.1%	101	29.53%
No response	na	11	7.1%	na	na

2004 NPS study results for physiatrists are considered accurate within +/- 7.8%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR PSYCHIATRISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Psychiatrists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	37.0%	1467	100.0%	3962	100.0%
Province					
NL	34.1%	14	0.95%	41	1.03%
PE	28.6%	2	0.14%	7	0.18%
NS	35.5%	43	2.93%	121	3.05%
NB	44.4%	16	1.09%	36	0.91%
PQ	27.5%	275	18.75%	1001	25.27%
ON	41.0%	707	48.19%	1723	43.49%
MB	36.4%	52	3.54%	143	3.61%
SK	44.4%	20	1.36%	45	1.14%
AB	44.7%	126	8.59%	282	7.12%
BC	37.6%	211	14.38%	561	14.16%
NT/YT/NU	50.0%	1	0.07%	2	0.05%
Age Group					
34 and under	28.6%	65	4.43%	227	5.73%
35 - 44	28.6%	258	17.59%	901	22.74%
45 - 54	35.3%	462	31.49%	1307	32.99%
55 - 64	40.2%	378	25.77%	941	23.75%
65 and over	44.6%	243	16.56%	545	13.76%
Not known	na	na	na	41	1.03%
No response	na	61	4.16%	na	na
Sex					
Male	35.7%	917	62.51%	2566	64.77%
Female	34.7%	484	33.0%	1396	35.23%
No response	na	66	4.5%	na	na

2004 NPS study results for psychiatrists are considered accurate within +/- 2.6%, 19 times out of 20.

2004 National Physician Survey (NPS): DEMOGRAPHICS FOR RADIATION ONCOLOGISTS

Source of Data:

TOTAL POPULATION - The 2004 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all 2nd year medical residents and all medical students in Canada were surveyed as well and these results have been reported separately]. The NPS mail and email list was generated from the Canadian Medical Association (CMA) Masterfile. The CMA Masterfile includes all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, The College of Family Physicians of Canada (CFPC), The Royal College of Physicians and Surgeons of Canada (RCPSC) and the Collège des Médecins du Québec (CMQ) membership listings, and individual physicians.

PROVINCE - Extracted from the mailing list (CMA Masterfile) for both NPS Respondents and Total Population columns.

AGE GROUP - The NPS questionnaire asked: Your year of birth: 19__ . NPS Respondents 'Age' was derived by subtracting year of birth from 2004. Age extracted from CMA Masterfile for Total Population. 'Age Groups' created by database software.

SEX - The NPS questionnaire asked: Sex: _ male _ female (this was used for NPS Respondents). Population 'Sex' information was extracted from CMA Masterfile for Total Population.

SPECIALTY - Drawn from the CMA Masterfile and based on information on most recent specialty/sub-specialty certification as it is issued by the CFPC, RCPSC and CMQ.

Release of NPS results by specialty:

To ensure the release of valid and stable results that protect respondent confidentiality, results will only be released where the group/cohort of interest has a minimum of 30 respondents.

Physician Demographics by Province/Territory, Age Group, Sex:

2004 National Physician Survey Response Rates					
Radiation Oncologists					
	Response Rate	NPS Respondents		Population	
	%	n	Col%	N	Col%
Total	36.9%	114	100.0%	309	100.0%
Province					
NL	33.3%	1	0.88%	3	0.97%
PE	100.0%	1	0.88%	1	0.32%
NS	10.0%	1	0.88%	10	3.24%
NB	28.6%	2	1.75%	7	2.27%
PQ	27.8%	15	13.16%	54	17.48%
ON	39.6%	57	50.00%	144	46.60%
MB	14.3%	1	0.88%	7	2.27%
SK	0.0%	0	0.00%	5	1.62%
AB	51.6%	16	14.04%	31	10.03%
BC	42.6%	20	17.54%	47	15.21%
NT/YT/NU	na	0	0.00%	0	0.00%
Age Group					
34 and under	26.7%	8	7.02%	30	9.71%
35 - 44	27.2%	28	24.56%	103	33.33%
45 - 54	39.1%	45	39.47%	115	37.22%
55 - 64	32.5%	13	11.40%	40	12.94%
65 and over	33.3%	6	5.26%	18	5.83%
Not known	na	na	na	3	0.97%
No response	na	14	12.28%	na	na
Sex					
Male	32.0%	71	62.28%	222	71.84%
Female	36.8%	32	28.1%	87	28.16%
No response	na	11	9.6%	na	na

2004 NPS study results for radiation oncologists are considered accurate within +/- 9.2%, 19 times out of 20.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q1: The following is a list of work settings. Check the category(ies) which best describe(s) the setting(s) where you work.

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Category(ies) which best describe work setting(s)	Private office/ clinic (excluding free standing walk-in clinics)	18.0%	13.6%	93.1%	50.0%	8.0%	57.8%	27.3%	54.1%	60.3%	55.4%	9.6%
	Community clinic/ Community health centre	1.3%	13.6%	3.0%	3.3%	3.5%	2.8%	1.5%	5.7%	2.6%	24.3%	7.9%
	Free-standing walk-in clinic	.4%	4.5%	.5%	.9%	6.0%	.8%	1.5%	4.5%	.0%	.5%	1.8%
	Academic health sciences centre	49.0%	32.5%	43.8%	33.6%	40.5%	60.2%	57.6%	47.0%	56.4%	40.9%	80.7%
	Community hospital	59.2%	9.1%	28.6%	59.4%	11.0%	33.1%	63.6%	39.2%	39.7%	33.5%	21.9%
	Emergency department	2.1%	4.5%	3.0%	1.5%	86.5%	12.7%	.0%	14.7%	.6%	16.4%	1.8%
	Nursing home/ Home for the aged	.1%	3.9%	14.8%	.5%	1.5%	2.4%	.0%	.4%	3.2%	5.6%	.9%
	Administrative office	4.0%	39.6%	1.5%	1.7%	19.5%	6.8%	.0%	5.3%	6.4%	4.8%	6.1%
	Research unit	1.8%	22.7%	3.4%	1.4%	10.0%	10.8%	6.1%	4.2%	3.2%	5.0%	4.4%
	Free-standing laboratory/ Diagnostic clinic	.2%	.6%	.5%	19.0%	.0%	2.0%	15.2%	.2%	1.3%	.1%	.0%
	Other	3.0%	58.4%	2.0%	1.1%	14.5%	4.4%	1.5%	5.5%	13.5%	11.1%	10.5%
No response	.6%	.0%	.0%	.6%	2.0%	.4%	.0%	.6%	1.3%	.7%	.0%	

Note: This question allowed for multiple responses.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q2A: Please indicate which of the above work settings is your MAIN work setting (i.e. the setting where you spend most of your work time).

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Main work setting (i.e. setting where most of work time is spent)	a. Private office/ clinic	2.9%	5.8%	89.7%	14.7%	2.5%	44.6%	1.5%	46.8%	38.5%	38.7%	5.3%
	b. Community clinic/ Community health centre	.2%	6.5%	.5%	1.1%	1.5%	.8%	.0%	1.2%	.6%	8.3%	3.5%
	c. Free-standing walk-in clinic	.4%	.0%	.0%	.2%	2.5%	.8%	.0%	.6%	.0%	.1%	.9%
	d. Academic health science centre	43.1%	9.1%	7.9%	28.6%	7.5%	39.4%	53.0%	29.5%	38.5%	26.0%	71.9%
	e. Community hospital	50.5%	1.3%	1.5%	46.0%	2.5%	5.2%	39.4%	10.9%	10.9%	17.6%	5.3%
	f. Emergency department	.7%	.0%	.0%	.2%	67.5%	.8%	.0%	4.3%	.6%	.7%	.0%
	g. Nursing home/ Home for the aged	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.1%	.0%
	h. Administrative office	.7%	14.3%	.0%	.5%	7.0%	1.6%	.0%	1.8%	2.6%	1.0%	3.5%
	i. Research unit	.0%	7.8%	.0%	.0%	2.5%	3.2%	.0%	1.1%	1.9%	.7%	.9%
	j. Free-standing laboratory/ Diagnostic clinic	.0%	.6%	.0%	6.8%	.0%	.8%	4.5%	.1%	.0%	.1%	.0%
	k. Other	1.0%	52.6%	.0%	.9%	4.5%	2.4%	1.5%	2.3%	5.1%	5.6%	8.8%
NR	.7%	1.9%	.5%	1.1%	2.0%	.4%	.0%	1.4%	1.3%	1.3%	.0%	
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	

NR = No response.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q2B: Please indicate which of the above work settings is your MAIN patient care setting (i.e. the setting where you spend the most time providing patient care).

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Main patient care setting (i.e. setting where most of time providing patient care is spent)	a. Private office/ clinic	2.8%	11.0%	88.7%	11.9%	1.5%	43.8%	.0%	45.9%	33.3%	39.1%	4.4%
	b. Community clinic/ Community health centre	.3%	9.1%	.5%	.9%	1.5%	1.2%	.0%	1.3%	.6%	9.1%	3.5%
	c. Free-standing walk-in clinic	.4%	1.9%	.0%	.2%	2.5%	1.2%	1.5%	.7%	.0%	.1%	1.8%
	d. Academic health science centre	42.6%	7.1%	7.9%	26.9%	4.0%	41.4%	47.0%	29.0%	37.2%	24.7%	72.8%
	e. Community hospital	50.6%	1.3%	1.5%	41.8%	2.5%	7.2%	37.9%	12.3%	17.3%	17.7%	5.3%
	f. Emergency department	.8%	1.3%	.0%	.2%	80.5%	.8%	.0%	5.3%	.6%	1.1%	.0%
	g. Nursing home/ Home for the aged	.0%	.0%	.0%	.0%	.5%	.0%	.0%	.0%	.0%	.4%	.0%
	h. Administrative office	.0%	3.9%	.0%	.0%	.0%	.8%	.0%	.0%	.0%	.1%	.9%
	i. Research unit	.1%	.0%	.0%	.0%	.0%	.4%	.0%	.0%	.0%	.1%	.0%
	j. Free-standing laboratory/ Diagnostic clinic	.0%	.0%	.0%	5.0%	.0%	.4%	1.5%	.1%	.0%	.0%	.0%
	k. Other	.7%	13.6%	.0%	1.1%	2.0%	.4%	.0%	1.3%	6.4%	5.2%	8.8%
	n/a. Not applicable	.8%	47.4%	.0%	10.1%	2.5%	1.2%	10.6%	2.3%	1.9%	.5%	.0%
	NR	1.0%	3.2%	1.5%	2.0%	2.5%	1.2%	1.5%	1.8%	2.6%	1.9%	2.6%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	

NR = No response.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q3A1: With respect to your MAIN patient care setting specified in 2b), indicate how that setting is organized.

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Category(ies) which best describe work setting(s)	Solo practice	31.6%	5.8%	65.0%	8.5%	10.0%	45.4%	13.6%	31.5%	51.3%	47.2%	3.5%
	Group practice	60.8%	29.9%	36.0%	78.8%	75.5%	43.4%	83.3%	51.1%	37.8%	29.4%	87.7%
	Practice network	2.2%	3.9%	1.5%	2.8%	3.0%	5.6%	.0%	4.7%	5.1%	10.2%	6.1%
	Other	2.9%	10.4%	1.5%	1.4%	5.5%	3.6%	3.0%	9.4%	7.7%	13.4%	4.4%
	Not applicable	3.9%	20.1%	.5%	3.9%	5.5%	2.0%	4.5%	3.5%	.6%	3.1%	.0%
	No response	2.0%	33.8%	.0%	7.3%	4.0%	2.8%	1.5%	2.6%	1.9%	2.5%	.0%

Note: This question allowed for multiple responses.

Q3A2: Indicate which of the following, if any, you share with other physicians

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Shared with other physicians	Share office space	55.3%	37.7%	57.1%	72.1%	60.0%	60.2%	71.2%	63.4%	66.7%	49.1%	84.2%
	Share equipment	68.8%	34.4%	51.2%	80.7%	64.5%	48.2%	84.8%	64.5%	60.9%	38.9%	93.0%
	Share expenses	40.9%	16.2%	49.8%	59.0%	53.5%	38.6%	60.6%	45.8%	39.1%	26.0%	72.8%
	Share patient records	48.0%	30.5%	43.3%	72.4%	60.5%	40.6%	80.3%	60.6%	50.0%	47.3%	92.1%
	Share staff	58.6%	35.1%	52.7%	77.6%	65.5%	55.8%	83.3%	68.0%	67.9%	60.9%	93.0%
	Share on-call duties	87.1%	26.0%	30.5%	68.6%	59.5%	64.9%	80.3%	66.4%	37.2%	52.0%	89.5%
	Share Other	4.8%	4.5%	1.0%	5.3%	8.5%	2.8%	4.5%	4.5%	4.5%	4.2%	2.6%
	No response	4.8%	50.6%	32.0%	11.1%	13.0%	12.0%	4.5%	12.7%	16.7%	20.7%	.9%

Note: This question allowed for multiple responses.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q3B: Indicate the type of health care providers with whom you share patient care within your MAIN patient care setting.

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Health care providers with whom patient care is shared in main setting	family physicians	29.6%	41.6%	28.1%	42.7%	50.5%	32.3%	28.8%	26.3%	46.2%	45.7%	34.2%
	specialist physicians	94.2%	36.4%	60.6%	79.9%	87.0%	78.5%	86.4%	79.0%	76.3%	64.0%	96.5%
	nurse practitioners	17.8%	14.9%	5.4%	15.5%	20.5%	23.5%	6.1%	20.2%	16.0%	20.9%	27.2%
	nurses (e.g. RN, LPN, RPN)	63.9%	35.1%	26.1%	33.6%	80.0%	42.2%	16.7%	52.1%	52.6%	50.8%	80.7%
	dietitians/nutritionists	16.3%	20.1%	6.9%	9.8%	10.5%	26.3%	4.5%	37.9%	50.0%	22.2%	75.4%
	psychologists	9.3%	20.1%	7.4%	5.6%	7.0%	31.1%	4.5%	30.2%	48.7%	55.1%	39.5%
	occupational therapists	14.4%	6.5%	3.0%	10.7%	14.5%	35.5%	4.5%	31.3%	62.2%	40.4%	26.3%
	physiotherapists	20.6%	7.8%	7.9%	11.8%	19.0%	37.8%	4.5%	32.4%	73.1%	12.6%	31.6%
	social workers	14.8%	16.2%	3.4%	8.0%	61.5%	35.5%	4.5%	41.1%	50.0%	60.1%	73.7%
	pharmacists	32.0%	10.4%	14.3%	11.3%	38.5%	32.7%	10.6%	33.9%	39.1%	36.2%	64.0%
	technicians/technologists	42.9%	9.7%	7.9%	61.9%	45.0%	31.1%	68.2%	23.7%	28.8%	9.3%	72.8%
	midwives	17.5%	.0%	.0%	5.6%	1.0%	.4%	.0%	4.8%	.6%	.6%	.9%
	Other #1	7.4%	20.1%	2.5%	2.2%	8.0%	4.4%	4.5%	7.6%	21.8%	9.7%	11.4%
Other #2	.8%	7.8%	1.0%	.5%	1.0%	2.8%	.0%	1.8%	10.3%	3.0%	1.8%	
No response	2.9%	41.6%	26.1%	9.4%	5.0%	10.4%	1.5%	11.9%	8.3%	14.9%	.0%	

Note: This question allowed for multiple responses.

Q3C: Is your MAIN patient care setting wheelchair accessible?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Wheelchair accessibility of main patient care setting	Yes	93.1%	54.5%	86.2%	89.5%	91.0%	93.2%	98.5%	91.0%	94.2%	83.4%	98.2%
	No	1.1%	2.6%	10.8%	1.2%	1.5%	3.2%	.0%	5.1%	1.3%	12.8%	.0%
	N/A	3.9%	7.1%	.5%	.9%	2.0%	.0%	.0%	1.2%	.6%	1.0%	.9%
	NR	1.8%	35.7%	2.5%	8.4%	5.5%	3.6%	1.5%	2.6%	3.8%	2.8%	.9%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q4A: Describe the population PRIMARILY served by you in your practice.

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Primary population served by practice	a. Inner City	11.7%	9.1%	11.3%	10.5%	18.5%	15.1%	12.1%	11.1%	12.2%	15.8%	8.8%
	b. Urban/ suburban	63.2%	21.4%	74.4%	59.8%	64.0%	64.1%	59.1%	57.5%	56.4%	59.2%	61.4%
	c. Small town	10.8%	3.2%	7.9%	14.2%	3.5%	3.6%	10.6%	9.0%	7.1%	9.5%	1.8%
	d. Rural	1.2%	2.6%	1.5%	1.9%	1.5%	.8%	1.5%	1.6%	1.3%	3.0%	.9%
	e. Geographically isolated/ remote	.6%	2.6%	.5%	1.1%	.5%	.8%	.0%	1.7%	.0%	1.2%	.0%
	f. Other	5.6%	13.6%	2.0%	3.3%	5.5%	6.0%	3.0%	7.4%	12.2%	4.9%	15.8%
	g. Cannot identify a primary population	4.4%	12.3%	1.5%	2.0%	1.0%	6.8%	10.6%	6.9%	5.8%	3.6%	9.6%
	NR	2.5%	35.1%	1.0%	7.3%	5.5%	2.8%	3.0%	4.9%	5.1%	2.7%	1.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	

NR = No response.

Q4B: IF there is a secondary population that you also serve, please indicate which it is.

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Secondary population served by practice	a. Inner City	6.9%	1.9%	7.9%	6.5%	17.5%	5.6%	6.1%	7.9%	5.8%	10.4%	5.3%
	b. Urban/ suburban	8.6%	4.5%	6.4%	8.0%	8.5%	8.4%	6.1%	6.9%	12.8%	10.1%	3.5%
	c. Small town	9.5%	3.2%	6.9%	9.6%	4.5%	14.3%	13.6%	7.5%	14.1%	9.4%	14.0%
	d. Rural	20.8%	2.6%	14.8%	21.7%	14.5%	12.4%	24.2%	15.7%	17.9%	14.0%	19.3%
	e. Geographically isolated/ remote	4.5%	3.2%	7.4%	4.5%	2.5%	2.8%	6.1%	5.0%	1.9%	4.2%	7.0%
	f. Other	2.5%	.6%	1.5%	1.5%	2.5%	3.2%	.0%	3.2%	2.6%	2.8%	2.6%
	n/a. Not Applicable	14.6%	15.6%	14.3%	9.8%	15.0%	11.2%	12.1%	15.2%	9.0%	11.9%	15.8%
	NR	32.6%	68.2%	40.9%	38.4%	35.0%	42.2%	31.8%	38.6%	35.9%	37.3%	32.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	

NR = No response.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q5: Do any of the following groups represent more than 10% of your practice population?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Groups representing >10% of practice population	HIV/AIDS patients	.7%	2.6%	2.5%	1.1%	5.0%	1.2%	.0%	.0%	.0%	2.5%	.0%
	Patients with chronic mental illness	3.1%	9.1%	2.0%	1.4%	29.5%	10.0%	.0%	12.3%	9.0%	84.9%	.9%
	Patients with permanent physical disabilities	8.0%	5.2%	3.0%	5.1%	11.0%	52.6%	4.5%	26.4%	87.8%	10.5%	4.4%
	Patients with addictions	1.7%	6.5%	1.5%	.3%	21.0%	2.0%	.0%	1.1%	2.6%	39.2%	.9%
	Homeless/ "street" people	1.0%	1.3%	1.0%	.3%	21.0%	.8%	.0%	.2%	1.3%	9.8%	.0%
	Transient/ seasonal populations	1.2%	3.2%	1.5%	1.1%	11.0%	1.2%	3.0%	1.1%	2.6%	3.3%	.0%
	People living in poverty	7.4%	14.3%	9.9%	5.7%	26.0%	10.0%	4.5%	20.8%	12.2%	42.5%	10.5%
	Aboriginal peoples	8.3%	9.1%	5.9%	6.7%	15.0%	4.4%	12.1%	13.3%	7.1%	7.8%	.9%
	Recent immigrants	7.6%	7.8%	11.8%	10.4%	20.0%	8.0%	12.1%	22.7%	8.3%	11.5%	8.8%
	Cultural minorities	17.4%	7.8%	23.6%	17.6%	35.0%	15.9%	16.7%	29.3%	12.8%	24.7%	21.1%
	Other	4.1%	8.4%	3.9%	4.2%	4.5%	1.6%	1.5%	5.1%	7.7%	7.1%	11.4%
No response	61.8%	64.3%	61.6%	64.9%	38.0%	34.7%	62.1%	36.4%	8.3%	8.2%	57.9%	

Note: This question allowed for multiple responses.

Q6: Please estimate the number of patient visits you have in a TYPICAL WEEK excluding on-call.

		Other Clinical Specialists								
		Anest	ComMed	Derm	Emerg	Neuro	NucMed	Peds	Phys	Psych
Number of patient visits during a typical week	Count	905	56	197	173	240	45	765	149	1421
	Mean	34.33	47.12	168.31	95.05	50.60	127.24	77.53	50.35	40.81
	Median	30.00	30.00	160.00	100.00	50.00	100.00	60.00	50.00	38.00
	Mode	30.00	15.00	200.00	100.00	50.00	100.00	50.00	60.00	40.00
	Minimum	2.00	1.00	1.00	1.00	4.00	6.00	1.00	1.00	1.00
	Maximum	300.00	200.00	500.00	250.00	150.00	500.00	375.00	200.00	260.00

Note: Results apply only to respondents who indicated greater than zero patient visits per week.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q10A: EXCLUDING ON-CALL ACTIVITIES, how many HOURS PER WEEK do you usually spend on the following activities?

		Other Clinical Specialists										
		Anest n=1014	ComMed n=142	Derm n=193	DiagRad n=580	Emerg n=192	Neuro n=243	NucMed n=61	Peds n=783	Phys n=145	Psych n=1416	RadOnc n=106
direct patient care without a teaching component	Mean	31.66	5.43	29.44	30.04	14.04	25.69	23.68	21.63	21.72	27.29	18.45
direct patient care with a teaching component	Mean	9.77	1.18	4.22	5.16	14.09	5.70	9.75	8.80	6.24	4.19	8.99
teaching/education	Mean	1.37	3.00	1.13	1.40	3.41	2.25	2.42	2.11	1.74	1.61	2.45
indirect patient care	Mean	1.30	3.56	4.94	4.21	3.28	5.82	7.05	5.39	5.91	6.23	5.53
health facility committees	Mean	.76	1.56	.31	.48	1.66	.75	.80	1.24	.88	.89	2.10
managing practice	Mean	1.36	1.48	2.21	1.57	.93	1.62	1.49	1.34	1.43	1.43	1.45
research	Mean	.94	6.46	1.65	.59	3.02	5.52	2.71	2.27	2.38	1.67	5.56
administration	Mean	1.79	14.24	.75	1.39	6.00	1.90	2.02	3.19	2.95	1.91	3.78
CME/CPD	Mean	3.18	2.96	3.81	2.86	3.35	4.22	3.07	3.48	2.84	3.45	3.68
Other	Mean	.57	5.84	.91	.63	2.20	2.09	.77	.94	3.41	1.59	.84
Total Hours worked/week	Mean	52.69	45.70	49.36	48.34	52.00	55.55	53.76	50.40	49.51	50.26	52.83

National Physician Survey, 2004. Results for Clinical Specialists - other

Q11A: Describe your on-call activity

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Describe on-call activity	Do NOT do on-call	7.3%	41.6%	35.0%	21.8%	41.5%	21.5%	19.7%	21.1%	49.4%	30.7%	8.8%
	Do obstetrical on-call	27.2%	.0%	.0%	1.7%	.0%	.4%	.0%	3.0%	.0%	.1%	.9%
	Do on-call for hospital in-patients	76.2%	3.2%	45.8%	55.9%	4.0%	66.9%	60.6%	55.4%	34.0%	42.4%	72.8%
	Do on-call for non-hospitalized patients - telephone availability only	2.3%	7.8%	9.4%	5.4%	3.0%	15.9%	7.6%	13.5%	5.1%	11.0%	13.2%
	Do on-call for non-hospitalized patients - telephone availability and see patients as required	6.7%	7.8%	31.5%	23.8%	8.0%	43.4%	25.8%	35.2%	7.7%	23.7%	69.3%
	Do emergency room on-call	10.5%	3.2%	19.7%	22.8%	34.5%	43.8%	10.6%	21.0%	5.1%	36.9%	12.3%
	Do nursing home/LTC facility on-call	.2%	1.9%	6.4%	1.2%	1.0%	2.0%	.0%	1.1%	1.9%	1.5%	1.8%
	Other	20.6%	37.0%	3.9%	13.9%	15.5%	3.2%	15.2%	10.4%	4.5%	6.1%	2.6%
No response	4.7%	9.7%	7.9%	10.7%	9.0%	3.6%	6.1%	7.4%	12.8%	6.7%	8.8%	

Note: This question allowed for multiple responses.

Q11B: Average total number of on-call work hours per month.

		Other Clinical Specialists										
		Anest n=931	ComMed n=76	Derm n=118	DiagRad n=443	Emerg n=100	Neuro n=188	NucMed n=50	Peds n=603	Phys n=59	Psych n=927	RadOnc n=95
		%	%	%	%	%	%	%	%	%	%	%
Total call hours per month (grouped)	Up to 120 hours per month	79.2%	57.9%	62.7%	69.1%	78.0%	63.3%	86.0%	59.4%	69.5%	77.1%	91.6%
	121 to 180 hours per month	13.5%	14.5%	5.9%	20.5%	7.0%	19.7%	6.0%	19.2%	11.9%	7.2%	4.2%
	181 to 240 hours per month	3.9%	1.3%	4.2%	4.1%	2.0%	5.9%	4.0%	8.1%	5.1%	1.3%	1.1%
	> 240 hours per month	2.3%	19.7%	11.0%	3.2%	8.0%	7.4%	2.0%	9.8%	1.7%	6.9%	.0%
	Not stated / Zero value	1.2%	6.6%	16.1%	3.2%	5.0%	3.7%	2.0%	3.5%	11.9%	7.4%	3.2%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Note: Includes only those physicians who take call.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q11C: Please estimate how many of your on-call hours each month are actually spent in direct patient care

		Other Clinical Specialists										
		Anest	ComMed	Derm	DiagRad	Emerg	Neuro	NucMed	Peds	Phys	Psych	RadOnc
On-call work hours per month spent in direct patient care	Count	905	35	104	363	78	174	41	554	48	840	89
	Mean	53.70	14.99	14.44	24.56	13.40	33.50	10.29	37.75	6.49	12.79	9.10
	Median	48.00	5.00	5.00	16.00	6.00	24.00	8.00	23.50	4.50	9.00	5.00
	Mode	40.00	2.00	2.00	10.00	2.00	20.00	2.00	20.00	2.00	10.00	4.00
	Minimum	2.00	1.00	.33	1.00	1.00	1.00	1.00	.20	.50	.20	.50
	Maximum	400.00	100.00	720.00	240.00	115.00	200.00	48.00	340.00	30.00	100.00	118.00

Note: Results apply only to respondents who indicated spending greater than zero hours per month of their on-call time in direct patient care.

Q11C: Please estimate how many of your on-call hours each month are actually spent in direct patient care

		Other Clinical Specialists										
		Anest n=905	ComMed n=35	Derm n=104	DiagRad n=363	Emerg n=78	Neuro n=174	NucMed n=41	Peds n=554	Phys n=48	Psych n=840	RadOnc n=89
		%	%	%	%	%	%	%	%	%	%	%
On-call hours each month spent in direct patient care - GROUPED (from M11c)	up to 10 hrs/month	4.9%	77.1%	81.7%	37.2%	66.7%	23.0%	75.6%	29.6%	89.6%	62.6%	83.1%
	more than 10, up to 40 hrs/month	39.0%	11.4%	16.3%	51.5%	24.4%	48.3%	22.0%	39.5%	10.4%	33.1%	13.5%
	more than 40 hrs/month	56.1%	11.4%	1.9%	11.3%	9.0%	28.7%	2.4%	30.9%	.0%	4.3%	3.4%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Note: Results apply only to respondents who indicated spending greater than zero hours per month of their on-call time in direct patient care.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q11D: Please estimate the number of patients you see on call per month.

		Other Clinical Specialists										
		Anest	ComMed	Derm	DiagRad	Emerg	Neuro	NucMed	Peds	Phys	Psych	RadOnc
Number of patients per month seen during on-call hours	Count	813	22	104	278	74	179	38	532	48	786	88
	Mean	34.46	--	21.99	51.80	21.01	29.16	15.54	48.61	12.30	12.81	8.69
	Median	30.00	--	6.00	25.00	6.00	20.00	6.00	35.00	5.00	9.50	6.00
	Mode	20.00	--	5.00	20.00	10.00	10.00	2.00	20.00	1.00	10.00	2.00
	Minimum	1.00	--	1.00	.50	1.00	1.00	1.00	.20	1.00	.20	1.00
	Maximum	500.00	--	872.00	500.00	450.00	250.00	200.00	750.00	100.00	145.00	30.00

Note: Results apply only to respondents who indicated greater than zero patients per month while on call.

Q11D: Please estimate the number of patients you see on call per month.

		Other Clinical Specialists										
		Anest n=813	ComMed n=22	Derm n=104	DiagRad n=278	Emerg n=74	Neuro n=179	NucMed n=38	Peds n=532	Phys n=48	Psych n=786	RadOnc n=88
		%	%	%	%	%	%	%	%	%	%	%
Number of patients seen when on-call per month - GROUPED (from M11d)	up to 15 pts/mnth	20.5%	--	78.8%	37.8%	85.1%	45.3%	86.8%	24.2%	77.1%	75.7%	83.0%
	16 to 30 pts/mnth	41.6%	--	15.4%	20.1%	5.4%	25.7%	5.3%	24.6%	14.6%	17.4%	17.0%
	31 to 45 pts/mnth	17.0%	--	2.9%	10.4%	2.7%	8.4%	2.6%	12.8%	.0%	2.7%	.0%
	46 to 60 pts/mnth	12.4%	--	.0%	9.0%	2.7%	12.3%	.0%	15.4%	4.2%	3.3%	.0%
	61+ pts/mnth	8.5%	--	2.9%	22.7%	4.1%	8.4%	5.3%	22.9%	4.2%	.9%	.0%
	Total	100.0%	--	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Note: Results apply only to respondents who indicated greater than zero patients per month while on call.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q12A: In a typical year, how many weeks do you spend on each of the following activities?

Weeks engaged in clinical/ medical care, administration, teaching, research, ongoing CME/CPD		Other Clinical Specialists										
		Anest	ComMed	Derm	DiagRad	Emerg	Neuro	NucMed	Peds	Phys	Psych	RadOnc
Weeks engaged in clinical/medical care, administration, teaching, research, ongoing CME/CPD	Count	985	138	189	578	190	237	62	769	139	1384	101
	Mean	42.66	43.76	44.38	40.74	44.75	43.99	43.72	44.60	45.07	44.59	42.75
	Median	44.00	46.00	46.00	43.00	46.00	46.00	44.00	46.00	46.00	46.00	44.00
	Mode	44.00	46.00	46.00	44.00	48.00	46.00	45.00	46.00	46.00	46.00	44.00
	Minimum	1.00	.50	2.00	.50	2.00	2.00	34.00	1.00	32.00	1.00	2.00
	Maximum	52.00	50.00	51.00	52.00	50.00	51.00	50.00	52.00	50.00	52.00	49.00

Results apply only to respondents who indicated greater than zero weeks per year.

Q12B: In a typical year, how many weeks do you spend on each of the following activities?

Weeks away from practice for CME/CPD purposes		Other Clinical Specialists										
		Anest	ComMed	Derm	DiagRad	Emerg	Neuro	NucMed	Peds	Phys	Psych	RadOnc
Weeks away from practice for CME/CPD	Count	881	109	173	541	173	214	58	683	130	1237	96
	Mean	1.69	1.97	1.91	2.18	1.68	2.34	1.94	1.71	1.92	1.81	2.23
	Median	2.00	1.00	2.00	2.00	1.00	2.00	2.00	2.00	2.00	2.00	2.00
	Mode	1.00	1.00	2.00	2.00	1.00	2.00	2.00	2.00	2.00	2.00	2.00
	Minimum	.50	.50	.50	.50	.50	.96	1.00	.50	1.00	.50	.96
	Maximum	11.74	47.00	12.00	42.00	9.00	10.00	6.00	10.00	5.00	10.00	10.00

Results apply only to respondents who indicated greater than zero weeks per year.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q12C: In a typical year, how many weeks do you spend on each of the following activities?

Weeks of vacation		Other Clinical Specialists										
		Anest	ComMed	Derm	DiagRad	Emerg	Neuro	NucMed	Peds	Phys	Psych	RadOnc
Weeks of vacation	Count	978	137	186	565	187	235	61	762	139	1377	101
	Mean	6.64	4.63	4.81	7.28	4.23	4.60	6.08	4.28	4.76	4.55	5.56
	Median	6.00	4.00	4.00	7.00	4.00	4.00	6.00	4.00	4.00	4.00	6.00
	Mode	6.00	4.00	4.00	6.00	4.00	4.00	6.00	4.00	4.00	4.00	6.00
	Minimum	1.00	1.00	1.00	1.00	1.00	1.00	2.00	1.00	1.00	1.00	2.00
	Maximum	37.00	12.00	20.00	37.28	10.00	48.00	14.00	17.00	16.00	44.00	26.00

Results apply only to respondents who indicated greater than zero weeks per year.

Q12D: In a typical year, how many weeks do you spend on each of the following activities?

Weeks in other activities		Other Clinical Specialists										
		Anest	ComMed	Derm	DiagRad	Emerg	Neuro	NucMed	Peds	Phys	Psych	RadOnc
Weeks in other activities	Count	158	31	29	94	37	37	8	136	22	250	21
	Mean	6.34	11.65	5.17	9.00	5.84	8.06	3.47	5.87	1.98	5.07	3.50
	Median	2.00	3.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	1.00
	Mode	1.00	1.00	2.00	2.00	2.00	2.00	2.00	1.00	2.00	1.00	1.00
	Minimum	.50	1.00	.50	.98	.50	1.00	1.00	.50	1.00	.50	1.00
	Maximum	45.00	47.00	42.50	46.50	46.00	52.00	8.00	48.00	7.00	48.00	41.00

Results apply only to respondents who indicated greater than zero weeks per year.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q13A1: In the last year, have you been absent from work due to illness or disability?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Absent from work in last year due to illness or disability	Yes	18.7%	26.0%	18.2%	13.5%	12.5%	15.9%	12.1%	19.6%	21.2%	25.7%	21.9%
	No	76.6%	63.6%	76.8%	78.2%	81.0%	81.3%	80.3%	73.7%	67.9%	69.7%	69.3%
	NR	4.7%	10.4%	4.9%	8.4%	6.5%	2.8%	7.6%	6.7%	10.9%	4.6%	8.8%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

Q13A2: If you have been absent from work due to illness or disability, approximately how many days were you absent in the past year?

		Other Clinical Specialists										
		Anest	ComMed	Derm	DiagRad	Emerg	Neuro	NucMed	Peds	Phys	Psych	RadOnc
Days absent from work	Count	192	39	35	85	23	37	8	158	32	369	25
	Mean	14.46	7.82	20.86	19.38	--	26.20	--	19.06	18.22	17.59	--
	Median	3.00	3.00	5.00	4.00	--	4.00	--	4.00	2.00	4.00	--
	Mode	1.00	2.00	1.00	1.00	--	1.00	--	2.00	1.00	2.00	--
	Minimum	.50	1.00	1.00	.50	--	1.00	--	1.00	1.00	.50	--
	Maximum	300.00	75.00	150.00	180.00	--	365.00	--	365.00	365.00	365.00	--

Note: Includes only those who indicated more than zero days absent from work in the last year.

-- Responses suppressed when column n is less than 30.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q13A3: Was the cause of the illness/disability for which you were absent from work, work related?

		Other Clinical Specialists										
		Anest n=197	ComMed n=40	Derm n=37	DiagRad n=87	Emerg n=25	Neuro n=40	NucMed n=8	Peds n=164	Phys n=33	Psych n=377	RadOnc n=25
		%	%	%	%	%	%	%	%	%	%	%
Work related illness/disability	Yes	12.7%	2.5%	5.4%	8.0%	--	12.5%	--	18.3%	9.1%	9.8%	--
	No	81.2%	95.0%	83.8%	86.2%	--	77.5%	--	75.6%	78.8%	81.4%	--
	NR	6.1%	2.5%	10.8%	5.7%	--	10.0%	--	6.1%	12.1%	8.8%	--
	Total	100.0%	100.0%	100.0%	100.0%	--	100.0%	--	100.0%	100.0%	100.0%	--

NR = No response.

-- Responses suppressed when column n is less than 30.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q13B1: In the last year, have you taken time off work for personal reasons?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Time off work for personal reasons in the last year	Yes	13.4%	16.2%	12.8%	8.8%	11.0%	15.9%	12.1%	16.7%	16.7%	20.4%	12.3%
	No	81.5%	72.7%	81.8%	81.9%	81.5%	81.3%	80.3%	76.3%	70.5%	74.6%	79.8%
	NR	5.0%	11.0%	5.4%	9.3%	7.5%	2.8%	7.6%	6.9%	12.8%	4.9%	7.9%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

Q13B2: If yes, approximately how many days were you absent in the past year?

		Other Clinical Specialists										
		Anest	ComMed	Derm	DiagRad	Emerg	Neuro	NucMed	Peds	Phys	Psych	RadOnc
Days absent from work	Count	140	24	26	57	21	40	8	132	26	295	13
	Mean	17.41	--	--	38.44	--	44.73	--	45.51	--	24.59	--
	Median	5.00	--	--	10.00	--	7.00	--	7.00	--	7.00	--
	Mode	7.00	--	--	5.00	--	2.00	--	2.00	--	2.00	--
	Minimum	1.00	--	--	1.00	--	1.00	--	1.00	--	.50	--
	Maximum	210.00	--	--	210.00	--	210.00	--	320.00	--	365.00	--

Note: Includes only those who indicated more than zero days absent from work in the last year.

-- Responses suppressed when column n is less than 30.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q14A: In the last year, approximately what proportion of your professional income did you receive from each of the following PAYMENT METHODS?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Method of Remuneration	90+% FFS	58.5%	3.9%	73.9%	75.9%	23.5%	47.8%	68.2%	36.3%	37.8%	35.0%	10.5%
	90+% Salary	2.5%	37.7%	1.0%	3.1%	5.0%	8.0%	.0%	14.1%	7.7%	4.0%	10.5%
	90+% Capitation	.1%	.6%	.0%	.2%	.5%	.0%	.0%	.1%	.0%	.1%	.0%
	90+% Sessional/per diem/hourly	1.6%	18.8%	.0%	1.9%	5.0%	1.2%	3.0%	2.4%	1.9%	3.8%	.9%
	90+% Service contracts	2.8%	1.9%	.5%	.8%	12.5%	2.4%	.0%	2.6%	1.9%	1.2%	15.8%
	90+% Incentives and premiums	.1%	.6%	.0%	.0%	.0%	.0%	.0%	.0%	.6%	.0%	.0%
	90+% Other	3.3%	6.5%	.0%	.2%	3.0%	2.0%	.0%	2.3%	.6%	2.3%	1.8%
	Not 90+% of any one method	23.7%	23.4%	16.7%	9.6%	39.5%	34.3%	21.2%	34.4%	40.4%	46.6%	50.0%
	No valid response	7.4%	6.5%	7.9%	8.5%	11.0%	4.4%	7.6%	7.8%	9.0%	7.0%	10.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	

Q14B: If you had a choice, how would you prefer to be paid for your services as a physician?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Preferred method of income	Fee for service only	29.2%	2.6%	50.7%	66.6%	13.5%	27.9%	57.6%	19.8%	23.7%	23.2%	9.6%
	Salary only	6.4%	35.7%	8.4%	3.3%	11.5%	15.9%	6.1%	18.3%	17.3%	10.4%	14.9%
	Capitation only	.0%	.0%	.0%	.0%	1.5%	.0%	.0%	.0%	.0%	.1%	.9%
	Sessional/per diem/hourly only	3.2%	15.6%	1.0%	1.5%	11.5%	2.4%	3.0%	3.0%	2.6%	5.6%	.0%
	Service contract only	3.3%	2.6%	1.0%	.8%	10.5%	4.0%	.0%	2.9%	2.6%	1.4%	8.8%
	Blended payment	53.3%	36.4%	33.5%	20.7%	44.5%	45.4%	27.3%	49.3%	47.4%	54.8%	57.0%
	NR	4.6%	7.1%	5.4%	7.1%	7.0%	4.4%	6.1%	6.7%	6.4%	4.4%	8.8%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q14C: Please indicate which of the following FUNDING MECHANISMS contribute to your income, either directly or through financial support of your practice organization.

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Funding mechanisms that contribute to income	alternative payment program	20.7%	7.1%	8.4%	5.1%	45.0%	19.1%	12.1%	26.8%	18.6%	17.2%	26.3%
	regional health authority/board	36.5%	28.6%	21.2%	35.9%	29.0%	25.9%	36.4%	29.5%	27.6%	31.8%	26.3%
	academic health sciences centre	18.6%	16.2%	13.3%	10.7%	27.5%	28.7%	19.7%	26.6%	24.4%	19.2%	20.2%
	blended funding program	5.1%	1.3%	1.5%	2.5%	4.5%	5.6%	3.0%	5.3%	7.7%	9.9%	24.6%
	block funding program	3.2%	3.2%	1.0%	1.4%	1.5%	1.6%	1.5%	2.4%	1.3%	2.2%	4.4%
	rural/northern/underserviced incentives	7.8%	5.2%	4.9%	9.4%	4.5%	5.6%	7.6%	6.5%	1.3%	9.8%	1.8%
	CMPA reimbursement	64.0%	38.3%	42.4%	46.6%	57.5%	50.6%	45.5%	48.3%	41.7%	51.6%	42.1%
	third party pension contributions or other benefits	7.5%	11.0%	3.4%	7.9%	10.5%	8.8%	3.0%	7.3%	16.0%	9.4%	4.4%
	other	6.5%	17.5%	2.5%	4.3%	9.0%	6.4%	3.0%	5.9%	7.7%	9.8%	6.1%
None of the above or no response	13.0%	24.0%	36.5%	26.9%	13.5%	17.1%	24.2%	18.4%	20.5%	17.3%	16.7%	

Note: This question allowed for multiple responses.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q15A: What arrangements do you have for care of your patients outside of usual office hours?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Arrangements for patient care outside of office hours	physician available	63.3%	22.1%	32.0%	51.2%	25.0%	58.6%	50.0%	54.7%	36.5%	46.9%	81.6%
	individualized medical telephone advice	9.2%	20.8%	12.3%	8.8%	7.0%	29.9%	12.1%	36.4%	20.5%	32.1%	54.4%
	instructions to go to the emergency department	11.2%	12.3%	47.8%	8.8%	15.5%	53.4%	4.5%	39.5%	29.5%	67.3%	28.1%
	instructions to go to a walk-in clinic/after hours clinic	1.0%	5.8%	19.2%	1.4%	3.5%	9.2%	.0%	22.2%	12.8%	12.3%	7.0%
	instructions to call a housecall service	.6%	.0%	.5%	.6%	.5%	1.2%	.0%	1.2%	.0%	1.7%	2.6%
	Other	8.4%	12.3%	14.8%	9.3%	25.5%	10.0%	13.6%	11.1%	18.6%	15.8%	.9%
	Patient care during non-office hours - no direction	9.6%	9.1%	17.2%	13.0%	20.0%	7.6%	18.2%	6.2%	19.9%	5.3%	1.8%
	None of the above or no response	13.8%	38.3%	4.9%	21.2%	21.0%	4.8%	16.7%	7.4%	7.1%	3.7%	10.5%

Note: This question allowed for multiple responses.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q15B: Who provides individualized medical telephone advice outside of usual office hours?

		Other Clinical Specialists										
		Anest n=97	ComMed n=32	Derm n=25	DiagRad n=57	Emerg n=14	Neuro n=75	NucMed n=8	Peds n=305	Phys n=32	Psych n=471	RadOnc n=62
		%	%	%	%	%	%	%	%	%	%	%
a physician associated with your practice?	Yes, advice provided is from a physician	78.4%	68.8%	--	93.0%	--	68.0%	--	65.2%	56.3%	39.7%	91.9%
	No, advice provided is not from a physician	14.4%	31.3%	--	5.3%	--	21.3%	--	26.2%	31.3%	36.3%	4.8%
	No detail about source of telephone advice	7.2%	.0%	--	1.8%	--	10.7%	--	8.5%	12.5%	24.0%	3.2%
	Total	100.0%	100.0%	--	100.0%	--	100.0%	--	100.0%	100.0%	100.0%	100.0%
a nurse/health care team member associated with your practice?	Yes, advice provided is from a nurse or other team member	14.4%	34.4%	--	17.5%	--	25.3%	--	15.7%	34.4%	31.6%	21.0%
	No, advice provided is not from a nurse or team member	78.4%	65.6%	--	80.7%	--	64.0%	--	75.7%	53.1%	44.4%	75.8%
	No detail about source of telephone advice	7.2%	.0%	--	1.8%	--	10.7%	--	8.5%	12.5%	24.0%	3.2%
	Total	100.0%	100.0%	--	100.0%	--	100.0%	--	100.0%	100.0%	100.0%	100.0%
an external agency?	Yes, advice provided is from an external agency	4.1%	28.1%	--	1.8%	--	6.7%	--	28.9%	3.1%	15.5%	1.6%
	No, advice provided is not from an external agency	88.7%	71.9%	--	96.5%	--	82.7%	--	62.6%	84.4%	60.5%	95.2%
	No detail about source of telephone advice	7.2%	.0%	--	1.8%	--	10.7%	--	8.5%	12.5%	24.0%	3.2%
	Total	100.0%	100.0%	--	100.0%	--	100.0%	--	100.0%	100.0%	100.0%	100.0%
Other?	Yes, advice provided is from other source	4.1%	12.5%	--	.0%	--	4.0%	--	5.9%	6.3%	9.1%	1.6%
	No, advice provided is not from other source	88.7%	87.5%	--	98.2%	--	85.3%	--	85.6%	81.3%	66.9%	95.2%
	No detail about source of telephone advice	7.2%	.0%	--	1.8%	--	10.7%	--	8.5%	12.5%	24.0%	3.2%
	Total	100.0%	100.0%	--	100.0%	--	100.0%	--	100.0%	100.0%	100.0%	100.0%

Note: This question allowed for multiple responses. Includes only those who arrange for telephone advice

-- Responses suppressed when column n is less than 30.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q16: Please rate accessibility to the following for your patients.

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
family physicians	Excellent	4.1%	4.5%	3.9%	4.3%	2.5%	3.2%	4.5%	3.1%	3.8%	5.4%	6.1%
	Very Good	9.9%	7.1%	8.9%	6.8%	5.5%	8.8%	4.5%	9.4%	10.3%	16.0%	7.9%
	Good	14.7%	14.9%	18.7%	14.6%	14.5%	28.7%	16.7%	21.3%	26.3%	23.9%	27.2%
	Fair	18.5%	12.3%	29.6%	12.5%	26.5%	31.1%	10.6%	26.0%	28.8%	28.6%	34.2%
	Poor	10.5%	7.1%	29.1%	6.0%	37.5%	20.3%	10.6%	22.8%	17.9%	19.7%	9.6%
	N/A	25.1%	20.1%	3.0%	23.5%	4.0%	3.6%	34.8%	8.1%	5.8%	1.3%	1.8%
	NR	17.2%	33.8%	6.9%	32.2%	9.5%	4.4%	18.2%	9.2%	7.1%	5.2%	13.2%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
specialist medical care	Excellent	15.2%	3.2%	4.9%	7.4%	4.5%	6.4%	12.1%	8.5%	3.8%	4.2%	10.5%
	Very Good	24.2%	11.0%	12.8%	11.9%	19.5%	20.7%	15.2%	22.2%	17.9%	13.7%	22.8%
	Good	24.4%	14.9%	33.0%	16.4%	31.0%	38.6%	13.6%	35.7%	37.2%	33.0%	31.6%
	Fair	12.5%	14.9%	33.0%	11.6%	23.0%	24.7%	9.1%	19.1%	28.2%	32.7%	19.3%
	Poor	3.1%	3.2%	11.3%	2.9%	10.5%	3.2%	1.5%	4.8%	3.8%	8.6%	1.8%
	N/A	7.0%	18.8%	.5%	18.0%	2.5%	2.0%	30.3%	2.6%	1.9%	1.8%	.9%
	NR	13.6%	33.8%	4.4%	31.7%	9.0%	4.4%	18.2%	7.0%	7.1%	6.0%	13.2%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
referral to tertiary care & academic institutions	Excellent	12.0%	3.9%	4.9%	6.2%	10.0%	13.5%	9.1%	12.5%	5.1%	3.7%	13.2%
	Very Good	16.8%	14.9%	16.7%	7.4%	25.0%	20.3%	18.2%	26.4%	15.4%	11.3%	29.8%
	Good	23.9%	13.0%	35.0%	18.4%	23.5%	33.5%	10.6%	29.2%	36.5%	26.9%	25.4%
	Fair	10.6%	14.3%	26.6%	11.0%	14.0%	17.1%	7.6%	13.5%	21.2%	30.4%	14.9%
	Poor	3.1%	.6%	6.4%	2.5%	5.0%	6.8%	3.0%	4.8%	6.4%	14.2%	.9%
	N/A	16.7%	18.8%	3.0%	20.1%	12.5%	3.2%	28.8%	5.9%	3.2%	5.3%	2.6%
	NR	16.8%	34.4%	7.4%	34.4%	10.0%	5.6%	22.7%	7.8%	12.2%	8.1%	13.2%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
emergency room services	Excellent	9.9%	5.2%	5.4%	9.0%	27.0%	12.0%	6.1%	14.3%	5.8%	9.0%	2.6%
	Very Good	18.3%	14.3%	16.7%	16.6%	25.0%	25.9%	19.7%	29.5%	21.8%	23.3%	25.4%
	Good	23.7%	14.9%	34.5%	15.9%	18.5%	34.7%	15.2%	29.0%	35.3%	33.1%	34.2%
	Fair	9.9%	6.5%	20.7%	6.7%	5.5%	17.9%	6.1%	11.5%	17.9%	20.0%	21.1%
	Poor	3.3%	3.9%	7.4%	1.7%	4.0%	3.6%	4.5%	2.5%	3.8%	6.4%	2.6%
	N/A	19.1%	20.8%	7.4%	16.6%	11.0%	1.6%	28.8%	5.3%	7.7%	2.2%	1.8%
	NR	15.8%	34.4%	7.9%	33.6%	9.0%	4.4%	19.7%	7.9%	7.7%	5.9%	12.3%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

.....Continued

National Physician Survey, 2004. Results for Clinical Specialists - other

Q16: Please rate accessibility to the following for your patients (continued).

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
palliative care	Excellent	6.3%	1.9%	4.4%	2.8%	2.5%	8.0%	6.1%	6.2%	5.1%	2.4%	8.8%
	Very Good	13.4%	7.8%	12.3%	9.6%	13.0%	20.3%	12.1%	17.1%	15.4%	9.7%	30.7%
	Good	21.2%	13.0%	21.2%	13.6%	28.5%	34.3%	6.1%	18.6%	25.0%	20.1%	20.2%
	Fair	12.8%	9.1%	12.3%	7.3%	31.0%	17.1%	9.1%	9.9%	12.8%	12.5%	16.7%
	Poor	3.7%	3.2%	3.9%	1.9%	9.5%	4.4%	.0%	4.5%	7.1%	5.2%	7.0%
	N/A	24.7%	30.5%	34.0%	28.8%	5.0%	9.2%	45.5%	30.9%	23.7%	39.0%	.9%
	NR	17.8%	34.4%	11.8%	36.1%	10.5%	6.8%	21.2%	12.7%	10.9%	11.1%	15.8%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
hospital in-patient care on urgent basis	Excellent	14.6%	3.9%	4.9%	7.7%	8.0%	15.9%	7.6%	22.8%	5.1%	6.5%	5.3%
	Very Good	24.9%	12.3%	14.8%	15.6%	20.0%	28.3%	22.7%	32.9%	22.4%	19.3%	28.1%
	Good	21.9%	13.6%	27.6%	16.3%	20.0%	24.7%	7.6%	21.4%	30.8%	23.8%	27.2%
	Fair	8.0%	9.7%	21.7%	4.8%	24.0%	14.3%	6.1%	9.0%	16.0%	24.6%	19.3%
	Poor	2.6%	1.9%	7.4%	1.5%	13.5%	8.0%	1.5%	1.7%	5.1%	15.3%	6.1%
	N/A	13.0%	24.7%	13.8%	18.9%	4.5%	2.8%	33.3%	4.4%	11.5%	3.7%	.9%
	NR	15.0%	33.8%	9.9%	35.1%	10.0%	6.0%	21.2%	7.9%	9.0%	6.8%	13.2%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
hospital care for elective procedures	Excellent	6.2%	1.3%	2.0%	2.0%	1.0%	2.4%	3.0%	3.5%	.0%	1.1%	.0%
	Very Good	16.0%	5.2%	5.4%	7.4%	6.5%	8.0%	1.5%	18.5%	7.1%	5.3%	7.9%
	Good	24.6%	16.9%	20.7%	14.7%	19.5%	23.9%	12.1%	30.9%	25.0%	17.2%	26.3%
	Fair	14.8%	11.0%	25.1%	13.9%	27.5%	34.7%	13.6%	20.5%	33.3%	23.4%	33.3%
	Poor	7.1%	5.2%	21.2%	5.6%	20.5%	20.3%	6.1%	8.4%	14.7%	20.0%	14.9%
	N/A	14.8%	25.3%	12.8%	20.9%	12.0%	4.8%	40.9%	8.8%	9.0%	23.4%	3.5%
	NR	16.4%	35.1%	12.8%	35.4%	13.0%	6.0%	22.7%	9.3%	10.9%	9.5%	14.0%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
highly specialized services	Excellent	9.7%	3.2%	3.9%	5.4%	15.5%	12.7%	7.6%	15.3%	6.4%	2.9%	15.8%
	Very Good	18.3%	7.8%	18.2%	10.8%	28.5%	27.1%	10.6%	25.7%	23.7%	10.0%	33.3%
	Good	23.9%	13.0%	23.2%	13.2%	24.0%	30.3%	7.6%	20.7%	35.3%	19.7%	21.1%
	Fair	12.0%	10.4%	12.8%	8.7%	15.5%	15.5%	10.6%	7.4%	12.8%	14.8%	12.3%
	Poor	2.7%	1.3%	4.4%	2.9%	3.5%	4.8%	.0%	2.4%	3.2%	6.1%	.9%
	N/A	17.3%	29.2%	25.6%	23.5%	3.0%	3.6%	43.9%	18.6%	8.3%	36.6%	3.5%
	NR	16.2%	35.1%	11.8%	35.4%	10.0%	6.0%	19.7%	9.9%	10.3%	9.9%	13.2%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

.....Continued

National Physician Survey, 2004. Results for Clinical Specialists - other

Q16: Please rate accessibility to the following for your patients (continued).

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
long-term care beds	Excellent	.6%	.0%	2.0%	.8%	.0%	1.2%	3.0%	.5%	.6%	.5%	.0%
	Very Good	3.4%	2.6%	3.0%	2.2%	3.0%	2.8%	1.5%	2.5%	3.2%	2.2%	.9%
	Good	10.5%	9.7%	12.3%	9.0%	12.0%	15.5%	6.1%	7.9%	16.0%	8.5%	11.4%
	Fair	19.8%	14.3%	20.7%	12.4%	24.5%	29.5%	13.6%	14.5%	30.8%	24.9%	43.0%
	Poor	16.4%	8.4%	12.8%	9.0%	42.0%	36.7%	9.1%	15.4%	28.2%	29.6%	26.3%
	N/A	30.1%	30.5%	35.5%	28.5%	7.0%	7.6%	47.0%	47.2%	12.2%	26.0%	5.3%
	NR	19.3%	34.4%	13.8%	38.2%	11.5%	6.8%	19.7%	12.1%	9.0%	8.3%	13.2%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
routine diagnostic services	Excellent	10.8%	7.8%	16.7%	17.3%	12.5%	12.7%	16.7%	17.3%	9.6%	13.7%	7.0%
	Very Good	23.4%	19.5%	28.1%	19.2%	30.5%	27.9%	12.1%	35.1%	32.1%	27.5%	23.7%
	Good	30.1%	11.0%	36.9%	16.4%	28.0%	31.5%	15.2%	29.2%	34.6%	33.1%	31.6%
	Fair	11.3%	7.8%	8.4%	8.5%	14.0%	17.5%	19.7%	8.8%	14.7%	12.2%	21.1%
	Poor	.4%	.6%	1.5%	1.4%	2.5%	4.4%	1.5%	.6%	.6%	1.6%	6.1%
	N/A	8.8%	20.1%	1.0%	8.4%	2.5%	1.2%	16.7%	1.9%	.6%	4.8%	.0%
	NR	15.2%	33.1%	7.4%	28.8%	10.0%	4.8%	18.2%	7.0%	7.7%	7.1%	10.5%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
advanced diagnostic services	Excellent	7.1%	1.9%	2.5%	7.6%	4.5%	9.6%	13.6%	6.9%	2.6%	2.4%	4.4%
	Very Good	14.4%	5.8%	4.9%	9.4%	14.5%	18.7%	7.6%	19.5%	10.9%	10.0%	16.7%
	Good	22.1%	12.3%	19.7%	12.8%	16.5%	19.5%	6.1%	25.7%	26.3%	19.2%	22.8%
	Fair	18.6%	11.7%	28.6%	12.2%	28.5%	21.1%	15.2%	23.9%	26.9%	28.0%	21.9%
	Poor	10.6%	11.7%	21.2%	18.7%	22.0%	24.3%	19.7%	12.8%	23.7%	21.5%	22.8%
	N/A	11.6%	22.7%	12.8%	9.6%	3.0%	1.6%	18.2%	3.7%	1.3%	11.3%	.0%
	NR	15.6%	33.8%	10.3%	29.6%	11.0%	5.2%	19.7%	7.5%	8.3%	7.6%	11.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
drugs & appliances	Excellent	6.9%	3.9%	7.9%	2.0%	7.0%	5.6%	1.5%	9.2%	3.2%	7.2%	6.1%
	Very Good	19.5%	9.7%	26.1%	6.3%	20.5%	23.1%	9.1%	25.4%	13.5%	22.6%	14.9%
	Good	28.1%	21.4%	37.4%	16.1%	34.5%	43.0%	13.6%	36.9%	43.6%	34.6%	47.4%
	Fair	10.9%	9.1%	14.8%	6.2%	17.5%	16.3%	4.5%	13.1%	22.4%	19.3%	18.4%
	Poor	1.6%	1.3%	2.5%	1.1%	2.0%	4.0%	4.5%	1.7%	6.4%	3.3%	.0%
	N/A	16.6%	20.1%	3.9%	31.6%	6.0%	2.4%	45.5%	4.5%	2.6%	6.1%	1.8%
	NR	16.4%	34.4%	7.4%	36.7%	12.5%	5.6%	21.2%	9.1%	8.3%	7.0%	11.4%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

.....Continued

National Physician Survey, 2004. Results for Clinical Specialists - other

Q16: Please rate accessibility to the following for your patients (continued).

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
community nursing services	Excellent	1.1%	1.3%	4.9%	1.1%	3.0%	1.6%	.0%	2.3%	.6%	2.1%	1.8%
	Very Good	5.2%	8.4%	16.7%	3.7%	15.0%	11.2%	4.5%	11.8%	7.7%	10.0%	14.9%
	Good	18.8%	15.6%	38.9%	12.2%	30.5%	34.3%	15.2%	30.7%	28.2%	22.8%	38.6%
	Fair	13.5%	9.7%	17.2%	8.8%	28.0%	29.5%	4.5%	23.9%	30.1%	24.9%	26.3%
	Poor	5.1%	5.8%	2.0%	2.2%	8.5%	8.4%	3.0%	8.7%	14.7%	13.6%	3.5%
	N/A	37.1%	25.3%	12.8%	35.0%	5.0%	8.0%	51.5%	12.9%	9.6%	18.3%	.9%
	NR	19.0%	33.8%	7.4%	37.0%	10.0%	7.2%	21.2%	9.7%	9.0%	8.2%	14.0%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
homemaking services	Excellent	1.0%	.6%	3.9%	.8%	1.5%	1.2%	.0%	1.0%	.6%	1.0%	.9%
	Very Good	3.8%	7.1%	8.9%	1.7%	11.0%	8.0%	.0%	4.9%	5.1%	6.1%	8.8%
	Good	13.1%	9.7%	28.1%	9.0%	28.0%	27.1%	15.2%	17.8%	22.4%	15.6%	33.3%
	Fair	13.2%	13.6%	17.7%	7.9%	29.0%	31.5%	7.6%	20.5%	32.1%	24.9%	28.9%
	Poor	6.8%	7.1%	3.0%	4.0%	8.0%	13.1%	4.5%	10.8%	21.8%	21.0%	8.8%
	N/A	42.1%	27.9%	28.1%	38.5%	10.5%	12.4%	53.0%	35.1%	9.0%	23.4%	5.3%
	NR	20.1%	33.8%	10.3%	38.1%	12.0%	6.8%	19.7%	9.9%	9.0%	8.0%	14.0%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
occupational therapy services	Excellent	2.4%	.6%	3.4%	.8%	2.5%	3.2%	.0%	3.2%	1.9%	2.5%	.9%
	Very Good	7.9%	6.5%	5.9%	2.6%	10.0%	10.0%	1.5%	14.2%	12.8%	9.1%	8.8%
	Good	17.4%	11.7%	24.1%	10.8%	27.5%	27.9%	15.2%	28.4%	16.7%	20.9%	29.8%
	Fair	12.7%	14.3%	14.8%	6.8%	24.0%	31.5%	7.6%	22.6%	32.7%	26.2%	26.3%
	Poor	3.2%	7.8%	2.0%	2.5%	8.5%	14.7%	1.5%	15.4%	20.5%	19.0%	10.5%
	N/A	36.0%	25.3%	36.9%	37.6%	15.5%	6.4%	54.5%	7.6%	5.8%	14.2%	9.6%
	NR	20.4%	33.8%	12.8%	38.9%	12.0%	6.4%	19.7%	8.5%	9.6%	8.0%	14.0%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
physiotherapy services	Excellent	3.0%	1.9%	3.9%	1.1%	2.5%	3.2%	.0%	4.1%	3.2%	1.4%	.9%
	Very Good	11.2%	9.1%	8.4%	3.7%	13.0%	12.7%	3.0%	17.2%	17.3%	6.7%	9.6%
	Good	21.3%	14.3%	28.6%	11.0%	28.5%	28.3%	9.1%	31.5%	28.2%	20.9%	28.1%
	Fair	12.7%	9.1%	17.2%	7.1%	27.0%	29.1%	9.1%	22.8%	21.8%	23.3%	30.7%
	Poor	3.6%	7.8%	3.0%	3.3%	9.0%	16.7%	4.5%	11.1%	20.5%	12.6%	13.2%
	N/A	29.6%	23.4%	28.6%	36.5%	9.5%	4.0%	54.5%	5.7%	1.9%	26.1%	4.4%
	NR	18.6%	34.4%	10.3%	37.3%	10.5%	6.0%	19.7%	7.5%	7.1%	8.9%	13.2%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

.....Continued

National Physician Survey, 2004. Results for Clinical Specialists - other

Q16: Please rate accessibility to the following for your patients (continued).

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
psychosocial support services	Excellent	2.6%	.6%	1.0%	.8%	4.0%	3.6%	.0%	2.7%	.6%	5.1%	11.4%
	Very Good	7.6%	8.4%	4.9%	2.6%	17.5%	7.2%	3.0%	10.8%	9.0%	13.0%	22.8%
	Good	17.8%	11.7%	23.2%	10.5%	33.0%	21.1%	9.1%	21.0%	14.7%	24.2%	36.8%
	Fair	11.9%	18.8%	21.2%	5.7%	21.5%	32.7%	7.6%	25.6%	31.4%	28.8%	12.3%
	Poor	6.8%	5.8%	8.9%	3.9%	10.0%	23.9%	4.5%	29.3%	31.4%	19.0%	2.6%
	N/A	33.7%	20.8%	26.6%	37.5%	3.5%	5.6%	51.5%	3.5%	3.2%	3.6%	1.8%
	NR	19.7%	33.8%	14.3%	39.0%	10.5%	6.0%	24.2%	7.2%	9.6%	6.2%	12.3%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
health care services in patient's language/culture	Excellent	2.7%	3.2%	3.0%	1.4%	2.0%	2.4%	4.5%	2.6%	2.6%	2.8%	2.6%
	Very Good	9.1%	4.5%	8.9%	5.6%	7.5%	10.4%	6.1%	11.1%	5.1%	7.3%	13.2%
	Good	22.2%	13.0%	25.6%	12.2%	23.5%	23.1%	10.6%	24.9%	19.2%	18.8%	31.6%
	Fair	20.1%	16.9%	17.2%	10.2%	33.5%	27.5%	13.6%	27.7%	25.0%	28.2%	23.7%
	Poor	7.0%	8.4%	11.3%	5.4%	14.5%	20.3%	6.1%	17.4%	24.4%	22.7%	10.5%
	N/A	21.2%	20.1%	21.7%	28.0%	5.5%	9.2%	40.9%	8.0%	13.5%	12.2%	3.5%
	NR	17.7%	33.8%	12.3%	37.2%	13.5%	7.2%	18.2%	8.2%	10.3%	8.0%	14.9%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
female or male physicians as preferred by patient	Excellent	2.3%	1.3%	2.5%	2.6%	.5%	2.0%	.0%	2.3%	1.9%	1.4%	10.5%
	Very Good	6.4%	5.8%	9.4%	4.5%	5.0%	5.2%	4.5%	9.8%	8.3%	6.5%	8.8%
	Good	18.4%	14.3%	25.1%	11.5%	18.0%	24.3%	13.6%	20.5%	19.9%	19.0%	22.8%
	Fair	13.7%	11.7%	16.3%	8.0%	26.5%	25.1%	4.5%	20.1%	22.4%	27.7%	24.6%
	Poor	7.6%	9.7%	17.7%	6.3%	24.0%	10.8%	6.1%	16.0%	14.7%	24.4%	9.6%
	N/A	33.3%	22.1%	16.3%	28.8%	14.5%	23.9%	48.5%	21.9%	23.1%	13.4%	9.6%
	NR	18.4%	35.1%	12.8%	38.2%	11.5%	8.8%	22.7%	9.4%	9.6%	7.5%	14.0%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q17SP1: Typically, if your office is contacted with an urgent referral, how long would the patient wait until the first consultation with you?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Wait for urgent referral	One day or less	21.7%	11.7%	34.5%	31.7%	9.5%	15.1%	28.8%	41.2%	3.2%	6.2%	35.1%
	More than one day, up to one week	9.2%	7.1%	48.8%	13.5%	.5%	56.2%	31.8%	26.6%	59.0%	37.8%	48.2%
	More than one week, up to two weeks	1.2%	.6%	5.9%	1.7%	.0%	10.8%	4.5%	3.9%	12.2%	11.8%	2.6%
	More than two weeks	1.6%	1.9%	1.0%	.3%	.5%	6.4%	1.5%	1.4%	4.5%	10.0%	.0%
	Unsure	3.5%	1.3%	1.0%	3.9%	.0%	3.6%	6.1%	2.3%	5.1%	10.5%	2.6%
	Don't accept referrals	2.8%	6.5%	.5%	1.7%	6.0%	.8%	.0%	1.4%	3.2%	9.5%	1.8%
	N/A	50.0%	46.8%	.5%	28.3%	74.5%	1.6%	22.7%	12.8%	2.6%	4.6%	.9%
	NR	9.9%	24.0%	7.9%	18.9%	9.0%	5.6%	4.5%	10.3%	10.3%	9.6%	8.8%
Total		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

Q17SP3: Typically, if your office is contacted with a non-urgent referral, how long would the patient wait until the first consultation with you?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Wait for non-urgent referral	Up to one month	22.5%	18.2%	28.1%	27.9%	6.0%	25.5%	33.3%	49.2%	24.4%	30.2%	71.1%
	More than one month, up to 3 months	4.5%	1.9%	46.8%	11.5%	.0%	38.2%	19.7%	19.5%	35.9%	26.4%	9.6%
	More than three months, up to six months	1.8%	1.3%	12.8%	3.1%	1.0%	17.1%	9.1%	4.8%	14.7%	9.6%	4.4%
	More than six months	2.6%	.6%	4.9%	1.5%	.0%	10.4%	6.1%	3.2%	7.7%	7.8%	.0%
	Unsure	4.4%	.6%	.5%	6.3%	.0%	2.0%	4.5%	1.1%	3.2%	6.3%	.9%
	Don't accept referrals	2.8%	6.5%	.5%	1.7%	6.0%	.8%	.0%	1.4%	3.2%	9.3%	1.8%
	N/A	50.0%	46.1%	.5%	28.6%	74.5%	1.6%	22.7%	12.9%	2.6%	4.6%	.9%
	NR	11.4%	24.7%	5.9%	19.3%	12.5%	4.4%	4.5%	7.9%	8.3%	5.8%	11.4%
Total		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q18A: With reference to the last two years (2002 - 2004), please check all of the following changes you have made

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Changes MADE to practice in past two years	Relocated practice within the same prov/terr	6.4%	10.4%	8.9%	5.0%	4.5%	7.6%	9.1%	7.5%	9.6%	10.8%	2.6%
	Relocated practice to another prov/terr in Canada	2.8%	2.6%	1.0%	2.3%	3.0%	.4%	1.5%	2.0%	3.8%	2.2%	3.5%
	Relocated to Canada from another country	1.5%	.6%	.0%	.9%	1.5%	1.6%	3.0%	.7%	.6%	.7%	3.5%
	Left Canada to practise in another country	.7%	.0%	.0%	.3%	2.0%	.0%	.0%	.1%	.0%	.3%	.9%
	Moved from an urban/ suburban to a rural/ remote practice setting	.6%	.6%	1.0%	1.5%	2.5%	.0%	1.5%	1.0%	1.3%	1.9%	.0%
	Moved from a rural/ remote to an urban/ suburban practice setting	.6%	.6%	.5%	.6%	.0%	.8%	3.0%	.8%	.6%	1.6%	.0%
	Specialized in an area of medical practice	2.5%	5.2%	3.9%	3.1%	3.5%	7.2%	.0%	4.4%	7.7%	3.3%	4.4%
	Reduced scope of practice	8.8%	7.8%	18.7%	10.4%	7.5%	12.0%	1.5%	11.6%	19.2%	15.4%	7.9%
	Expanded scope of practice	4.1%	5.2%	3.0%	8.2%	4.0%	3.2%	4.5%	3.6%	5.8%	5.3%	5.3%
	Reduced teaching, research &/or admin responsibilities	8.8%	7.1%	11.8%	10.8%	9.5%	9.2%	10.6%	9.2%	12.2%	11.4%	10.5%
	Increased teaching, research &/or admin responsibilities	13.5%	20.8%	9.4%	8.2%	20.5%	10.4%	15.2%	17.2%	14.7%	13.2%	24.6%
	Took temporary leave of absence	3.0%	5.2%	3.0%	2.3%	5.0%	3.6%	1.5%	5.6%	2.6%	3.9%	2.6%
	Reduced weekly work hours (excluding on-call)	14.7%	11.0%	18.7%	14.6%	15.0%	15.9%	7.6%	15.3%	20.5%	19.8%	12.3%
	Increased weekly work hours (excluding on-call)	6.3%	8.4%	3.4%	6.8%	7.5%	6.8%	9.1%	7.4%	7.1%	9.1%	7.0%
	Reduced on-call hours	13.2%	4.5%	8.9%	10.5%	3.5%	11.6%	7.6%	13.0%	9.6%	7.1%	6.1%
Increased on-call hours	5.1%	7.1%	2.0%	5.3%	4.0%	6.0%	3.0%	6.2%	1.3%	3.2%	2.6%	
Changed from solo to group practice	.7%	1.3%	.0%	.8%	1.0%	.4%	.0%	1.3%	1.9%	.7%	.9%	

Note: This question allowed for multiple responses. (continued).

National Physician Survey, 2004. Results for Clinical Specialists - other

Q18A: With reference to the last two years (2002 - 2004), please check all of the following changes you have made (continued).

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Changes MADE to practice in past two years	Changed to a multidisciplinary practice model	.7%	2.6%	.0%	.2%	.0%	1.2%	.0%	2.4%	1.3%	3.5%	.9%
	Became part of a practice network	1.0%	.0%	.5%	.8%	1.0%	.4%	1.5%	.8%	.6%	1.0%	.0%
	Changed mode of remuneration	10.4%	6.5%	3.9%	3.4%	7.0%	6.8%	3.0%	10.8%	9.6%	8.5%	21.9%
	Retrained within the medical field	1.4%	.6%	.5%	1.5%	.5%	1.6%	.0%	1.0%	.6%	.7%	.0%
	Left active practice for reasons other than above	.1%	.6%	.0%	.2%	.0%	.4%	.0%	.7%	.0%	.1%	.0%
	Made other changes	.8%	2.6%	2.5%	1.4%	2.5%	2.0%	1.5%	1.9%	.0%	1.9%	.9%
	No changes were made	15.3%	20.8%	11.8%	11.6%	16.0%	18.3%	13.6%	12.8%	12.2%	13.6%	12.3%
	No response	15.3%	14.9%	18.7%	20.4%	16.0%	13.5%	18.2%	13.9%	17.9%	12.7%	18.4%

Note: This question allowed for multiple responses.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q18B: With reference to the next two years (2004 - 2006), please check all of the following changes you plan to make

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Changes PLANNED for next two years	Plan to relocate practice within the same prov/terr	3.0%	4.5%	8.4%	4.2%	1.5%	2.0%	4.5%	4.5%	7.1%	4.6%	5.3%
	Plan to relocate practice to another prov/terr in Canada	4.0%	2.6%	2.0%	2.2%	2.0%	1.6%	3.0%	1.4%	3.2%	2.9%	3.5%
	Plan to relocate to Canada from another country	.2%	.0%	.5%	.2%	.0%	.0%	.0%	.1%	.0%	.3%	.0%
	Plan to leave Canada to practise in another country	2.9%	3.9%	2.0%	2.8%	4.0%	4.4%	3.0%	1.4%	1.3%	2.6%	4.4%
	Plan to move from an urban/ suburban to a rural/ remote practice setting	1.0%	.6%	.5%	.5%	1.5%	.4%	.0%	.5%	1.9%	.6%	.0%
	Plan to move from a rural/ remote to an urban/ suburban practice setting	1.0%	1.3%	.5%	1.5%	.0%	.0%	1.5%	1.2%	.6%	1.4%	.0%
	Plan to specialize in an area of medical practice	1.6%	1.9%	3.0%	.8%	2.5%	1.2%	1.5%	2.0%	1.9%	1.3%	.9%
	Plan to reduce scope of practice	11.2%	5.8%	21.7%	12.5%	8.0%	16.7%	3.0%	12.8%	12.8%	18.2%	10.5%
	Plan to expand scope of practice	3.3%	3.9%	4.4%	9.9%	4.0%	1.6%	9.1%	3.5%	6.4%	3.9%	.9%
	Plan to reduce teaching, research &/or admin responsibilities	11.3%	5.8%	17.7%	9.9%	12.0%	8.0%	9.1%	10.0%	7.1%	9.9%	11.4%
	Plan to increase teaching, research &/or admin responsibilities	12.4%	14.9%	9.4%	7.7%	23.0%	15.5%	22.7%	16.6%	19.9%	13.8%	14.9%
	Plan to take temporary leave of absence	7.5%	11.7%	7.4%	4.8%	9.0%	4.8%	10.6%	7.9%	4.5%	6.5%	4.4%
	Plan to reduce weekly work hours (excluding on-call)	26.9%	22.1%	32.5%	27.9%	24.5%	24.3%	22.7%	24.1%	20.5%	32.4%	16.7%
Plan to increase weekly work hours (excluding on-call)	2.0%	.6%	1.5%	3.1%	3.0%	2.0%	3.0%	4.2%	4.5%	2.6%	1.8%	
Plan to reduce on-call hours	23.2%	6.5%	12.8%	15.0%	8.5%	16.3%	4.5%	21.0%	9.0%	8.8%	7.9%	

Note: This question allowed for multiple responses. (continued).

National Physician Survey, 2004. Results for Clinical Specialists - other

Q18B: With reference to the next two years (2004 - 2006), please check all of the following changes you plan to make (continued).

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Changes PLANNED for next two years	Plan to increase on-call hours	1.4%	.0%	.5%	1.9%	1.5%	2.0%	1.5%	2.4%	1.3%	1.9%	2.6%
	Plan to change from solo to group practice	.6%	.6%	1.5%	1.4%	.0%	2.4%	3.0%	2.6%	3.8%	.2%	.0%
	Plan to change to a multidisciplinary practice model	1.0%	1.9%	.5%	.3%	.5%	1.6%	.0%	2.0%	5.8%	1.6%	.0%
	Plan to become part of a practice network	.6%	.6%	.5%	1.4%	.5%	.8%	1.5%	2.3%	2.6%	1.5%	.9%
	Plan to change mode of remuneration	9.1%	4.5%	3.9%	1.9%	12.5%	5.6%	.0%	7.0%	7.7%	6.7%	11.4%
	Plan to retrain within the medical field	1.1%	1.3%	.5%	1.9%	2.0%	.4%	1.5%	1.7%	1.3%	1.2%	.9%
	Plan to retire	7.0%	5.2%	7.4%	10.1%	3.5%	6.0%	9.1%	7.8%	9.6%	6.6%	7.0%
	Plan to leave active practice for reasons other than above	.5%	2.6%	.0%	.3%	.5%	2.4%	.0%	1.3%	.6%	.7%	.9%
	Plan to make other changes	1.1%	1.3%	2.0%	.5%	2.0%	2.0%	1.5%	1.6%	3.2%	1.8%	2.6%
	No changes planned	14.9%	20.1%	11.3%	10.7%	13.5%	18.3%	19.7%	12.3%	13.5%	12.1%	13.2%
No response	15.3%	14.9%	18.7%	20.4%	16.0%	13.5%	18.2%	13.9%	17.9%	12.7%	18.4%	

Note: This question allowed for multiple responses.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q19A: Please indicate the most significant change you MADE in the last two years (2002 - 2004).

		Other Clinical Specialists										
		Anest n=524	ComMed n=69	Derm n=96	DiagRad n=303	Emerg n=97	Neuro n=127	NucMed n=29	Peds n=445	Phys n=87	Psych n=794	RadOnc n=63
		%	%	%	%	%	%	%	%	%	%	%
Most significant change made in last 2 years	Relocated my practice within the same province/territory	7.1%	10.1%	10.4%	5.0%	3.1%	10.2%	--	6.5%	9.2%	10.6%	1.6%
	Relocated my practice to another prov/terr in Canada	4.0%	5.8%	1.0%	2.0%	3.1%	.8%	--	3.1%	6.9%	3.0%	3.2%
	Relocated to Canada from another country	1.5%	1.4%	.0%	1.3%	3.1%	1.6%	--	.7%	1.1%	1.0%	6.3%
	Left Canada to practice in another country	.6%	.0%	.0%	.7%	3.1%	.0%	--	.2%	.0%	.5%	.0%
	Moved from urban/suburban to a rural/remote practice setting	.6%	1.4%	.0%	.3%	1.0%	.0%	--	.9%	1.1%	1.5%	.0%
	Moved from rural/remote to urban/suburban practice setting	.2%	.0%	.0%	.3%	.0%	.8%	--	.7%	.0%	.8%	.0%
	Specialized in an area of medical practice	3.1%	5.8%	3.1%	3.0%	4.1%	8.7%	--	5.4%	5.7%	3.4%	1.6%
	Reduced scope of practice	6.3%	10.1%	17.7%	8.6%	9.3%	6.3%	--	6.1%	13.8%	9.4%	6.3%
	Expanded scope of practice	3.2%	8.7%	2.1%	11.6%	4.1%	1.6%	--	1.8%	5.7%	3.7%	3.2%
	Reduced teaching, research & administration responsibility	5.9%	4.3%	10.4%	8.6%	8.2%	8.7%	--	5.4%	8.0%	6.5%	4.8%
	Increased teaching, research & administration responsibility	15.1%	20.3%	9.4%	8.6%	19.6%	11.0%	--	17.5%	14.9%	12.6%	28.6%
	Took a temporary leave of absence	2.1%	1.4%	2.1%	2.0%	4.1%	3.9%	--	3.8%	1.1%	3.1%	.0%
	Reduced weekly hours (excluding on call)	16.4%	10.1%	22.9%	20.1%	15.5%	15.7%	--	13.0%	17.2%	20.7%	11.1%
	Increased weekly hours (excluding on call)	5.3%	4.3%	5.2%	8.9%	5.2%	5.5%	--	5.2%	4.6%	8.3%	9.5%
	Reduced on-call hours	11.5%	2.9%	4.2%	5.9%	.0%	11.0%	--	11.9%	4.6%	3.3%	.0%
	Increased on-call hours	3.6%	2.9%	1.0%	4.3%	.0%	3.9%	--	2.9%	.0%	1.3%	.0%
	Changed from solo to group practice	.0%	1.4%	.0%	.7%	1.0%	.0%	--	.4%	.0%	.1%	.0%
	Changed to a multidisciplinary practice model	.2%	.0%	.0%	.3%	.0%	.0%	--	.9%	.0%	1.0%	.0%
	Became part of a practice network	.0%	.0%	1.0%	.3%	1.0%	.0%	--	.4%	.0%	.1%	.0%
	Change in mode of remuneration	7.8%	1.4%	4.2%	1.0%	6.2%	3.1%	--	6.7%	3.4%	3.4%	22.2%
Retrained within medical field	1.0%	.0%	.0%	1.0%	1.0%	.0%	--	.4%	.0%	.4%	.0%	
Left active practice for reason(s) other than above	.4%	1.4%	.0%	.3%	.0%	.8%	--	.7%	1.1%	.1%	.0%	
Made other change(s)	2.1%	4.3%	3.1%	2.3%	5.2%	4.7%	--	3.1%	.0%	3.1%	1.6%	
Not stated	2.1%	1.4%	2.1%	3.0%	2.1%	1.6%	--	2.0%	1.1%	2.0%	.0%	
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	--	100.0%	100.0%	100.0%	100.0%	

Includes only those who indicated that they had made changes to their practice in the last two years.

-- Responses suppressed when column n is less than 30.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q19B: Please indicate the most significant change you plan to make in the next two years (2004 - 2006).

		Other Clinical Specialists										
		Anest n=604	ComMed n=78	Derm n=117	DiagRad n=59	Emerg n=114	Neuro n=129	NucMed n=36	Peds n=505	Phys n=88	Psych n=881	RadOnc n=59
		%	%	%	%	%	%	%	%	%	%	%
Most significant change planned for the next 2 years	Relocate my practice within the same province/territory	2.3%	7.7%	3.4%	3.8%	.9%	2.3%	5.6%	3.4%	6.8%	3.4%	8.5%
	Relocate my practice to another province/territory in Canada	4.8%	1.3%	2.6%	1.3%	.9%	.8%	.0%	1.4%	5.7%	2.7%	3.4%
	Leave Canada to practice in another country	2.6%	2.6%	1.7%	3.2%	4.4%	5.4%	5.6%	1.4%	2.3%	2.0%	6.8%
	Move from urban/suburban to a rural/remote practice setting	.7%	1.3%	.0%	.0%	.0%	.0%	.0%	.4%	1.1%	.2%	.0%
	Move from rural/remote to an urban/suburban practice setting	.8%	1.3%	.0%	1.1%	.0%	.0%	2.8%	.2%	.0%	.6%	.0%
	Specialize in an area of medical practice	.8%	3.8%	.9%	.5%	.9%	1.6%	2.8%	1.8%	.0%	.5%	.0%
	Reduce scope of practice	3.0%	6.4%	9.4%	5.4%	2.6%	7.8%	2.8%	4.6%	8.0%	7.6%	3.4%
	Expand scope of practice	2.3%	3.8%	4.3%	10.2%	3.5%	.8%	8.3%	2.0%	4.5%	3.0%	1.7%
	Reduce teaching, research & administration responsibility	5.5%	5.1%	6.0%	6.2%	7.9%	1.6%	5.6%	4.2%	2.3%	3.7%	10.2%
	Increase teaching, research & administration responsibility	10.8%	15.4%	8.5%	5.9%	28.9%	16.3%	16.7%	15.4%	19.3%	12.1%	22.0%
	Take a temporary leave of absence	5.1%	9.0%	2.6%	3.5%	7.0%	3.1%	8.3%	5.7%	4.5%	5.1%	3.4%
	Reduce weekly hours (excluding on call)	20.7%	17.9%	32.5%	26.9%	21.1%	24.8%	13.9%	17.6%	15.9%	32.7%	13.6%
	Increase weekly hours (excluding on call)	1.0%	.0%	.9%	2.2%	.9%	1.6%	2.8%	1.6%	1.1%	1.7%	3.4%
	Reduce on-call hours	15.9%	2.6%	6.0%	7.3%	1.8%	10.1%	.0%	15.6%	2.3%	3.3%	.0%
	Increase on-call hours	.5%	1.3%	.0%	1.1%	.0%	.0%	.0%	1.8%	.0%	1.4%	.0%
	Change from solo to group practice	.3%	.0%	.0%	.5%	.0%	.8%	2.8%	1.2%	1.1%	.0%	.0%
	Change to a multidisciplinary practice model	.3%	.0%	.0%	.0%	.0%	.8%	.0%	1.0%	5.7%	.6%	.0%
	Become part of a practice network	.2%	.0%	.0%	1.1%	.9%	.0%	2.8%	.8%	.0%	.7%	.0%
	Change in mode of remuneration	6.5%	2.6%	2.6%	1.1%	6.1%	5.4%	.0%	2.6%	3.4%	2.8%	6.8%
	Retrain within medical field	.8%	.0%	.0%	1.1%	2.6%	.0%	2.8%	1.2%	.0%	.7%	.0%
	Retire	10.8%	7.7%	12.8%	15.6%	3.5%	10.1%	11.1%	10.5%	10.2%	8.5%	11.9%
Leave active practice for reason(s) other than above	.2%	3.8%	.0%	.0%	.0%	2.3%	.0%	.8%	.0%	.8%	1.7%	
Other change(s)	2.0%	1.3%	1.7%	.8%	3.5%	2.3%	2.8%	1.8%	4.5%	2.4%	3.4%	
Not stated	2.2%	5.1%	4.3%	1.3%	2.6%	2.3%	2.8%	3.2%	1.1%	3.5%	.0%	
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	

Includes only those who indicated that they plan to make changes to their practice in the next two years.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q19C1: Please indicate the reason(s) for the most significant change you MADE in the past two years (2002 - 2004).

		Other Clinical Specialists										
		Anest n=524	ComMed n=69	Derm n=96	DiagRad n=303	Emerg n=97	Neuro n=127	NucMed n=29	Peds n=445	Phys n=87	Psych n=794	RadOnc n=63
		%	%	%	%	%	%	%	%	%	%	%
Reason for most significant change MADE	wanted a career change	21.0%	36.2%	15.6%	18.5%	30.9%	27.6%	--	21.1%	24.1%	25.4%	23.8%
	had health reasons	13.0%	14.5%	8.3%	11.6%	9.3%	8.7%	--	13.5%	10.3%	15.2%	12.7%
	had family obligations	19.5%	11.6%	15.6%	12.2%	17.5%	13.4%	--	20.9%	18.4%	19.3%	14.3%
	had financial priorities/ necessities	10.1%	10.1%	18.8%	5.3%	16.5%	11.8%	--	11.5%	5.7%	12.6%	12.7%
	wanted to meet population/community needs	17.0%	24.6%	8.3%	27.7%	12.4%	23.6%	--	19.8%	19.5%	17.9%	28.6%
	wanted other	25.0%	18.8%	22.9%	18.2%	22.7%	18.1%	--	18.2%	19.5%	24.3%	15.9%
	No response	13.0%	5.8%	22.9%	17.5%	13.4%	12.6%	--	16.6%	16.1%	12.0%	11.1%

Note: Includes only those who indicated the most significant career change made in the last two years. This question allowed for multiple responses.

-- Responses suppressed when column n is less than 30.

Q19C2: Please indicate the reason for the most significant change you PLAN to make in the next two years (2004 - 2006).

		Other Clinical Specialists										
		Anest n=604	ComMed n=78	Derm n=117	DiagRad n=372	Emerg n=114	Neuro n=129	NucMed n=36	Peds n=505	Phys n=88	Psych n=881	RadOnc n=59
		%	%	%	%	%	%	%	%	%	%	%
Reason for most significant change PLANNED	want a career change	17.7%	38.5%	9.4%	13.7%	24.6%	24.0%	27.8%	17.2%	19.3%	16.3%	13.6%
	health reasons	12.7%	9.0%	10.3%	13.4%	13.2%	15.5%	16.7%	12.7%	8.0%	18.3%	20.3%
	family obligations	24.8%	19.2%	18.8%	18.8%	17.5%	15.5%	8.3%	26.1%	25.0%	21.6%	18.6%
	financial priorities/necessities	12.6%	9.0%	15.4%	7.3%	11.4%	15.5%	8.3%	9.3%	10.2%	10.8%	13.6%
	to meet population/community needs	9.6%	12.8%	6.0%	16.1%	7.9%	12.4%	19.4%	12.3%	22.7%	10.8%	13.6%
	other reason	26.5%	24.4%	29.1%	22.3%	21.9%	21.7%	16.7%	24.0%	25.0%	28.9%	30.5%
	No response	16.2%	12.8%	23.9%	20.4%	21.9%	15.5%	22.2%	17.2%	13.6%	14.5%	13.6%

Note: Includes only those who indicated the one most significant practice change planned for the next two years. This question allowed for multiple responses.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q20: Please rate your satisfaction with each of the following.

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
relationship with patients	Very satisfied	52.4%	25.3%	63.1%	43.2%	28.5%	57.0%	54.5%	65.7%	53.8%	68.0%	64.0%
	Somewhat satisfied	34.5%	15.6%	28.1%	26.5%	47.0%	35.1%	21.2%	24.4%	35.9%	25.4%	24.6%
	Neutral	5.8%	3.9%	3.4%	12.7%	9.5%	2.8%	3.0%	2.5%	2.6%	1.8%	2.6%
	Somewhat dissatisfied	.9%	.6%	1.0%	.5%	3.5%	.8%	1.5%	.6%	.6%	.6%	.9%
	Very dissatisfied	.2%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.2%	.0%
	N/A	.6%	41.6%	.0%	7.1%	3.0%	1.6%	12.1%	2.2%	1.3%	.3%	.0%
	NR	5.6%	13.0%	4.4%	10.1%	8.5%	2.8%	7.6%	4.7%	5.8%	3.7%	7.9%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
relationship with hospitals	Very satisfied	15.0%	6.5%	11.3%	16.9%	13.5%	15.1%	9.1%	20.0%	13.5%	15.1%	13.2%
	Somewhat satisfied	34.8%	30.5%	33.5%	30.7%	35.0%	41.8%	33.3%	42.7%	46.2%	33.1%	39.5%
	Neutral	19.7%	15.6%	23.2%	18.6%	17.0%	17.5%	13.6%	15.7%	10.9%	20.6%	23.7%
	Somewhat dissatisfied	16.6%	7.8%	12.8%	13.8%	15.5%	13.1%	21.2%	10.8%	11.5%	14.5%	11.4%
	Very dissatisfied	8.0%	1.3%	5.9%	5.6%	8.0%	6.8%	10.6%	3.0%	5.1%	7.0%	.9%
	N/A	.6%	26.0%	9.4%	5.7%	3.0%	2.4%	3.0%	2.7%	5.1%	5.7%	.9%
	NR	5.3%	12.3%	3.9%	8.8%	8.0%	3.2%	9.1%	5.3%	7.7%	4.0%	10.5%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
relationship with specialist physicians	Very satisfied	42.7%	18.2%	45.8%	41.3%	19.5%	48.6%	43.9%	43.2%	37.8%	29.8%	38.6%
	Somewhat satisfied	42.1%	39.0%	38.4%	39.8%	46.0%	37.1%	34.8%	40.9%	43.6%	43.6%	48.2%
	Neutral	6.9%	11.0%	8.9%	8.0%	12.0%	8.4%	7.6%	6.2%	9.6%	15.3%	3.5%
	Somewhat dissatisfied	1.9%	6.5%	2.0%	1.9%	12.5%	1.2%	1.5%	2.3%	1.3%	4.5%	1.8%
	Very dissatisfied	.4%	.0%	.0%	.3%	2.0%	.0%	.0%	.1%	.0%	.3%	.0%
	N/A	.4%	14.3%	1.0%	.6%	.5%	1.2%	1.5%	1.9%	.6%	2.5%	.0%
	NR	5.6%	11.0%	3.9%	8.0%	7.5%	3.6%	10.6%	5.4%	7.1%	4.0%	7.9%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

.....Continued

National Physician Survey, 2004. Results for Clinical Specialists - other

Q20: Please rate your satisfaction with each of the following (continued).

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
relationship with family physicians	Very satisfied	20.9%	19.5%	40.4%	34.2%	15.5%	35.5%	36.4%	29.4%	35.9%	32.9%	24.6%
	Somewhat satisfied	28.9%	37.7%	44.3%	35.8%	38.0%	40.6%	30.3%	38.4%	42.9%	42.6%	47.4%
	Neutral	21.4%	12.3%	8.9%	16.1%	18.5%	15.1%	13.6%	18.3%	12.8%	14.1%	14.9%
	Somewhat dissatisfied	1.6%	3.2%	2.0%	2.6%	15.0%	3.2%	1.5%	2.6%	.6%	4.1%	3.5%
	Very dissatisfied	.4%	.0%	.0%	.9%	1.5%	.4%	.0%	.4%	.0%	.4%	.9%
	N/A	20.6%	16.9%	.0%	2.3%	2.5%	1.6%	7.6%	5.3%	1.9%	1.9%	.9%
	NR	6.1%	10.4%	4.4%	8.0%	9.0%	3.6%	10.6%	5.7%	5.8%	4.0%	7.9%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
relationship with non-physician health care workers	Very satisfied	28.8%	31.8%	23.2%	32.4%	30.0%	29.1%	37.9%	35.6%	43.6%	35.9%	34.2%
	Somewhat satisfied	45.3%	40.9%	40.9%	37.2%	48.0%	46.6%	36.4%	40.5%	38.5%	40.2%	42.1%
	Neutral	14.6%	8.4%	21.2%	14.7%	10.0%	15.9%	10.6%	13.1%	7.1%	12.3%	12.3%
	Somewhat dissatisfied	3.5%	3.9%	3.0%	2.6%	3.5%	3.2%	3.0%	2.9%	1.9%	3.3%	.9%
	Very dissatisfied	.4%	.0%	.0%	1.5%	.5%	.0%	.0%	.2%	.0%	1.0%	.0%
	N/A	1.7%	5.8%	6.4%	3.6%	.5%	2.4%	3.0%	2.6%	2.6%	3.1%	.9%
	NR	5.7%	9.1%	5.4%	8.0%	7.5%	2.8%	9.1%	5.0%	6.4%	4.2%	9.6%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
availability of CME/CPD opportunities to meet needs	Very satisfied	27.3%	18.8%	38.9%	26.6%	30.5%	33.1%	30.3%	37.0%	30.1%	34.1%	39.5%
	Somewhat satisfied	41.5%	39.0%	37.4%	38.5%	40.0%	37.5%	37.9%	38.2%	37.2%	40.6%	32.5%
	Neutral	14.7%	9.1%	9.9%	13.2%	12.5%	17.5%	7.6%	10.3%	10.9%	10.3%	10.5%
	Somewhat dissatisfied	9.6%	18.8%	5.4%	8.4%	8.0%	5.6%	12.1%	6.5%	10.9%	8.0%	5.3%
	Very dissatisfied	1.3%	5.2%	2.5%	4.2%	.5%	1.6%	1.5%	1.6%	3.2%	2.5%	.9%
	N/A	.6%	1.3%	1.0%	1.1%	.5%	2.0%	1.5%	1.3%	1.3%	.5%	.9%
	NR	5.0%	7.8%	4.9%	8.0%	8.0%	2.8%	9.1%	5.1%	6.4%	4.0%	10.5%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

.....Continued

National Physician Survey, 2004. Results for Clinical Specialists - other

Q20: Please rate your satisfaction with each of the following (continued).

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
ability to find locum tenens coverage	Very satisfied	8.6%	4.5%	1.5%	9.0%	7.5%	5.6%	9.1%	5.3%	8.3%	8.7%	13.2%
	Somewhat satisfied	13.4%	8.4%	7.9%	9.9%	7.0%	4.8%	13.6%	9.2%	7.1%	11.7%	7.0%
	Neutral	13.5%	9.1%	9.9%	12.1%	13.5%	10.4%	9.1%	10.0%	5.8%	8.3%	6.1%
	Somewhat dissatisfied	12.9%	5.2%	7.9%	15.2%	3.5%	6.4%	13.6%	12.4%	7.1%	6.6%	3.5%
	Very dissatisfied	9.5%	4.5%	27.1%	13.0%	4.0%	10.0%	9.1%	15.7%	12.2%	6.5%	9.6%
	N/A	34.3%	54.5%	37.9%	27.1%	54.0%	57.4%	33.3%	39.9%	50.0%	51.7%	50.0%
	NR	7.7%	13.6%	7.9%	13.8%	10.5%	5.6%	12.1%	7.5%	9.6%	6.5%	10.5%
current professional life	Very satisfied	29.3%	27.9%	36.0%	29.3%	23.5%	29.1%	28.8%	32.4%	26.3%	37.2%	28.9%
	Somewhat satisfied	43.2%	44.2%	40.9%	38.2%	44.5%	46.6%	45.5%	43.1%	50.0%	40.3%	40.4%
	Neutral	10.1%	7.1%	6.4%	10.8%	11.5%	12.4%	6.1%	8.1%	9.0%	7.4%	12.3%
	Somewhat dissatisfied	9.5%	7.8%	8.9%	9.9%	10.0%	7.2%	9.1%	9.1%	7.1%	8.3%	6.1%
	Very dissatisfied	2.3%	4.5%	2.5%	3.9%	1.5%	1.2%	1.5%	2.0%	1.3%	2.7%	3.5%
	N/A	.1%	.0%	.0%	.3%	.0%	.4%	.0%	.1%	.6%	.1%	.0%
	NR	5.5%	8.4%	5.4%	7.6%	9.0%	3.2%	9.1%	5.1%	5.8%	4.1%	8.8%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
balance between personal and professional commitments	Very satisfied	17.6%	14.3%	26.1%	21.1%	17.0%	19.1%	24.2%	19.0%	22.4%	25.1%	16.7%
	Somewhat satisfied	38.8%	34.4%	33.5%	34.7%	35.5%	36.7%	27.3%	36.4%	39.1%	35.7%	30.7%
	Neutral	13.9%	18.2%	12.3%	11.1%	21.5%	16.3%	15.2%	14.6%	9.6%	10.0%	19.3%
	Somewhat dissatisfied	19.4%	16.2%	20.2%	19.2%	13.0%	18.7%	19.7%	18.5%	19.2%	19.8%	21.1%
	Very dissatisfied	5.0%	9.7%	3.4%	6.0%	4.5%	5.6%	4.5%	6.1%	3.8%	5.7%	4.4%
	N/A	.1%	.0%	.0%	.5%	.0%	.8%	.0%	.1%	.6%	.0%	.0%
	NR	5.1%	7.1%	4.4%	7.4%	8.5%	2.8%	9.1%	5.3%	5.1%	3.7%	7.9%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q22: What type of access do you have to the Internet in your main patient care setting?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Type of internet access in main patient care setting	none	6.6%	6.5%	44.8%	10.1%	3.5%	12.0%	.0%	22.0%	16.7%	23.9%	2.6%
	dial-up	5.6%	3.2%	10.3%	2.9%	3.0%	11.2%	1.5%	9.8%	11.5%	10.9%	.9%
	high-speed (cable, DSL)	72.9%	72.1%	36.5%	72.9%	78.5%	66.5%	89.4%	53.5%	59.0%	49.9%	78.9%
	Don't know what type	9.6%	6.5%	3.0%	6.0%	7.0%	5.2%	1.5%	9.2%	6.4%	10.0%	7.9%
	NR	5.3%	11.7%	5.4%	8.0%	8.0%	5.2%	7.6%	5.5%	6.4%	5.2%	9.6%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q23_1: Please indicate which of the following you have in your MAIN patient care setting.

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Physician has technology in main patient care setting	Have electronic patient health records	42.8%	9.7%	14.3%	54.6%	33.5%	27.9%	60.6%	19.6%	27.6%	22.4%	75.4%
	Have electronic patient appointment/ scheduling system	22.3%	25.3%	51.7%	46.4%	14.5%	53.8%	63.6%	41.3%	51.3%	30.9%	83.3%
	Have electronic reminder systems for recommended patient care	5.9%	3.9%	6.9%	8.2%	7.0%	9.6%	10.6%	7.9%	5.1%	5.3%	20.2%
	Have electronic interface to external pharmacy/ pharmacist	9.5%	1.9%	3.9%	6.0%	11.0%	8.4%	4.5%	5.0%	7.1%	5.1%	10.5%
	Have electronic interface to external laboratory/ diagnostic imaging	35.6%	8.4%	10.8%	42.9%	44.0%	37.5%	57.6%	32.0%	28.8%	16.4%	63.2%
	Have electronic interface to other external systems for accessing or sharing patient info	17.0%	7.8%	5.4%	28.8%	21.5%	23.5%	33.3%	19.2%	22.4%	10.4%	41.2%
	Have electronic warning systems for adverse prescribing and/or drug interactions	9.3%	4.5%	5.9%	2.9%	17.5%	9.2%	7.6%	8.1%	5.8%	8.4%	7.0%
	Have electronic decision aids	9.3%	9.1%	4.4%	3.6%	27.5%	11.6%	6.1%	7.8%	8.3%	5.0%	15.8%
	Have telemedicine/webcasting/ videoconferencing	33.7%	27.9%	10.3%	34.5%	31.0%	31.1%	48.5%	37.2%	27.6%	26.6%	53.5%
	Have online access to journals, CPGs, medical databases	76.4%	68.2%	40.9%	63.3%	77.5%	76.5%	84.8%	63.2%	67.3%	60.9%	86.0%
	Have online CME/CPD courses/programs	36.4%	38.3%	19.2%	42.9%	35.0%	45.8%	56.1%	37.0%	33.3%	42.9%	51.8%
	No response	14.4%	26.0%	33.5%	20.1%	12.5%	13.9%	7.6%	22.3%	17.9%	26.7%	10.5%

Note: This question allowed for multiple responses.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q23_2: Please indicate which of the following you use in your MAIN patient care setting.

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Physician uses technology in main patient care setting	Use electronic patient health records	30.8%	6.5%	10.8%	40.6%	27.5%	22.3%	51.5%	15.2%	21.8%	16.3%	69.3%
	Use Electronic patient appointment/scheduling system	12.4%	18.8%	42.4%	29.3%	9.0%	42.6%	40.9%	28.6%	39.7%	23.1%	70.2%
	Use electronic reminder systems for recommended patient care	3.6%	2.6%	5.9%	4.2%	6.0%	5.6%	4.5%	3.9%	3.8%	3.5%	12.3%
	Use electronic interface to external pharmacy/ pharmacist	5.6%	1.3%	.5%	2.2%	8.5%	5.2%	1.5%	2.7%	5.8%	3.1%	5.3%
	Use electronic interface to external laboratory/ diagnostic imaging	24.1%	5.8%	7.4%	33.3%	39.0%	28.3%	50.0%	25.0%	19.9%	10.3%	55.3%
	Use electronic interface to other external systems for accessing or sharing patient info	10.3%	5.8%	3.4%	21.7%	16.5%	13.5%	22.7%	12.7%	14.7%	6.5%	34.2%
	Use electronic warning systems for adverse prescribing and/or drug interactions	6.9%	4.5%	5.9%	1.4%	17.5%	6.8%	4.5%	6.6%	3.8%	7.2%	4.4%
	Use electronic decision aids	7.6%	7.1%	4.4%	1.9%	24.5%	7.6%	4.5%	6.2%	6.4%	3.3%	12.3%
	Use telemedicine/webcasting/ videoconferencing	18.5%	25.3%	6.9%	24.0%	18.5%	15.9%	34.8%	25.2%	15.4%	14.2%	31.6%
	Use online access to journals, CPGs, medical databases	57.4%	56.5%	32.0%	46.6%	64.0%	60.6%	71.2%	51.1%	54.5%	44.6%	72.8%
	Use online CME/CPD courses/programs	19.6%	20.1%	9.9%	22.8%	18.5%	23.9%	37.9%	20.2%	15.4%	19.8%	26.3%
No response	14.4%	26.0%	33.5%	20.1%	12.5%	13.9%	7.6%	22.3%	17.9%	26.7%	10.5%	

Note: This question allowed for multiple responses.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q23_3: Please indicate which of the following you have on a PDA.

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Physician has technology on PDA	PDA has electronic patient health records	1.2%	.6%	.0%	1.9%	.0%	.8%	.0%	.8%	.0%	1.1%	1.8%
	PDA has electronic patient appointment/ scheduling system	1.6%	2.6%	.0%	1.1%	1.0%	2.4%	.0%	1.3%	2.6%	8.0%	.9%
	PDA has electronic reminder systems for recommended patient care	2.0%	1.3%	1.0%	.3%	5.5%	.8%	1.5%	1.3%	1.3%	1.4%	3.5%
	PDA has electronic interface to external pharmacy/ pharmacist	1.0%	.0%	.0%	.5%	1.5%	1.6%	1.5%	.2%	3.8%	.6%	.0%
	PDA has electronic interface to external laboratory/ diagnostic imaging	.1%	.0%	.5%	.9%	.0%	.0%	.0%	.5%	.6%	.5%	1.8%
	PDA has electronic interface to other external systems for accessing or sharing patient information	.4%	.0%	.5%	1.1%	.5%	.0%	.0%	.1%	1.3%	.1%	.0%
	PDA has electronic warning systems for adverse prescribing and/or drug interactions	4.6%	3.2%	3.4%	.8%	17.0%	4.4%	3.0%	4.3%	3.2%	4.8%	1.8%
	PDA has telemedicine/webcasting/ videoconferencing	5.7%	4.5%	2.5%	.5%	16.5%	4.0%	3.0%	4.5%	4.5%	2.5%	5.3%
	PDA has electronic decision aids	.6%	.6%	.5%	.9%	.0%	.8%	.0%	.5%	.6%	.2%	.0%
	PDA has online access to journals, CPGs, medical databases	2.9%	1.9%	1.0%	.9%	6.0%	2.8%	1.5%	3.0%	1.3%	2.6%	4.4%
	PDA has online CME/CPD courses/programs	1.2%	.0%	.5%	.8%	1.0%	.4%	3.0%	1.0%	.0%	.7%	.0%
No response	14.4%	26.0%	33.5%	20.1%	12.5%	13.9%	7.6%	22.3%	17.9%	26.7%	10.5%	

Note: This question allowed for multiple responses.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q24A: Where did you complete your medical training?

	Other Clinical Specialists										
	Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
	%	%	%	%	%	%	%	%	%	%	%
Memorial University of Newfoundland	3.2%	1.9%	1.0%	1.4%	3.0%	1.2%	1.5%	1.2%	3.2%	1.8%	1.8%
Dalhousie University	4.3%	2.6%	3.9%	5.9%	3.0%	4.8%	7.6%	2.4%	4.5%	2.7%	1.8%
Université de Laval	6.9%	14.9%	7.9%	8.2%	5.5%	3.6%	6.1%	3.9%	5.8%	5.6%	4.4%
Université de Sherbrooke	3.1%	7.1%	7.4%	4.2%	1.0%	4.4%	9.1%	3.9%	2.6%	2.9%	1.8%
Université de Montreal	5.0%	5.8%	11.3%	7.3%	4.5%	9.2%	10.6%	7.0%	5.1%	6.5%	.9%
McGill University	2.9%	9.1%	5.9%	7.1%	9.5%	5.6%	6.1%	8.2%	.6%	5.9%	1.8%
University of Ottawa	3.3%	1.3%	5.9%	2.9%	5.0%	4.8%	.0%	1.2%	5.1%	2.9%	4.4%
Queen's University	4.9%	3.2%	3.4%	3.3%	8.0%	2.8%	.0%	4.4%	7.1%	3.8%	6.1%
University of Toronto	11.3%	11.7%	17.2%	11.1%	11.0%	11.6%	13.6%	9.4%	7.7%	10.6%	14.0%
McMaster University	3.1%	6.5%	2.5%	1.2%	4.5%	6.0%	.0%	6.2%	9.6%	4.2%	3.5%
University of Western Ontario	4.7%	1.3%	2.5%	4.3%	9.5%	5.2%	3.0%	2.9%	3.2%	3.0%	5.3%
University of Manitoba	4.9%	4.5%	4.4%	4.6%	3.5%	4.8%	15.2%	4.4%	3.2%	5.7%	2.6%
University of Saskatchewan	3.7%	4.5%	1.5%	5.0%	1.0%	2.4%	4.5%	1.9%	2.6%	1.8%	.9%
University of Alberta	4.2%	3.2%	3.9%	5.9%	9.5%	4.8%	3.0%	3.6%	2.6%	5.2%	4.4%
University of Calgary	2.3%	1.9%	1.0%	1.2%	3.5%	2.0%	1.5%	3.0%	1.9%	1.8%	.9%
University of British Columbia	6.3%	1.9%	4.9%	2.9%	7.5%	3.6%	1.5%	2.0%	2.6%	3.3%	5.3%
Canadian grad; school not known	.3%	.0%	.5%	.0%	.0%	.8%	.0%	.1%	.0%	.2%	.9%
Sub-Total Canadian Schools	74.5%	81.8%	85.2%	76.6%	89.5%	77.3%	83.3%	65.9%	67.3%	68.0%	60.5%
United States	.2%	.6%	1.0%	.8%	1.5%	2.4%	.0%	2.5%	2.6%	1.4%	.0%
UK	8.4%	4.5%	2.0%	7.0%	.0%	3.6%	9.1%	6.9%	6.4%	7.4%	18.4%
Central America & Caribbean	.2%	.0%	.5%	.3%	.0%	.8%	.0%	1.4%	1.3%	.8%	.0%
Western Europe	.7%	1.3%	1.0%	.6%	.0%	2.0%	.0%	1.3%	1.9%	1.4%	.0%
Central Europe	1.6%	.6%	1.0%	.8%	.0%	1.2%	1.5%	2.3%	.6%	2.4%	.0%
Eastern Europe	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.1%	.9%
Africa (excluding South Africa)	.7%	.6%	.0%	.9%	.0%	.4%	1.5%	1.4%	.6%	1.3%	2.6%
South Africa	2.7%	.6%	1.0%	1.1%	.0%	2.8%	.0%	3.0%	.0%	1.7%	.9%
Middle East	.2%	.0%	.0%	.3%	.0%	.8%	.0%	1.2%	1.3%	.8%	.0%
Asia	3.0%	.0%	2.0%	2.3%	.0%	3.2%	.0%	5.6%	8.3%	6.1%	.9%
Australia & New Zealand	.6%	.0%	.0%	.3%	.0%	.4%	.0%	1.0%	.0%	1.0%	.9%
South America	.2%	.6%	.0%	.3%	.0%	.4%	.0%	.5%	.0%	1.4%	.0%
Sub-Total non-Canadian schools	18.4%	9.1%	8.4%	14.7%	1.5%	17.9%	12.1%	27.1%	23.1%	25.8%	24.6%
Not stated	7.1%	9.1%	6.4%	8.7%	9.0%	4.8%	4.5%	6.9%	9.6%	6.2%	14.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

National Physician Survey, 2004. Results for Clinical Specialists - other

Q24A: When did you complete your medical training?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Year of undergraduate graduation	1940s	.0%	.0%	.5%	.0%	.0%	.4%	.0%	.4%	.0%	.3%	.0%
	1950s	2.2%	.0%	4.9%	6.3%	.0%	4.4%	9.1%	3.7%	4.5%	8.2%	1.8%
	1960s	13.7%	5.2%	23.6%	21.8%	2.0%	21.9%	13.6%	17.6%	14.7%	18.7%	10.5%
	1970s	24.7%	42.2%	31.0%	23.2%	30.0%	27.5%	19.7%	24.7%	23.1%	26.2%	23.7%
	1980s	33.5%	29.9%	24.6%	24.3%	31.0%	23.5%	39.4%	26.4%	28.8%	25.6%	29.8%
	1990s	19.3%	14.9%	10.3%	15.9%	29.0%	18.3%	13.6%	20.0%	21.2%	15.3%	22.8%
	2000s	.1%	.0%	.0%	.2%	.0%	.0%	.0%	.1%	.0%	.1%	.0%
	NR	6.5%	7.8%	4.9%	8.2%	8.0%	4.0%	4.5%	7.2%	7.7%	5.6%	11.4%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q25A: Marital Status

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Marital status	Single, separated, divorced or widowed	12.9%	13.6%	14.8%	9.6%	14.0%	9.6%	16.7%	12.9%	13.5%	15.3%	13.2%
	Married, living with partner	82.2%	81.2%	80.3%	84.2%	77.0%	87.3%	78.8%	82.4%	79.5%	80.2%	78.1%
	NR	4.9%	5.2%	4.9%	6.2%	9.0%	3.2%	4.5%	4.7%	7.1%	4.4%	8.8%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

Q25B: Occupation of spouse or partner.

		Other Clinical Specialists										
		Anest n=864	ComMed n=125	Derm n=230	DiagRad n=544	Emerg n=154	Neuro n=219	NucMed n=52	Peds n=690	Phys n=124	Psych n=1177	RadOnc n=89
		%	%	%	%	%	%	%	%	%	%	%
Spouse/partner is a physician or other health care provider	physician	19.4%	25.6%	19.6%	16.7%	16.9%	20.5%	7.7%	22.0%	21.8%	19.4%	23.6%
	other health care provider	26.9%	19.2%	17.8%	24.6%	33.1%	23.3%	36.5%	19.4%	23.4%	22.3%	15.7%
	neither	49.3%	49.6%	61.3%	53.3%	46.1%	53.0%	50.0%	53.6%	53.2%	53.4%	59.6%
	NR	4.4%	5.6%	1.2%	5.3%	3.9%	3.2%	5.8%	4.9%	1.6%	5.0%	1.1%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q26A: Do you have children or other dependents for whom you personally provide care/supervision?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Children/dependents requiring personal care/supervision	No	34.0%	29.9%	43.8%	38.1%	34.0%	34.3%	37.9%	32.3%	30.1%	42.5%	35.1%
	Yes	61.0%	63.6%	51.2%	55.3%	56.5%	62.5%	54.5%	62.8%	61.5%	52.5%	56.1%
	NR	5.0%	6.5%	4.9%	6.7%	9.5%	3.2%	7.6%	4.9%	8.3%	5.0%	8.8%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

Q26B: If yes, do you have major responsibility for the care of these individuals?

		Other Clinical Specialists										
		Anest n=641	ComMed n=98	Derm n=104	DiagRad n=357	Emerg n=113	Neuro n=157	NucMed n=36	Peds n=526	Phys n=96	Psych n=770	RadOnc n=64
		%	%	%	%	%	%	%	%	%	%	%
Major responsibility for care	Yes	72.1%	81.6%	79.8%	69.5%	74.3%	70.7%	69.4%	75.9%	74.0%	75.3%	79.7%
	No	25.0%	12.2%	19.2%	26.6%	25.7%	24.8%	27.8%	20.5%	25.0%	20.9%	18.8%
	NR	3.0%	6.1%	1.0%	3.9%	.0%	4.5%	2.8%	3.6%	1.0%	3.8%	1.6%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Note: Includes only those who personally provide care or supervision for children or other dependents

NR = No response.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q26C: Age of youngest child.

		Other Clinical Specialists										
		Anest n=607	ComMed n=94	Derm n=95	DiagRad n=324	Emerg n=111	Neuro n=141	NucMed n=33	Peds n=487	Phys n=88	Psych n=705	RadOnc n=59
		%	%	%	%	%	%	%	%	%	%	%
Age of youngest child grouped (from M26C)	up to 5 years old	31.0%	21.3%	26.3%	28.7%	29.7%	31.2%	33.3%	31.0%	31.8%	25.0%	42.4%
	between 5 and 10	21.9%	23.4%	14.7%	22.5%	23.4%	14.9%	24.2%	23.2%	20.5%	20.0%	13.6%
	older than 10	47.1%	55.3%	58.9%	48.8%	46.8%	53.9%	42.4%	45.8%	47.7%	55.0%	44.1%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Note: Includes only those who have major responsibility for children

National Physician Survey, 2004. Results for Clinical Specialists - other

Q27A: Of all the areas in medicine, what led you to select your current career?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Reason for current career choice	intellectual stimulation/challenge	82.8%	81.2%	81.8%	85.1%	83.0%	93.2%	84.8%	81.1%	72.4%	87.2%	80.7%
	doctor-patient relationship	39.6%	22.1%	65.5%	29.7%	45.0%	55.0%	19.7%	72.2%	67.3%	78.2%	73.7%
	workload flexibility and/or predictability	60.0%	47.4%	66.0%	55.0%	62.5%	22.3%	48.5%	25.6%	59.6%	47.7%	36.8%
	influence of a mentor	39.7%	29.2%	44.8%	33.3%	29.5%	56.6%	40.9%	33.2%	38.5%	37.0%	37.7%
	influence of family	12.7%	13.6%	12.8%	18.4%	9.0%	13.5%	16.7%	17.1%	17.3%	17.6%	19.3%
	prestige	8.0%	6.5%	8.9%	9.4%	11.0%	13.1%	6.1%	10.6%	7.7%	11.9%	7.9%
	earning potential	21.3%	9.7%	26.1%	31.4%	21.5%	19.5%	30.3%	15.8%	17.3%	20.4%	16.7%
	research opportunities	8.1%	31.2%	7.4%	6.2%	11.0%	29.5%	39.4%	14.2%	13.5%	11.9%	40.4%
	teaching opportunities	16.7%	33.1%	30.5%	15.3%	39.5%	33.1%	30.3%	28.0%	30.1%	26.0%	27.2%
	ability to pursue non-work related interests	31.1%	21.4%	29.1%	21.7%	37.0%	8.8%	22.7%	9.8%	21.8%	22.1%	11.4%
	availability of training opportunities	19.6%	13.0%	8.9%	16.6%	9.0%	12.4%	13.6%	12.2%	15.4%	17.2%	22.8%
	other	7.6%	27.9%	9.9%	5.4%	8.5%	4.0%	4.5%	10.0%	9.6%	9.8%	13.2%
No response	4.6%	5.8%	3.9%	6.3%	8.0%	3.2%	4.5%	5.4%	5.8%	3.7%	7.9%	

Note: This question allowed for multiple responses.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q27B: Indicate the one most important factor that led to career selection.

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Most important factor that led to current career choice; from Q27a	a. Intellectual stimulation/challenge	45.5%	43.5%	36.5%	52.9%	54.5%	65.3%	54.5%	31.5%	20.5%	39.0%	38.6%
	b. Doctor-patient relationship	5.8%	4.5%	11.8%	4.8%	7.0%	9.2%	1.5%	33.6%	25.6%	30.3%	14.9%
	c. Workload flexibility and/or predictability	18.8%	12.3%	24.1%	14.9%	16.0%	1.6%	9.1%	5.3%	21.2%	6.6%	10.5%
	d. Influence of a mentor	9.4%	2.6%	11.3%	5.9%	1.5%	9.6%	15.2%	8.4%	12.2%	5.6%	6.1%
	e. Influence of family	2.9%	1.9%	2.5%	4.2%	1.0%	2.0%	.0%	4.2%	1.3%	2.7%	5.3%
	f. Prestige	.4%	.0%	.0%	.2%	.0%	.4%	.0%	.7%	.0%	.1%	.0%
	g. Earning potential	.6%	.6%	.5%	1.7%	.0%	.8%	3.0%	.5%	.6%	.5%	.0%
	h. Research opportunities	.3%	2.6%	.5%	.2%	.5%	2.4%	4.5%	.7%	1.9%	.5%	1.8%
	i. Teaching opportunities	.2%	.6%	.0%	.2%	.0%	.8%	.0%	.2%	.0%	.1%	.0%
	j. Ability to pursue non-work related interests	2.1%	1.3%	2.0%	1.5%	1.0%	.0%	.0%	.0%	.0%	1.3%	.0%
	k. Availability of training opportunities	2.0%	.6%	.0%	1.1%	1.0%	.4%	4.5%	.7%	1.3%	1.6%	3.5%
	l. Other	5.3%	21.4%	3.9%	3.3%	6.0%	2.0%	3.0%	5.9%	8.3%	6.3%	7.0%
	Not Answered	6.7%	7.8%	6.9%	9.3%	11.5%	5.6%	4.5%	8.4%	7.1%	5.3%	12.3%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

National Physician Survey, 2004. Results for Clinical Specialists - other

Q28: When did you decide on your current field of medical practice?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
When current field of medical practice was decided upon	Before medical school	1.7%	3.9%	2.0%	2.5%	4.5%	9.2%	4.5%	15.5%	6.4%	14.8%	2.6%
	During medical school but prior to clerkship	8.7%	8.4%	16.7%	13.6%	15.5%	21.1%	15.2%	14.0%	17.3%	15.7%	18.4%
	During clerkship	35.3%	17.5%	32.0%	32.7%	30.0%	23.5%	21.2%	26.0%	25.6%	27.5%	23.7%
	During residency	19.0%	14.9%	31.0%	16.3%	20.0%	33.5%	34.8%	26.0%	19.2%	14.7%	29.8%
	After a period of time in practice	25.3%	44.8%	12.3%	25.4%	19.5%	9.2%	18.2%	11.0%	22.4%	19.7%	14.9%
	Other	4.8%	1.9%	1.5%	2.5%	2.0%	.4%	.0%	1.2%	1.9%	2.9%	2.6%
	NR	5.2%	8.4%	4.4%	7.1%	8.5%	3.2%	6.1%	6.2%	7.1%	4.7%	7.9%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q29B: Indicate the main reason(s) you selected your current practice location.

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Main reason(s) for selecting current practice location	availability of medical support system/resources	12.7%	8.4%	11.3%	12.8%	17.5%	23.1%	15.2%	20.5%	22.4%	17.7%	22.8%
	family reasons/spousal influence	47.3%	47.4%	50.7%	46.7%	47.5%	39.0%	36.4%	48.5%	52.6%	47.6%	41.2%
	liked the area	43.2%	27.3%	39.4%	40.9%	46.0%	36.3%	31.8%	33.5%	34.0%	42.6%	32.5%
	opportunity for affiliation with a universtiy	20.8%	24.0%	24.1%	14.4%	29.5%	39.8%	25.8%	27.4%	37.8%	29.9%	27.2%
	community needs were a good match with my career interests	14.2%	24.7%	15.3%	16.9%	11.0%	13.1%	10.6%	19.7%	18.6%	21.4%	5.3%
	practice opportunity was available	40.2%	29.9%	30.0%	43.5%	33.0%	34.7%	47.0%	37.8%	40.4%	23.9%	33.3%
	religious/social/cultural reasons	2.5%	3.2%	3.4%	3.9%	3.5%	4.4%	.0%	3.5%	5.8%	6.9%	4.4%
	financial recruitment/retention incentives	4.2%	1.9%	2.5%	4.2%	4.5%	1.6%	6.1%	3.7%	7.1%	6.4%	7.0%
	other (non-financial) recruitment/retention incentives	1.8%	1.9%	.0%	1.4%	4.5%	3.6%	1.5%	2.7%	1.9%	2.6%	2.6%
	other	4.9%	8.4%	3.4%	5.3%	9.0%	6.8%	9.1%	4.8%	3.8%	6.5%	7.9%
No response	5.1%	7.8%	4.4%	7.0%	8.5%	3.2%	4.5%	5.3%	5.8%	4.0%	8.8%	

Note: This question allowed for multiple responses.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q29D: Select the ONE statement which best describes the environment in which you grew up prior to university.

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Childhood environment prior to university	Exclusively/predominantly rural	7.7%	6.5%	3.9%	6.2%	5.0%	3.6%	6.1%	8.5%	9.6%	7.0%	5.3%
	Exclusively/predominantly small town	21.8%	16.9%	21.2%	21.8%	19.0%	17.5%	18.2%	15.7%	23.7%	16.5%	15.8%
	Exclusively/predominantly urban	57.3%	53.9%	64.0%	55.7%	58.5%	62.9%	65.2%	62.4%	53.2%	60.9%	57.9%
	Mixture of environments	8.2%	14.9%	6.9%	8.8%	9.5%	12.4%	6.1%	7.2%	8.3%	11.2%	11.4%
	NR	5.0%	7.8%	3.9%	7.4%	8.0%	3.6%	4.5%	6.3%	5.1%	4.5%	9.6%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

National Physician Survey, 2004. Results for Clinical Specialists - other

Q29E: In which province(s)/territory(ies) did you grow up prior to university?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Province(s) or territory(ies) in which physician grew up prior to university	British Columbia	8.1%	4.5%	4.4%	5.1%	7.5%	5.2%	4.5%	3.2%	3.8%	4.8%	7.9%
	Alberta	7.0%	5.8%	3.9%	7.6%	15.5%	6.0%	3.0%	7.2%	7.1%	7.6%	4.4%
	Saskatchewan	5.0%	5.8%	3.0%	6.5%	2.0%	5.2%	3.0%	2.7%	2.6%	3.4%	.9%
	Manitoba	5.2%	7.1%	5.4%	6.3%	5.0%	6.4%	13.6%	5.3%	4.5%	6.5%	3.5%
	Ontario	28.0%	26.0%	30.5%	22.9%	38.5%	31.1%	16.7%	24.0%	30.8%	25.4%	31.6%
	Quebec	21.1%	42.9%	34.5%	26.5%	23.0%	23.5%	31.8%	25.3%	19.2%	23.0%	11.4%
	New Brunswick	2.1%	2.6%	3.4%	3.3%	2.0%	2.0%	1.5%	2.4%	3.8%	1.6%	3.5%
	Nova Scotia	3.0%	3.2%	2.5%	4.2%	2.0%	3.6%	4.5%	1.8%	3.8%	2.3%	.9%
	Prince Edward Island	.2%	1.3%	.5%	1.1%	.0%	.8%	1.5%	.2%	.6%	.3%	.0%
	Newfoundland & Labrador	2.5%	3.2%	1.0%	2.2%	4.5%	1.6%	3.0%	1.1%	1.3%	1.5%	3.5%
	North West Territories	.1%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.1%	.9%
	Yukon	.1%	.6%	.0%	.0%	.5%	.0%	.0%	.0%	.0%	.2%	.9%
	Outside of Canada	24.5%	12.3%	13.3%	20.1%	6.0%	22.7%	16.7%	31.3%	26.3%	31.4%	32.5%
No response	5.0%	5.8%	4.4%	7.7%	8.0%	3.6%	9.1%	5.4%	5.8%	4.4%	9.6%	

Note: This question allowed for multiple responses.

Q30: What languages do you speak with your patients?

		Other Clinical Specialists										
		Anest n=1051	ComMed n=154	Derm n=203	DiagRad n=646	Emerg n=200	Neuro n=251	NucMed n=66	Peds n=837	Phys n=156	Psych n=1467	RadOnc n=114
		%	%	%	%	%	%	%	%	%	%	%
Languages spoken with patients	English	90.5%	74.0%	86.7%	83.7%	89.5%	93.2%	87.9%	89.8%	88.5%	88.8%	86.0%
	French	28.4%	48.1%	46.8%	31.0%	35.0%	36.3%	39.4%	35.5%	30.1%	25.9%	21.9%
	Other	10.8%	8.4%	11.3%	8.7%	13.0%	13.5%	7.6%	18.3%	18.6%	15.2%	9.6%
	No response	4.5%	8.4%	4.4%	6.5%	8.0%	2.8%	4.5%	5.1%	5.8%	4.0%	9.6%

Note: This question allowed for multiple responses.