

# National Physician Survey, 2004. Results for Clinical Specialists - internal medicine.

## Q24A: Where did you complete your medical training?

	Internal Medicine Specialists										
	Cardio n=267	EndoMet n=107	Gastro n=165	Geriat n=82	Hema n=81	Immun n=46	IntMed n=730	MedOnc n=107	Nephro n=108	Respir n=187	Rheuma n=102
	%	%	%	%	%	%	%	%	%	%	%
Memorial University of Newfoundland	.7%	.9%	1.8%	2.4%	4.9%	2.2%	.8%	.0%	1.9%	1.1%	1.0%
Dalhousie University	1.9%	3.7%	1.8%	6.1%	3.7%	6.5%	3.8%	2.8%	.9%	2.7%	3.9%
Université de Laval	9.4%	3.7%	10.3%	2.4%	3.7%	2.2%	3.4%	5.6%	3.7%	8.0%	4.9%
Université de Sherbrooke	2.2%	4.7%	4.8%	4.9%	.0%	.0%	1.8%	4.7%	2.8%	3.2%	1.0%
Université de Montreal	10.9%	8.4%	7.9%	8.5%	8.6%	2.2%	4.1%	14.0%	9.3%	7.5%	5.9%
McGill University	10.1%	13.1%	7.9%	12.2%	17.3%	17.4%	6.4%	9.3%	11.1%	13.9%	13.7%
University of Ottawa	4.5%	3.7%	2.4%	3.7%	3.7%	.0%	3.0%	6.5%	3.7%	3.2%	6.9%
Queen's University	5.2%	3.7%	7.9%	1.2%	2.5%	6.5%	4.2%	3.7%	2.8%	7.0%	3.9%
University of Toronto	13.9%	11.2%	9.7%	7.3%	9.9%	6.5%	15.9%	12.1%	11.1%	9.6%	13.7%
McMaster University	3.7%	2.8%	4.2%	3.7%	3.7%	6.5%	2.9%	1.9%	2.8%	1.6%	4.9%
University of Western Ontario	4.9%	8.4%	3.6%	1.2%	4.9%	15.2%	7.1%	3.7%	.9%	3.7%	5.9%
University of Manitoba	1.9%	3.7%	3.0%	3.7%	3.7%	4.3%	2.6%	1.9%	4.6%	2.7%	2.0%
University of Saskatchewan	1.9%	.0%	.6%	2.4%	1.2%	.0%	2.5%	2.8%	1.9%	1.6%	4.9%
University of Alberta	3.7%	3.7%	4.2%	8.5%	2.5%	8.7%	3.6%	6.5%	3.7%	5.3%	5.9%
University of Calgary	1.9%	.9%	1.8%	3.7%	3.7%	.0%	2.1%	1.9%	4.6%	3.2%	1.0%
University of British Columbia	3.4%	2.8%	3.6%	2.4%	4.9%	.0%	2.3%	3.7%	1.9%	3.2%	2.9%
Canadian grad; school not known	.4%	.0%	1.2%	.0%	.0%	.0%	.3%	.0%	.0%	.0%	.0%
Sub-Total Canadian Schools	80.5%	75.7%	77.0%	74.4%	79.0%	78.3%	66.8%	81.3%	67.6%	77.5%	82.4%
United States	1.1%	2.8%	1.2%	6.1%	2.5%	.0%	1.8%	.9%	.0%	1.6%	.0%
UK	2.6%	1.9%	4.8%	4.9%	2.5%	2.2%	7.0%	4.7%	5.6%	5.9%	2.0%
Central America & Caribbean	.4%	.9%	.6%	.0%	1.2%	6.5%	1.2%	.0%	.0%	.0%	1.0%
Western Europe	1.5%	1.9%	.6%	2.4%	.0%	.0%	1.0%	.0%	3.7%	1.1%	.0%
Central Europe	.4%	2.8%	.6%	2.4%	.0%	.0%	2.7%	1.9%	1.9%	.0%	1.0%
Africa (excluding South Africa)	1.5%	.9%	.0%	.0%	1.2%	.0%	.8%	.0%	1.9%	.0%	1.0%
South Africa	.4%	.9%	.0%	1.2%	.0%	2.2%	1.2%	1.9%	1.9%	2.1%	.0%
Middle East	2.2%	.9%	.6%	.0%	1.2%	.0%	1.1%	.9%	.9%	.5%	1.0%
Asia	2.6%	2.8%	4.2%	2.4%	3.7%	.0%	7.5%	1.9%	2.8%	1.6%	2.0%
Australia & New Zealand	.7%	.0%	2.4%	.0%	.0%	.0%	1.0%	.9%	.0%	1.1%	1.0%
South America	.4%	.0%	.0%	.0%	.0%	2.2%	.5%	.0%	.0%	2.1%	.0%
Sub-Total non-Canadian schools	13.9%	15.9%	15.2%	19.5%	12.3%	13.0%	25.9%	13.1%	18.5%	16.0%	8.8%
Not stated	5.6%	8.4%	7.9%	6.1%	8.6%	8.7%	7.3%	5.6%	13.9%	6.4%	8.8%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

## National Physician Survey, 2004. Results for Clinical Specialists - internal medicine.

### Q24A: When did you complete your medical training?

		Internal Medicine Specialists										
		Cardio n=267	EndoMet n=107	Gastro n=165	Geriat n=82	Hema n=81	Immun n=46	IntMed n=730	MedOnc n=107	Nephro n=108	Respir n=187	Rheuma n=102
		%	%	%	%	%	%	%	%	%	%	%
Year of undergraduate graduation	1940s	.4%	.0%	.0%	.0%	.0%	.0%	.4%	.0%	.0%	.0%	.0%
	1950s	1.9%	5.6%	2.4%	1.2%	.0%	2.2%	9.6%	.9%	3.7%	.5%	2.0%
	1960s	13.1%	11.2%	17.0%	4.9%	17.3%	8.7%	27.3%	11.2%	6.5%	11.2%	8.8%
	1970s	33.0%	18.7%	29.7%	17.1%	14.8%	26.1%	22.7%	29.0%	23.1%	33.7%	32.4%
	1980s	31.5%	30.8%	23.0%	32.9%	34.6%	19.6%	16.7%	28.0%	23.1%	28.3%	30.4%
	1990s	14.6%	25.2%	20.6%	35.4%	25.9%	34.8%	16.0%	24.3%	31.5%	19.3%	20.6%
	2000s	.4%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.5%	.0%
	NR	5.2%	8.4%	7.3%	8.5%	7.4%	8.7%	7.3%	6.5%	12.0%	6.4%	5.9%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

# National Physician Survey, 2004. Results for Clinical Specialists - internal medicine.

## Q25A: Marital Status

		Internal Medicine Specialists										
		Cardio n=267	EndoMet n=107	Gastro n=165	Geriat n=82	Hema n=81	Immun n=46	IntMed n=730	MedOnc n=107	Nephro n=108	Respir n=187	Rheuma n=102
		%	%	%	%	%	%	%	%	%	%	%
Marital status	Single, separated, divorced or widowed	10.1%	7.5%	10.9%	14.6%	14.8%	13.0%	13.2%	9.3%	11.1%	13.9%	10.8%
	Married, living with partner	86.1%	86.9%	84.8%	80.5%	79.0%	80.4%	80.7%	85.0%	76.9%	80.7%	84.3%
	NR	3.7%	5.6%	4.2%	4.9%	6.2%	6.5%	6.2%	5.6%	12.0%	5.3%	4.9%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

## Q25B: Occupation of spouse or partner.

		Internal Medicine Specialists										
		Cardio n=230	EndoMet n=93	Gastro n=140	Geriat n=66	Hema n=64	Immun n=37	IntMed n=598	MedOnc n=91	Nephro n=83	Respir n=151	Rheuma n=86
		%	%	%	%	%	%	%	%	%	%	%
Spouse/partner is a physician or other health care provider	physician	26.1%	24.7%	18.6%	28.8%	25.0%	18.9%	18.7%	22.0%	19.3%	26.5%	32.6%
	other health care provider	31.3%	18.3%	29.3%	15.2%	25.0%	13.5%	25.6%	24.2%	27.7%	19.9%	16.3%
	neither	39.1%	47.3%	46.4%	50.0%	43.8%	64.9%	51.4%	49.5%	49.4%	51.0%	45.3%
	NR	3.5%	9.7%	5.7%	6.1%	6.3%	2.7%	4.2%	4.4%	3.6%	2.6%	5.8%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

## National Physician Survey, 2004. Results for Clinical Specialists - internal medicine.

### Q26A: Do you have children or other dependents for whom you personally provide care/supervision?

		Internal Medicine Specialists										
		Cardio n=267	EndoMet n=107	Gastro n=165	Geriat n=82	Hema n=81	Immun n=46	IntMed n=730	MedOnc n=107	Nephro n=108	Respir n=187	Rheuma n=102
		%	%	%	%	%	%	%	%	%	%	%
Children/dependents requiring personal care/supervision	No	26.6%	33.6%	34.5%	20.7%	32.1%	34.8%	42.3%	36.4%	28.7%	26.7%	30.4%
	Yes	68.9%	59.8%	58.8%	73.2%	60.5%	58.7%	51.0%	57.9%	59.3%	66.8%	65.7%
	NR	4.5%	6.5%	6.7%	6.1%	7.4%	6.5%	6.7%	5.6%	12.0%	6.4%	3.9%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

### Q26B: If yes, do you have major responsibility for the care of these individuals?

		Internal Medicine Specialists										
		Cardio n=184	EndoMet n=64	Gastro n=97	Geriat n=60	Hema n=49	Immun n=27	IntMed n=372	MedOnc n=62	Nephro n=64	Respir n=125	Rheuma n=67
		%	%	%	%	%	%	%	%	%	%	%
Major responsibility for care	Yes	72.8%	82.8%	73.2%	81.7%	73.5%	--	71.2%	75.8%	71.9%	78.4%	73.1%
	No	23.9%	15.6%	22.7%	16.7%	18.4%	--	26.1%	19.4%	20.3%	20.8%	23.9%
	NR	3.3%	1.6%	4.1%	1.7%	8.2%	--	2.7%	4.8%	7.8%	.8%	3.0%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	--	100.0%	100.0%	100.0%	100.0%	100.0%

Note: Includes only those who personally provide care or supervision for children or other dependents

NR = No response.

-- Responses suppressed when column n is less than 30.

## National Physician Survey, 2004. Results for Clinical Specialists - internal medicine.

### Q26C: Age of youngest child.

		Internal Medicine Specialists										
		Cardio n=170	EndoMet n=62	Gastro n=93	Geriat n=58	Hema n=46	Immun n=25	IntMed n=340	MedOnc n=57	Nephro n=60	Respir n=122	Rheuma n=63
		%	%	%	%	%	%	%	%	%	%	%
Age of youngest child grouped (from M26C)	up to 5 years old	28.8%	35.5%	29.0%	32.8%	37.0%	--	29.7%	26.3%	43.3%	24.6%	25.4%
	between 5 and 10	21.8%	19.4%	23.7%	27.6%	21.7%	--	11.5%	29.8%	16.7%	18.0%	19.0%
	older than 10	49.4%	45.2%	47.3%	39.7%	41.3%	--	58.8%	43.9%	40.0%	57.4%	55.6%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	--	100.0%	100.0%	100.0%	100.0%	100.0%

Note: Includes only those who have major responsibility for children

-- Responses suppressed when column n is less than 30.

## National Physician Survey, 2004. Results for Clinical Specialists - internal medicine.

Q27A: Of all the areas in medicine, what led you to select your current career?

		Internal Medicine Specialists										
		Cardio n=267	EndoMet n=107	Gastro n=165	Geriat n=82	Hema n=81	Immun n=46	IntMed n=730	MedOnc n=107	Nephro n=108	Respir n=187	Rheuma n=102
		%	%	%	%	%	%	%	%	%	%	%
Reason for current career choice	intellectual stimulation/challenge	88.4%	89.7%	87.3%	85.4%	88.9%	76.1%	85.5%	88.8%	84.3%	87.7%	86.3%
	doctor-patient relationship	55.8%	57.9%	66.7%	80.5%	65.4%	50.0%	61.2%	72.0%	62.0%	56.1%	73.5%
	workload flexibility and/or predictability	16.1%	33.6%	23.0%	41.5%	22.2%	73.9%	23.2%	15.9%	13.9%	21.9%	52.0%
	influence of a mentor	49.8%	48.6%	53.9%	48.8%	50.6%	43.5%	40.7%	48.6%	39.8%	53.5%	58.8%
	influence of family	16.5%	14.0%	10.3%	30.5%	22.2%	26.1%	21.0%	14.0%	13.0%	11.2%	25.5%
	prestige	22.1%	15.0%	13.3%	6.1%	8.6%	8.7%	17.0%	12.1%	13.9%	11.8%	9.8%
	earning potential	29.2%	16.8%	27.3%	18.3%	17.3%	26.1%	22.9%	21.5%	21.3%	18.2%	9.8%
	research opportunities	32.6%	35.5%	20.0%	24.4%	50.6%	34.8%	21.1%	49.5%	26.9%	33.2%	18.6%
	teaching opportunities	33.3%	42.1%	29.1%	36.6%	39.5%	34.8%	30.8%	40.2%	35.2%	34.2%	30.4%
	ability to pursue non-work related interests	4.5%	9.3%	6.1%	7.3%	4.9%	23.9%	9.2%	6.5%	5.6%	5.9%	10.8%
	availability of training opportunities	13.5%	11.2%	10.9%	8.5%	11.1%	23.9%	13.4%	5.6%	12.0%	16.6%	12.7%
	other	3.7%	.0%	10.3%	8.5%	6.2%	.0%	7.0%	11.2%	2.8%	7.0%	2.0%
No response	3.4%	6.5%	4.8%	4.9%	6.2%	6.5%	5.8%	4.7%	12.0%	4.8%	4.9%	

Note: This question allowed for multiple responses.

## National Physician Survey, 2004. Results for Clinical Specialists - internal medicine.

Q27B: Indicate the one most important factor that led to career selection.

		Internal Medicine Specialists										
		Cardio n=267	EndoMet n=107	Gastro n=165	Geriat n=82	Hema n=81	Immun n=46	IntMed n=730	MedOnc n=107	Nephro n=108	Respir n=187	Rheuma n=102
		%	%	%	%	%	%	%	%	%	%	%
Most important factor that led to current career choice; from Q27a	a. Intellectual stimulation/challenge	57.7%	64.5%	50.3%	39.0%	51.9%	37.0%	48.8%	44.9%	49.1%	48.7%	41.2%
	b. Doctor-patient relationship	14.6%	9.3%	11.5%	26.8%	16.0%	8.7%	15.2%	23.4%	15.7%	11.8%	20.6%
	c. Workload flexibility and/or predictability	1.1%	1.9%	4.8%	7.3%	2.5%	17.4%	3.3%	1.9%	1.9%	1.1%	8.8%
	d. Influence of a mentor	14.2%	5.6%	16.4%	11.0%	12.3%	17.4%	9.3%	9.3%	7.4%	18.2%	14.7%
	e. Influence of family	1.5%	4.7%	1.8%	2.4%	1.2%	2.2%	3.3%	.9%	4.6%	3.2%	3.9%
	f. Prestige	.4%	.9%	.0%	.0%	.0%	2.2%	1.6%	.9%	.0%	.5%	.0%
	g. Earning potential	.7%	.0%	1.2%	.0%	.0%	2.2%	1.1%	.0%	.9%	2.1%	.0%
	h. Research opportunities	1.1%	3.7%	.0%	.0%	2.5%	2.2%	1.1%	5.6%	1.9%	2.1%	1.0%
	i. Teaching opportunities	.7%	.0%	.6%	.0%	2.5%	.0%	1.1%	.0%	.0%	1.1%	.0%
	j. Ability to pursue non-work related interests	.0%	.0%	.6%	.0%	.0%	4.3%	.7%	.0%	.0%	.0%	1.0%
	k. Availability of training opportunities	1.5%	.0%	.0%	1.2%	.0%	.0%	1.6%	.0%	1.9%	1.1%	1.0%
	l. Other	1.1%	.0%	6.1%	3.7%	1.2%	.0%	4.1%	7.5%	2.8%	3.7%	2.0%
	Not Answered	5.2%	9.3%	6.7%	8.5%	9.9%	6.5%	8.8%	5.6%	13.9%	6.4%	5.9%
Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	

## National Physician Survey, 2004. Results for Clinical Specialists - internal medicine.

Q28: When did you decide on your current field of medical practice?

		Internal Medicine Specialists										
		Cardio n=267	EndoMet n=107	Gastro n=165	Geriat n=82	Hema n=81	Immun n=46	IntMed n=730	MedOnc n=107	Nephro n=108	Respir n=187	Rheuma n=102
		%	%	%	%	%	%	%	%	%	%	%
When current field of medical practice was decided upon	Before medical school	6.0%	7.5%	4.2%	11.0%	6.2%	.0%	4.9%	18.7%	1.9%	2.1%	2.9%
	During medical school but prior to clerkship	10.5%	17.8%	5.5%	17.1%	13.6%	10.9%	12.5%	8.4%	8.3%	7.0%	8.8%
	During clerkship	21.3%	10.3%	15.8%	12.2%	13.6%	4.3%	21.4%	11.2%	11.1%	15.0%	11.8%
	During residency	52.8%	54.2%	63.0%	47.6%	54.3%	67.4%	42.9%	49.5%	60.2%	63.1%	62.7%
	After a period of time in practice	4.5%	3.7%	5.5%	7.3%	6.2%	8.7%	10.4%	7.5%	1.9%	7.0%	7.8%
	Other	.7%	.0%	.0%	.0%	1.2%	2.2%	2.1%	.0%	1.9%	.0%	1.0%
	NR	4.1%	6.5%	6.1%	4.9%	4.9%	6.5%	5.9%	4.7%	14.8%	5.9%	4.9%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

## National Physician Survey, 2004. Results for Clinical Specialists - internal medicine.

**Q29B: Indicate the main reason(s) you selected your current practice location.**

		Internal Medicine Specialists										
		Cardio n=267	EndoMet n=107	Gastro n=165	Geriat n=82	Hema n=81	Immun n=46	IntMed n=730	MedOnc n=107	Nephro n=108	Respir n=187	Rheuma n=102
		%	%	%	%	%	%	%	%	%	%	%
Main reason(s) for selecting current practice location	availability of medical support system/resources	23.2%	25.2%	23.0%	13.4%	14.8%	8.7%	16.8%	25.2%	18.5%	18.2%	20.6%
	family reasons/spousal influence	41.6%	35.5%	40.0%	58.5%	46.9%	52.2%	38.1%	42.1%	43.5%	46.5%	53.9%
	liked the area	30.3%	29.0%	35.8%	35.4%	19.8%	26.1%	39.6%	29.9%	28.7%	33.7%	34.3%
	opportunity for affiliation with a universtiy	29.6%	40.2%	33.9%	30.5%	34.6%	34.8%	26.7%	37.4%	37.0%	39.0%	27.5%
	community needs were a good match with my career interests	13.9%	16.8%	17.0%	18.3%	8.6%	13.0%	19.9%	15.9%	15.7%	17.6%	21.6%
	practice opportunity was available	35.6%	30.8%	35.8%	24.4%	35.8%	43.5%	35.8%	29.0%	30.6%	31.6%	35.3%
	religious/social/cultural reasons	4.1%	1.9%	4.8%	3.7%	1.2%	4.3%	3.8%	1.9%	5.6%	3.7%	2.0%
	financial recruitment/retention incentives	3.4%	4.7%	1.2%	4.9%	2.5%	.0%	3.4%	8.4%	8.3%	3.2%	.0%
	other (non-financial) recruitment/retention incentives	3.4%	3.7%	3.0%	3.7%	2.5%	4.3%	2.3%	1.9%	3.7%	2.1%	1.0%
	other	5.2%	4.7%	4.8%	6.1%	11.1%	6.5%	6.3%	8.4%	5.6%	5.3%	2.9%
No response	3.4%	5.6%	5.5%	7.3%	6.2%	6.5%	5.9%	4.7%	12.0%	5.3%	3.9%	

Note: This question allowed for multiple responses.

## National Physician Survey, 2004. Results for Clinical Specialists - internal medicine.

Q29D: Select the ONE statement which best describes the environment in which you grew up prior to university.

		Internal Medicine Specialists										
		Cardio n=267	EndoMet n=107	Gastro n=165	Geriat n=82	Hema n=81	Immun n=46	IntMed n=730	MedOnc n=107	Nephro n=108	Respir n=187	Rheuma n=102
		%	%	%	%	%	%	%	%	%	%	%
Childhood environment prior to university	Exclusively/ predominantly rural	4.9%	6.5%	3.6%	4.9%	3.7%	10.9%	8.5%	2.8%	5.6%	4.8%	2.0%
	Exclusively/ predominantly small town	16.9%	13.1%	18.2%	22.0%	12.3%	10.9%	16.7%	23.4%	10.2%	17.1%	15.7%
	Exclusively/ predominantly urban	68.9%	68.2%	64.8%	61.0%	65.4%	69.6%	59.6%	61.7%	62.0%	63.1%	71.6%
	Mixture of environments	5.6%	6.5%	8.5%	4.9%	12.3%	2.2%	8.9%	7.5%	10.2%	9.1%	5.9%
	NR	3.7%	5.6%	4.8%	7.3%	6.2%	6.5%	6.3%	4.7%	12.0%	5.9%	4.9%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

NR = No response.

## National Physician Survey, 2004. Results for Clinical Specialists - internal medicine.

**Q29E: In which province(s)/territory(ies) did you grow up prior to university?**

		Internal Medicine Specialists										
		Cardio n=267	EndoMet n=107	Gastro n=165	Geriat n=82	Hema n=81	Immun n=46	IntMed n=730	MedOnc n=107	Nephro n=108	Respir n=187	Rheuma n=102
		%	%	%	%	%	%	%	%	%	%	%
Province(s) or territory(ies) in which physician grew up prior to university	British Columbia	4.5%	2.8%	5.5%	4.9%	8.6%	4.3%	3.8%	4.7%	1.9%	4.8%	3.9%
	Alberta	6.4%	8.4%	7.3%	14.6%	7.4%	8.7%	6.3%	6.5%	5.6%	7.5%	6.9%
	Saskatchewan	4.1%	1.9%	1.8%	3.7%	3.7%	2.2%	4.0%	4.7%	2.8%	3.2%	5.9%
	Manitoba	3.0%	3.7%	3.6%	4.9%	6.2%	.0%	3.3%	3.7%	5.6%	5.3%	3.9%
	Ontario	29.2%	29.9%	25.5%	19.5%	32.1%	37.0%	32.3%	24.3%	23.1%	24.1%	32.4%
	Quebec	33.0%	31.8%	33.3%	26.8%	30.9%	19.6%	16.3%	34.6%	30.6%	33.7%	29.4%
	New Brunswick	1.9%	5.6%	.6%	3.7%	2.5%	2.2%	1.2%	.0%	.9%	2.1%	4.9%
	Nova Scotia	2.2%	.0%	2.4%	3.7%	2.5%	6.5%	4.0%	1.9%	2.8%	4.8%	2.0%
	Prince Edward Island	.7%	.0%	.0%	.0%	.0%	.0%	.5%	1.9%	.0%	1.1%	.0%
	Newfoundland & Labrador	1.1%	2.8%	1.8%	1.2%	2.5%	8.7%	1.8%	.0%	1.9%	1.6%	1.0%
	North West Territories	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.5%	.0%
	Nunavut	.0%	.0%	.6%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
	Outside of Canada	19.9%	19.6%	22.4%	19.5%	17.3%	21.7%	30.5%	22.4%	19.4%	19.8%	15.7%
No response	4.1%	5.6%	4.8%	8.5%	6.2%	6.5%	6.3%	4.7%	12.0%	5.3%	4.9%	

Note: This question allowed for multiple responses.

**Q30: What languages do you speak with your patients?**

		Internal Medicine Specialists										
		Cardio n=267	EndoMet n=107	Gastro n=165	Geriat n=82	Hema n=81	Immun n=46	IntMed n=730	MedOnc n=107	Nephro n=108	Respir n=187	Rheuma n=102
		%	%	%	%	%	%	%	%	%	%	%
Languages spoken with patients	English	87.3%	89.7%	85.5%	87.8%	87.7%	89.1%	90.1%	92.5%	81.5%	86.6%	88.2%
	French	42.3%	42.1%	43.6%	36.6%	33.3%	37.0%	23.6%	44.9%	37.0%	45.5%	36.3%
	Other	18.7%	18.7%	20.6%	19.5%	11.1%	8.7%	17.9%	14.0%	13.9%	13.4%	12.7%
	No response	3.7%	5.6%	5.5%	7.3%	9.9%	6.5%	5.6%	4.7%	12.0%	5.3%	3.9%

Note: This question allowed for multiple responses.